



ALLEGION™

 Austral Lock  Brio  Briton  Gainsborough  LEGGE  SCHLAGE

OEM Product Guide 2023



OEM  
Product Guide  
2023



# About Allegion

At Allegion, we help keep people safe and secure where they live, work and visit. With more than 30 brands sold in almost 130 countries across the globe, we specialise in security around the doorway and beyond: everything from residential and commercial locks, door closer and exit devices, sliding and folding door hardware to access control and workforce productivity systems.

At the core of our \$2.9 billion business is the knowledge and experience of the 12,000+ dedicated employees behind our brands. We help our customers navigate their toughest security challenges, and we help builders and property owners differentiate themselves by providing innovative and secure solutions. Operational excellence is a key part of what we do for our customers, and is a focus for our employees. Our trained specification writers and experts not only help our customers adhere to codes and standards – we help advocate for and raise those security standards in the first place, in markets around the world.

While mechanical hardware is the foundation of our business and will always be at the core of what we do, we recognize that the future of the security industry lies in addressing the needs of an increasingly connected world. Electronic solutions don't replace our mechanical products – they make them more powerful. That's why our core strength in mechanical security, when combined with digital, mobile and interconnected electronic solutions – and our expertise in style and design – makes us a leader in our markets.



**Austral Lock**





Image: Austral SD9 Horizon

# General Information

## Finishes

The finishes available and relevant finish codes are as follows

### Stocked powder coat colours

<b>ANGR</b>	Anotec Dark Grey	<b>NOTR</b>	Notre Dame Grey
<b>APO</b>	APO Grey	<b>PBRK</b>	Paperbark
<b>SCA</b>	Silver Clear Anotec	<b>GS</b>	Precious Bronze Pearl
<b>BLST</b>	Black	<b>PSIL</b>	Precious Silver Pearl
<b>BR</b>	Brown	<b>PRGL</b>	Primrose
<b>DPOC</b>	Deep Ocean Blue	<b>PTST</b>	Pottery
<b>DSST</b>	Doeskin	<b>SBMT</b>	Stone Beige
<b>DUNE</b>	Dune Matt	<b>SFM</b>	Surf Mist
<b>HG</b>	Hawthorn Green	<b>WBIR</b>	White Birch
<b>JASP</b>	Jasper Satin	<b>WDGR</b>	Woodlands Grey
<b>MAG</b>	Magnolia	<b>WHGL</b>	White Gloss
<b>MON</b>	Monument		

**Note:** More than 200 colours available from Dulux® and Interpon® ranges. Non-stocked colours are priced upon quote and may attract an increase in cost and lead time.

# Index

Product Range

## Sliding Patio Doors

### Yarra Series

Au10	Yarra Essential Range
Au11	Yarra View Series (Edge)
Au12	Yarra View Series (Curve)
Au13	Yarra View Series (Slim)
Au14	Yarra View Series (Cylinders) & (Alternative Hardware)
Au15	Yarra View Series (Accessories)
Au16	Yarra Ridge Series (Standard D Pulls)
Au17	Yarra Ridge Series (Cylinders & Multipoint)
Au18	Yarra Ridge Series (Alternative Hardware)
Au19	Yarra Ridge Series (Accessories)
Au20	Yarra Horizon (Deadlock No Cylinder, Single Cylinder)
Au21	Yarra Horizon (Deadlock Double Cylinder)

## Hinged Patio Doors

### Sorrento MK2 Series

Au23	Sorrento MK2 Series (Door Deadlock)
Au24	Sorrento MK2 Series (Cylinders and Multipoint Kits)
Au25	Sorrento MK2 Series (Furniture and Lock Bodies)
Au26	Sorrento MK2 Series (Accessories)

## Sliding Security Doors

### SD and SD9 Series

Au32	SD7 Series (Deadlock)
Au33	SD7 (Accessories)
Au34	SD9 Horizon (Deadlock)

# Index

Product Range

## Hinged Security Doors

### Elegance and Ultimate Series

Au27	Elegance (Door Deadlock)
Au28	Elegance (Accessories)
Au29	Elegance Push2GO (Deadlock)
Au30	Ultimate (Deadlock)
Au31	Ultimate (Accessories)

## Verta Series

### Verta Series

Au35 - Au37	Verta Series
-------------	--------------

## Windows

### Pearl Window Series

Au22	Pearl Window Lock Series
------	--------------------------

## Door Closers

### Austral Door Closers

Au38	Door Closers
------	--------------


## Accessories

### Austral Accessories

Au38	Austral Accessories
------	---------------------

# Yarra Essential Sliding Patio


Yarra Essential Range



## Yarra Essentials Standard Inner/Outer Pull 16mm C/P


Description	Code
<b>No Cylinder (16mm Standard Catch Plate)</b>	
Yarra Essentials Single Beak Polymer Handle No Cylinder 16mm Catch Matt Black	YENNCSSBLMT
<b>With 5 Pin Cylinder KD (16mm Standard Catch Plate)</b>	
Yarra Essentials Single Beak Polymer Handle Double Cylinder 16mm Catch Matt Black	YEDCSSBLMT
Yarra Essentials Single Beak Polymer Handle Single Cylinder 16mm Catch Matt Black	YESCSSBLMT

## Yarra Essentials Standard Inner/Flat Outer Pull 16mm C/P




Description	Code
<b>No Cylinder (16mm Standard Catch Plate)</b>	
Yarra Essentials Single Beak Polymer Handle No Cyl 16mm Catch Flat Pull Matt Black	YENNCSSFBLMT
<b>With 5 Pin Cylinder KD (16mm Standard Catch Plate)</b>	
Yarra Essentials Single Beak Polymer Handle Single Cylinder 16mm Catch Flat Pull Matt Black	YESCSSFBLMT
Yarra Essentials Single Beak Polymer Handle Double Cylinder 16mm Catch Flat Pull Matt Black	YEDCSSFBLMT

## Yarra Essentials Standard Inner/Outer Pull 25mm C/P



Description	Code
<b>No Cylinder (25mm Wide Catch Plate)</b>	
Yarra Essentials Single Beak Polymer Handle No Cylinder 25mm Catch Matt Black	YENNCWSBLMT
<b>With 5 Pin Cylinder KD (25mm Wide Catch Plate)</b>	
Yarra Essentials Single Beak Polymer Handle Single Cylinder 25mm Catch Matt Black	YESCWSBLMT
Yarra Essentials Single Beak Polymer Handle Double Cylinder 25mm Catch Matt Black	YEDCWSBLMT

## Yarra Essentials Accessories




Description	Code
6mm Packer	YE8J
4mm Packer	YE8N
3mm Packer	YE8C
6mm (16mm Catch Packer)	YE8Q
6mm (25mm Catch Packer)	YE8R

# Edge Sliding Glass Door Deadlock

Yarra View Series

## Standard Outer Pull, Edge "D" Inner Pull



YVSSAAASAAcolour

YVSSAAAWAAcolour

Description	Code
<b>Narrow 16mm Catch Plate</b>	
Cylinders not included	YVSSAAASAAcolour
<b>Wide 25mm Catch Plate</b>	
Cylinders not included	YVSSAAAWAAcolour

## No Outer Pull, Edge "D" Inner Pull



YVOSAAASAAcolour

YVOSAAAWAAcolour

Description	Code
<b>Narrow 16mm Catch Plate</b>	
Cylinders not included - Cylinders and Outer Pull ordered separately (see Accessories for options)	YVOSAAASAAcolour
<b>Wide 25mm Catch Plate</b>	
Cylinders not included - Cylinders and Outer Pull ordered separately (see Accessories for options)	YVOSAAAWAAcolour

## Dummy Outer Pull, Dummy Edge "D" Inner Pull




YVSYAAAEAAcolour

Description	Code
No locking mechanism, no catch plate (attach catch plate ordered with pull for non-dummy side of double doors)	YVSYAAAEAAcolour

# Curve Sliding Glass Door Deadlock

Yarra View Series



YVSRAAASAAcolour

YVSRAAAWAAcolour

## Standard Outer Pull, Curve "D" Inner Pull (To suit 5 pin cylinder)

Description	Code
<b>Narrow 16mm Catch Plate</b>	
Cylinders not included	YVSRAAASAAcolour
<b>Wide 25mm Catch Plate</b>	
Cylinders not included	YVSRAAAWAAcolour

## No Outer Pull, Curve "D" Inner Pull (To suit 5 pin cylinder)



YVORAAASAAcolour

Description	Code
<b>Narrow 16mm Catch Plate</b>	
Cylinders not included - Cylinders and Outer Pull ordered separately (see Accessories for options)	YVORAAASAAcolour

## Dummy Outer Pull, Dummy Curve "D" Inner Pull




YVSXAAAEAAcolour


Description	Code
No locking mechanism, no catch plate (attach catch plate ordered with pull for non-dummy side of double doors)	YVSXAAAEAAcolour

# Slim Sliding Glass Door Deadlock

Yarra View Series




YVSTAAASAAcolour




YVSTAAAWAAcolour

## Standard Outer Pull, Slim "D" Inner Pull (To suit 5 pin cylinder)

Description	Code
<b>Narrow 16mm Catch Plate</b>	
Cylinders not included	YVSTAAASAAcolour
<b>Wide 25mm Catch Plate</b>	
Cylinders not included	YVSTAAAWAAcolour




YVOTAAASAAcolour



YVOTAAAWAAcolour

## No Outer Pull, Slim "D" Inner Pull (To suit 5 pin cylinder)

Description	Code
<b>Narrow 16mm Catch Plate</b>	
Cylinders not included - Cylinders and Outer Pull ordered separately (see Accessories for options)	YVOTAAASAAcolour
<b>Wide 25mm Catch Plate</b>	
Cylinders not included - Cylinders and Outer Pull ordered separately (see Accessories for options)	YVOTAAAWAAcolour



YVSZAAAEAAcolour

## Dummy Outer Pull, Dummy Slim "D" Inner Pull

Description	Code
No locking mechanism, no catch plate (attach catch plate ordered with pull for non-dummy side of double doors)	YVSZAAAEAAcolour

# Cylinders

Yarra View Series



YCC4B/KA10 or KD



YCCB/KA10 or KD



YCWS/KA10 or KD

## Cylinders (To suit 5 pin cylinder)

Description	Code
C4 - 5 Pin Cylinder (Standard Cylinder)	YCC4B/KA10 or KD
GR9 5 Pin Cylinder (Standard Cylinder)	YCCB/KA10 or KD
Wafer Cylinder	YCWS/KA10 or KD

# Alternative Hardware

Yarra View Series



YR1Q/colour

## Outer Plate

Description	Code
Exterior Blank Mounting Plate	YR1Q/colour

## Outer Pulls

Description	Code
Standard Outer Pull	YV1S/colour



YV1S/colour

# Accessories

## Yarra View Series



YV Inner Pull Spacer

### Pull Spacers

Description	Code
YV 2mm Inner Pull Spacer	YV8S
YV 4mm Inner Pull Spacer	YV8R
YV 6mm Inner Pull Spacer	YV8Q



YR8 Catch Packer



YR8 Jamb Mount Catch

### Catch Spacers

Description	Code
3mm Face Mount Catch Spacer (A/L)	YR8C
2mm Jamb Mount Catch Spacer (Wintec)	YR8D
2mm Jamb Mount Catch Spacer (OXO)	YR8F
2mm Face Mount Catch Spacer (OXO)	YR8O
4mm Jamb Mount Catch Spacer (OXO)	YR8P
6mm Jamb Mount Catch Spacer (OXO)	YR8Q



YV6A



YV6B


### Catch Plates

Description	Code
Standard Catch Plate - 16 mm wide	YV6A/colour
Wide Catch Plate - 25mm wide	YV6B/colour

# Sliding Glass Door Deadlock

Yarra Ridge Series

## Standard Outer Pull, Standard "D" Inner Pull (To suit 5 pin Cylinder)



YRAAAAAAAcolour



YRAABBBAAcolour



YRAADBBAAcolour



YRAADCBAAcolour



YRAAAAABAAcolour



YRAABBBBAcolour



YRAADBBBAcolour



YRAADGBBAcolour

Description	Code
<b>Narrow 16mm Catch Plate</b>	
Cylinders not included	YRAAAAAAAcolour
C4 Outer Cylinder included (5 locks keyed alike)	YRAABBBAAcolour
C4 Inner & Outer Cylinder included (5 locks keyed alike)	YRAADBBAAcolour
C4 Inner & Outer Cylinder included (10 locks keyed alike)	YRAADGBAAcolour
<b>Wide 25mm Catch Plate</b>	
Cylinders not included	YRAAAAABAAcolour
C4 Outer Cylinder included (5 locks keyed alike)	YRAABBBBAcolour
C4 Inner & Outer Cylinder included (5 locks keyed alike)	YRAADBBBAcolour
C4 Inner & Outer Cylinder included (10 locks keyed alike)	YRAADGBBAcolour

Qty per pack = 5

## No Outer Pull, Standard "D" Inner Pull (To suit 5 pin Cylinder)



YROAAAAAAcolour




YROAAAABAcolour

Description	Code
<b>Narrow 16mm Catch Plate</b>	
Cylinders not included - Cylinders and Outer Pull ordered separately (see Accessories for options)	YROAAAAAAcolour
<b>Wide 25mm Catch Plate</b>	
Cylinders not included - Cylinders and Outer Pull ordered separately (see Accessories for options)	YROAAAABAcolour

## No Outer Pull, Egress "D" Inner Pull\* (To suit 5 pin Cylinder)



YROCAAAAAcolour



YROCAABBAcolour

Description	Code
Egress inner pull with 16mm catch plate (no cylinder)	YROCAAAAAcolour
Egress inner pull with 25mm catch plate (no cylinder)	YROCAABBAcolour
*Egress feature means the snib lever will always unlock the door room on the inside.	

## Dummy Outer Pull, Dummy Inner Pull



YRBDAAEAcolour

Description	Code
Pulls for dummy side of double doors (no locking mechanism)	YRBDAAEAcolour

Note: Please speak to your Sales Representative for non-standard variations

# Cylinder


Yarra Ridge Series



YCC4B/KA10 or KD



YCCB/KA10 or KD



YCWS/KA10 or KD

## Cylinders

Description	Code
C4 - 5 Pin Cylinder (Standard Cylinder)	YCC4B/KA or KD
GR9 - 5 Pin Cylinder (Standard Cylinder)	YCCB/KA or KD
Wafer Cylinder	YCWS/KA or KD
C4 - 5 Pin Cylinder	YCC4B/801
C4 - 5 Pin Cylinder	YCC4B/802
C4 - 5 Pin Cylinder	YCC4B/803
C4 - 5 Pin Cylinder	YCC4B/804
C4 - 5 Pin Cylinder	YCC4B/805
C4 - 5 Pin Cylinder	YCC4B/806
C4 - 5 Pin Cylinder	YCC4B/807
C4 - 5 Pin Cylinder	YCC4B/808
C4 - 5 Pin Cylinder	YCC4B/809
C4 - 5 Pin Cylinder	YCC4B/810

# Alternative Hardware

Yarra Ridge Series



YR1A/colour



YR1D/colour



YR1G/colour



YR1Q/colour

## Outer Pulls ( To suit 5 pin cylinder)


Description	Code
YR Standard Outer Pull for 5 Pin Cylinder	YR1A/colour
YR Outer Pull - flat 15mm high	YR1D/colour
YR 'D' Outer Pull - 5 pin	YR1F/colour
YR Outer Pull - flat 10mm high	YR1G/colour

## Outer Plate

Description	Code
Exterior Blank Mounting Plate	YR1Q/colour

# Accessories

## Yarra Ridge Series



YR8L


YR8N

YR8J

YR8E

### Pull Spacers


Description	Code
YR Pull Spacer - 2mm Inner Pull Spacer	YR8L
YR Pull Spacer - 4mm Inner Pull Spacer	YR8N/colour
YR Pull Spacer - 6mm Inner Pull Spacer	YR8J/colour
YR Pull Spacer - 6mm Inner Pull Spacer x 2	YR8E/colour



YR8D

YR8F

YR8P



YR8Q


YR8O

YR8C

### Catch Spacers

Description	Code
3mm Face Mount Catch Spacer (A/L)	YR8C
2mm Jamb Mount Catch Spacer (Wintec)	YR8D
2mm Jamb Mount Catch Spacer (OXO)	YR8F
2mm Face Mount Catch Spacer (OXO)	YR8O
4mm Jamb Mount Catch Spacer (OXO)	YR8P
6mm Jamb Mount Catch Spacer (OXO)	YR8Q


### Spacer Kits



YR8B

Description	Code
YR Spacer Kit - 6mm Inner Pull Spacer - 2mm Outer Pull Spacer	YR8B/colour

### Catch Plates



YR6A

YR6B

Description	Code
Standard Catch Plate - 16 mm wide	YR6A/colour
Wide Catch Plate - 25mm wide	YR6B/colour
YR Catch Plate - for Face Mounting into extrusion channel	YR6C/colour



ACCYR




YRFP

### Yarra Ridge Series Accessories

Description	Code
Yarra Ridge Accessory / Fitting Bag	ACCYR
Yarra Ridge Fat Pack - to fit doors 47mm to 59mm.	YRFP

# Yarra Horizon Deadlock for Sliding Patio Doors

Yarra Horizon




YHNCS/\* or YHNCW/\*

## Yarra Horizon Deadlock No Cylinder

Description	Code
<b>No Cylinder Standard 16mm Catch Plate</b>	
Yarra Horizon No Cylinder Standard Catch Plate	YHNCS/*
<b>No Cylinder Wide 25mm Catch Plate</b>	
Yarra Horizon No Cylinder Standard Catch Plate	YHNCW/*


\*Colours: BLMT = Black, WHGL = White, PSIL = Silver, MON = Monument, DUNE = Dune, SP = Special Colour



YHSCS/\* or YHSCW/\*

## Yarra Horizon Deadlock Single Cylinder (5 Pin C4 Cylinder KA5)


Description	Code
<b>Single Cylinder Standard 16mm Catch Plate</b>	
Yarra Horizon Single Cyl C4 KA5 Standard Catch Plate	YHSCS/*
<b>Single Cylinder Wide 25mm Catch Plate</b>	
Yarra Horizon Single Cyl C4 KA5 Wide Catch Plate	YHSCW/*



YHSCS/\* or YHSCW/\*

## Yarra Horizon Deadlock Single Cylinder (5 Pin C4 Cylinder Special Keyed)


Description	Code
<b>Yarra Horizon Single Cylinder Standard 16mm Catch Plate</b>	
Yarra Horizon Single Cylinder Standard Catch Plate	YHSCS/*
<b>Yarra Horizon Single Cylinder Wide 25mm Catch Plate</b>	
Yarra Horizon Single Cylinder C4 SP Wide Catch Plate	YHSCW/*



YHSGS/\* or YHSGW/\*

## Yarra Horizon Deadlock Single Cylinder (5 Pin GR9 Cylinder Special Keyed)


Description	Code
<b>Yarra Horizon Single Cylinder Standard 16mm Catch Plate</b>	
Yarra Horizon Single Cylinder GR9 SP Standard Catch Plate	YHSGS/*
<b>Yarra Horizon Single Cylinder Wide 25mm Catch Plate</b>	
Yarra Horizon Single Cylinder GR9 SP Wide Catch Plate	YHSGW/*



YHSGS/\* or YHSGW/\*

## Yarra Horizon Deadlock Single Cylinder (Wafer Cylinder KA5)

Description	Code
<b>Yarra Horizon Single Cylinder Standard 16mm Catch Plate</b>	
Yarra Horizon Single Cylinder Wafer KA5 Std Catch Plate	YHSSW/*
<b>Yarra Horizon Single Cylinder Wide 25mm Catch Plate</b>	
Yarra Horizon Single Cylinder Wafer KA5 Wide Catch Plate	YHSSW/*




YHDCS/\* or YHDCW/\*

## Yarra Horizon Deadlock Double Cylinder (5 Pin C4 Cylinder KA5)

Description	Code
<b>Yarra Horizon Double Cylinder Standard 16mm Catch Plate</b>	
Yarra Horizon Double Cylinder C4 KA5 Std Catch Plate	YHDCS/*
<b>Yarra Horizon Double Cylinder Wide 25mm Catch Plate</b>	
Yarra Horizon Double Cylinder C4 KA5 Wide Catch Plate	YHDCW/*

# Yarra Horizon Deadlock for Sliding Patio Doors (cont.)


Yarra Horizon



YHDCKS/\* or YHDCKW/\*

## Yarra Horizon Deadlock Double Cylinder (5 Pin C4 Special Keyed)


Description	Code
<b>Yarra Horizon Double Cylinder Standard 16mm Catch Plate</b>	
Yarra Horizon Double Cylinder C4 SP Standard Catch Plate	YHDCKS/*
<b>Yarra Horizon Double Cylinder Wide 25mm Catch Plate</b>	
Yarra Horizon Double Cylinder C4 SP Wide Catch Plate	YHDCKW/*



YHDGKS/\* or YHDGKW/\*

## Yarra Horizon Deadlock Double Cylinder (5 Pin GR9 Cylinder Special Keyed)


Description	Code
<b>Yarra Horizon Double Cylinder Standard 16mm Catch Plate</b>	
Yarra Horizon Double Cylinder GR9 SP Standard Catch Plate	YHDGKS/*
<b>Yarra Horizon Double Cylinder Wide 25mm Catch Plate</b>	
Yarra Horizon Double Cylinder GR9 SP Wide Catch Plate	YHDGKW/*



YHDWSS/\* or YHDWSW/\*

## Yarra Horizon Deadlock Double Cylinder (Wafer Cylinder KA5)


Description	Code
<b>Yarra Horizon Double Cylinder Standard 16mm Catch Plate</b>	
Yarra Horizon Double Cylinder Wafer KA5 Standard Catch Plate	YHDWSS/*
<b>Yarra Horizon Double Cylinder Wide 25mm Catch Plate</b>	
Yarra Horizon Double Cylinder Wafer KA5 Wide Catch Plate	YHDWSW/*



YHD/\*

## Yarra Horizon Deadlock Dummy Set

Description	Code
Yarra Horizon Dummy Set	YHD/*




YHFP/\*

## Yarra Horizon Flat Outer Pull

Description	Code
Yarra Horizon 15mm Flat Outer Pull	YHFP/*

\*Available in Black and SP only




YH16CATCH/\*

YH25CATCH/\*

## Yarra Horizon Catch Plate

Description	Code
<b>16mm Narrow Catch Plate</b>	
Yarra Horizon 16mm Narrow Catch Plate	YH16CATCH*
<b>25mm Wide Catch Plate</b>	
Yarra Horizon 25mm Wide Catch Plate	YH25CATCH*



YH8D

YH8C

YH8P

YH8N

YH8Q

YH8J

## Jamb Catch / Pull Spacer

Description	Code
Yarra Horizon 2mm Jamb Catch Spacer	YH8D
Yarra Horizon 3mm Jamb Catch Spacer	YH8C
Yarra Horizon 4mm Jamb Catch Spacer	YH8P
Yarra Horizon 4mm Inner Pull Spacer	YH8N
Yarra Horizon 6mm Jamb Catch Spacer	YH8Q
Yarra Horizon 6mm Inner Pull Spacer	YH8J

# Pearl window lock for sliding windows with Aluminium frame

Pearl Series



PLWEAcolour/KA or KD



PLWEXcolour

## Pearl Window Lock

Description	Code
<b>Standard Inner Pull with "push and slide" action, Self Latching, 3mm Stainless Steel Beak, Metal Strike Plate</b>	
Cylinder included	PLWEAcolour/KA or KD
Cylinder not included	PLWEXcolour
Plug and Cylinder not included	PLWEXXcolour

# Sorrento Mk2 Hinged Glass Door Deadlock

Sorrento MK2 Series

## Hinged Glass Door Lock



SR2-AS-CCC-colour



SR2-AS-CCC-colour without a cyl



SR2-AF-CCC-colour




SR2-AF-CCC-colour without cyl

Description	Code
<b>Face Mount</b>	
Classic Handle Set with Snib & Cylinder Hole - Satin Chrome C4 Cylinder - Strike Plates (SR-2C & SR-2D) - Order Multipoint Kit separately if required.	SR2ASCCCcolourC4/KA or KD
Classic Handle Set with Snib & Cylinder Hole, Satin Chrome finish - Satin Chrome C4 Cylinder - Strike Plates (SR-2C & SR-2D) - Order Multipoint Kit separately if required.	SR2ASCCCSCC4/KA or KD
<b>Flush Mount</b>	
Classic Handle Set with Snib & Cylinder Hole - Satin Chrome 70mm C4 Cylinder - Strike Plates (SR-2C & SR-2D) - Order Multipoint Kit separately if required.	SR2AFCCCcolourC4/KA or KD
Classic Handle Set with Snib & Cylinder Hole, Satin Chrome finish - Satin Chrome 70mm C4 Cylinder - Strike Plates (SR-2C & SR-2D) - Order Multipoint Kit separately if required.	SR2AFCCCSCC4/KA or KD
<b>Face Mount - no cylinder</b>	
Classic Handle Set with Snib & Cylinder Hole - Strike Plates (SR-2C & SR-2D) - Order Multipoint Kit separately if required.	SR2ASCCCcolourX
Classic Handle Set with Snib & Cylinder Hole, Satin Chrome finish - Strike Plates (SR-2C & SR-2D) - Order Multipoint Kit separately if required.	SR2ASCCCSCX
<b>Flush Mount - no cylinder</b>	
Classic Handle Set with Snib & Cylinder Hole - Strike Plates (SR-2C & SR-2D) - Order Multipoint Kit separately if required.	SR2AFCCCcolourX
Classic Handle Set with Snib & Cylinder Hole, Satin Chrome finish - Strike Plates (SR-2C & SR-2D) - Order Multipoint Kit separately if required.	SR2AFCCCSCX


# Sorrento Cylinders and Multipoint Kits

Sorrento MK2 Series

## Cylinder



Description	Code
Re-pinnable Cylinder 70 mm - C4 6 Pin	AA706C4SC/KA or KD
Re-pinnable Cylinder 70mm - C4 6 pin, key 001	AA706C4SC/001
Re-pinnable Cylinder 70mm - C4 6 pin, key 002	AA706C4SC/002
Re-pinnable Cylinder 70mm - C4 6 pin, key 003	AA706C4SC/003
Re-pinnable Cylinder 70mm - C4 6 pin, key 004	AA706C4SC/004
Re-pinnable Cylinder 70mm - C4 6 pin, key 005	AA706C4SC/005
Re-pinnable Cylinder 70mm - C4 6 pin, key 006	AA706C4SC/006
Re-pinnable Cylinder 70mm - C4 6 pin, key 007	AA706C4SC/007
Re-pinnable Cylinder 70mm - C4 6 pin, key 008	AA706C4SC/008
Re-pinnable Cylinder 70mm - C4 6 pin, key 009	AA706C4SC/009
Re-pinnable Cylinder 70mm - C4 6 pin, key 010	AA706C4SC/010
Re-pinnable Cylinder 70 mm - G 5 Pin	AA705GSC/KA or KD



## Rod Operated Multipoint Kits

Description	Code
<ul style="list-style-type: none"> <li>- Top and Bottom 1500mm long operating Tubes</li> <li>- 2 x Machined Adjustable Tips</li> <li>- 2 x 'L' Brackets (centre hole) for Locating Tubes</li> <li>- 2 x two Adjustable Escutcheons</li> <li>- Cut Tubes to length to suit door</li> <li>- Adjust Escutcheons to ensure door compression and a good seal.</li> </ul>	SRM
<ul style="list-style-type: none"> <li>- 2 x 'L' Brackets for Locating Tubes</li> <li>- 2 x Adjustable Escutcheons.</li> </ul>	ACCSR/FBC
<ul style="list-style-type: none"> <li>- 2 x Adjustable tips</li> <li>- 1 x Machined Connector</li> <li>- 2 x Rods (Ø10mm x 1500mm long)</li> </ul>	FBCRODS



# Furniture and Lock Bodies

Sorrento MK2 Series



SR2FCCSC  
SR2-FCCC-colour

## Sorrento MK2 Series

Description	Code
<b>Classic</b>	
Cylinder and Snib	SR2FCCCcolour
Cylinder and Snib, Satin Chrome finish	SR2FCCSC



SR2LAF

SR2LAS

## Lock Bodies

Description	Code
<b>Active Leaf - 30mm Back set</b>	
Face Mounted	SR2LAS
Flush Mounted	SR2LAF

# Accessories

Sorrento MK2 Series



SR2C



SR2D

## Strike

Description	Code
Standard Strike Plate	SR2C
Flat Strike Plate	SR2D



SRFPSS




SRFPSS

## Face Plates

Description	Code
<b>Face Mount</b>	
Standard Face Plate	SRFPSSS
<b>Flush Mount</b>	
Standard Face Plate	SRFPFSS


# Deadlocks for Hinged Screen & Security Doors

Elegance Series




## Deadlock

Description	Code
Elegance XC - Cylinder ordered separately	ELXC/colour
Elegance XC with snib only - No Cylinder Hole	ELXCNC/colour




## Cable Operated Multipoint Kits

Description	Code
<b>Elegance - Multipoint Kits - Centre Lock Height</b>	
High	EKIT/H
High with Top Cable 150mm shorter	EKIT/HST150
High with Bottom Cable 150mm shorter	EKIT/H5B150
High with Top and Bottom Cables 150mm shorter	EKIT/H5TSB150
Low	EKIT/L
Pool	EKIT/P



## Rod and Adjustable Rod Operated Multipoint Kits

Description	Code
<b>Elegance - Multipoint Kits - Centre Lock Height</b>	
High	H14R/H
Low	H14R/L
Pool	H14R/P
Adjustable Rod for Multipoint Kit (Includes remotes)	H14R/A




## Cylinders to suit Elegance Series


Description	Code
AA 5-pin double cylinder with C4 keyway	AAC4/ Key Code
AA 5-pin double cylinder with GR9 keyway	AAG/ Key Code
AA 5-pin C4 cylinder with interior thumb-turn for left hand doors	AAC4LHTT/ Key Code
AA 5-pin C4 cylinder with interior thumb-turn for right hand doors	AAC4RHTT/ Key Code
W2000 wafer cylinder	W2000/KA or KD

# Accessories

## Elegance Accessories



SP1 SP11 SP23 SP24 SP51



SP40 WSP1



ACCELXC  
ACCEKIT  
ACCCH14R



ELXCFP



ACCDC

### Strike Plates

Description	Code
Elegance Standard Strike - 1.2mm 304	SP1
Standard Catch Plate for Remote Locks - Ekit, Ukit, H14R & H14R-A - 1.5mm thick	SP11
Narrow 16mm Strike Plates for Elegance multipoint Remote Bolts, to suit double doors (with undercut screws)	SP23
Narrow 16mm Strike Plate for Elegance series Centerlocks in double doors (with undercut screws)	SP24
Strike Plate Spacer for Elegance & Elegance XC Standard Catch Plate-1.6mm thick	SP51
12mm Step-Over Strike for Elegance Series (with screws)	SP40
Wide Strike Plate for Elegance series	WSP1

### Fitting Bags

Description	Code
Fitting Bag for Elegance Series	ACCELXC
Fitting Bag for EKIT Series	ACCEKIT
Fitting Bag for H14R Series	ACCCH14R

### Fat Pack

Description	Code
Elegance XC Fat Pack (for doors 35mm to 40mm thick)	ELXCFP


### Door Closer Series Accessories

Description	Code
Door Closer Accessory - Fitting Bag	ACCDC

# Elegance Push2Go

## Elegance Series


Conventional screen door locks often feature two stage key locking – the first stage is privacy and the second stage is deadlocking. The Elegance Push2Go replaces the need for a key to engage privacy locking with a push button so you can “Push2Go”. The door is then privacy locked (not deadlocked) from the outside. The door can be unlocked from the inside with the turn snib and unlocked from the outside with a key.



ELP2G/

### Locks

Description	Code
Elegance Push2Go Black Satin	ELP2G/BLST
Elegance Push2Go Precious Silver Pearl	ELP2G/PSIL
Elegance Push2Go Special Colour	ELP2G/SP
Elegance Push2Go White Gloss	ELP2G/WHGL



EKIT/

### Multipoint Kits - Cable


Description	Code
High cable operated multipoint kit for Elegance series	EKIT/H
Low cable operated multipoint kit for Elegance series	EKIT/L
Pool height cable operated multipoint kit for Elegance series	EKIT/P



H14R/

### Multipoint Kits - Rod

Description	Code
High rod operated multipoint kit for Elegance series	H14R/H
Low rod operated multipoint kit for Elegance series	H14R/L
Pool height rod operated multipoint kit for Elegance series	H14R/P




AAC4/  
AAG/

AAC4LHTT/  
AAC4RHHT

### Cylinders


Description	Code
AA 5-pin double cylinder with C4 keyway	AAC4/ Key Code
AA 5-pin double cylinder with GR9 keyway	AAG/ Key Code
AA 5-pin C4 cylinder with interior thumb-turn for left hand doors	AAC4LHTT/ Key Code
AA 5-pin C4 cylinder with interior thumb-turn for right hand doors	AAC4RHHT/ Key Code
W2000 wafer cylinder	W2000/KA or KD



W2000/KA or KD

# Pivoting Beak Deadlock for Hinged Screen & Security Door

Ultimate Series




## Pivoting Beak Deadlock

Description	Code
Ultimate XC - Cylinder ordered separately	ULTXC/colour
Ultimate with Caretaker - Cylinder ordered separately	ULT/colour



## Cable Operated Ultimate Multipoint Kits with Bolts


Description	Code
High	UKIT/H
High with Top Cable 150mm shorter	UKIT/HST150
High with Bottom Cable 150mm shorter	UKIT/HSB150
Low	UKIT/L
Pool	UKIT/P



## Cable Operated Ultimate Multipoint Kits with Pivoting Beaks

Description	Code
High	HD16PLUS/H
High with Top Cable 150mm shorter	HD16PLUS/HST150
High with Bottom Cable 150mm shorter	HD16PLUS/HSB150
Low	HD16PLUS/L
Pool	HD16PLUS/P

## Cylinders to Suit Ultimate Series



Description	Code
<b>Re-pinnable 5 Pin Double Cylinders</b>	
C4	AA8C4/KA or KD
Thumb turn with C4 Keyway - LH (for left hand hinged doors)	AA8C4LHTT/KA or KD
Thumb turn with C4 Keyway - RH (for right hand hinged doors)	AA8C4RHTT/KA or KD

## Wafer Cylinder



Description	Code
Short	W82000/KA or KD

# Accessories

## Ultimate Series

### Strike Plates



Description	Code
Standard Strike Plate for Ultimate	SP2
Standard Catch Plate for Remote Locks - Ekit, Ukit, H14R & H14R-A - 1.5mm thick	SP11
Narrow 16mm Strike Plate for Ultimate series Centerlocks in double doors (with undercut screws)	SP25
Acc Hurricane Kit 1 x centre Strike 2 x HD16 Strikes 2 x Remote Face Plates No fasteners included	ACCHURRICANE
Wide Strike Plate for Ultimate - LH (for left hand hinged doors)	WSP2/LH
Wide Strike Plate for Ultimate - RH (for right hand hinged doors)	WSP2/RH
12mm Step-Over Strike Plate for Ultimate - LH (for left hand hinged doors)	JRSP12LH
12mm Step-Over Strike Plate for Ultimate - RH (for right hand hinged doors)	JRSP12RH

### Fitting Bags



ACCUITXC  
ACCUKIT  
ACCHD16




ACDC

Description	Code
Fitting Bag for Ultimate Series	ACCUITXC
Fitting Bag for UKIT Series	ACCUKIT
Fitting Bag for HD16 Series	ACCHD16

### Door Closer Series Accessories

Description	Code
Door Closer Accessory - Fitting Bag	ACDC

### Cylinders to suit Ultimate Series



AA8C4/KA or KD

AA8C4LHTT/KA or KD  
AA8C4RHHT/KA or KD

Description	Code
C4 Keyway	AA8C4/KA or KD
LH Thumb turn with C4 Keyway	AA8C4LHTT/KA or KD
RH Thumb turn with C4 Keyway	AA8C4RHHT/KA or KD
GR9 Gainsborough Keyway	AA8G/KA or KD

# SD7 Deadlock for Sliding Screen & Security Doors

SD7 Series



SD7/colour



SD7NC/colour



SD7EX/colour

## SD7 Deadlock

Description	Code
SD7	SD7/colour
SD7 NC - without Cylinder Hole	SD7NC/colour
SD7 EX - Longer Square Drive (11mm) for use on wider doors	SD7EX/colour

## Cable Operated Multipoint Kits




SD14Plus/

Description	Code
High	SD14Plus/H
High with Top Cable 150mm shorter	SD14Plus/HST150
High with Bottom Cable 150mm shorter	SD14Plus/HSB150
High with Top and Bottom Cables 150mm shorter	SD14Plus/HSTB150
Low	SD14Plus/L
Pool	SD14Plus/P



S14R/




S14R/A


## Rod and Adjustable Rod Operated Multipoint Kits

Description	Code
High	S14R/H
Low	S14R/L
Pool	S14R/P
Adjustable Rod for Multipoint Kit	S14R/A


## Cylinders to suit SD7 Series



AAC4/  
AAG/



AAC4LHTT/  
AAC4RHHT




W2000/KD or KD

Description	Code
AA 5-pin double cylinder with C4 keyway	AAC4/Key Code
AA 5-pin double cylinder with GR9 keyway	AAG/Key Code
AA 5-pin C4 cylinder with interior thumb-turn for left hand doors	AAC4LHTT/Key Code
AA 5-pin C4 cylinder with interior thumb-turn for right hand doors	AAC4RHHT/Key Code
W2000 wafer cylinder	W2000/KD or KD

# SD7 Deadlock for Sliding Screen & Security Doors

SD7 Series

## Accessories



Description	Code
<b>Strike Plates</b>	
TS thin Strike Plate (4mm) for SD7	SDTS/KIT
AL Narrow Strike and Lever Coupling for offset SD7 Lock	SDAL/KIT
Strike Plate for NZ ribbed receiving section	SDNZ/KIT
Standard Strike Plate for SD7	SP6
Standard SD14 and S14R (Multipoints)	SP9
Strike Plate Spacer for SD7 & SD14 Thin	SPS7A
Strike Plate Spacer for SD7 & SD14 Thick	SPS7B

## Fitting Bags



Description	Code
Fitting Bag for SD14 Series	ACCSD14
Fitting Bag for S14R Series	ACCS14R


## Fat Pack



Description	Code
SD7 Fat Pack - For doors up to 40mm thick	SD7FP

# SD9 Deadlock for Sliding Security Screen Door Lock


SD9 Horizon Series



SD9


## SD9 Horizon Deadlock

Description	Code
<b>Furniture Lever</b>	
SD9 Horizon Black Satin	SD9HBLST
SD9 Horizon Precious Silver Pearl	SD9HPSIL
SD9 Horizon Special	SD9HSP
SD9 Horizon White Gloss	SD9HWHGL
<b>Furniture Lever with No Cylinder</b>	
SD9 Horizon No Cylinder Hole Black Satin	SD9HNCBLST
SD9 Horizon No Cylinder Hole Precious Silver Pearl	SD9HNCPSIL
SD9 Horizon No Cylinder Hole White	SD9HNCWHGL



AAC4/  
AAG/

AAC4LHTT/  
AAC4RHHT



W2000/KA or KD

## Cylinders

Description	Code
AA 5-pin double cylinder with C4 keyway	AAC4/Key Code
AA 5-pin double cylinder with GR9 keyway	AAG/Key Code
AA 5-pin C4 cylinder with interior thumb-turn for left hand doors	AAC4LHTT/Key Code
AA 5-pin C4 cylinder with interior thumb-turn for right hand doors	AAC4RHHT/Key Code
W2000 wafer cylinder	W2000/KA or KD




SD14Plus/

## Cable Operated Multipoint Kits

Description	Code
High	SD14Plus/H
High with Top Cable 150mm shorter	SD14Plus/HST150
High with Bottom Cable 150mm shorter	SD14Plus/HSB150
High with Top and Bottom Cables 150mm shorter	SD14Plus/HSTB150
Low	SD14Plus/L
Pool	SD14Plus/P



S14R/




S14R/A

## Rod

Description	Code
High rod operated multipoint kits for SD7 & SD9 series	S14R/H
Low rod operated multipoint kits for SD7 & SD9 series	S14R/L
Pool height rod operated multipoint kits for SD7 & SD9 series	S14R/P
Adjustable rod operated multipoint kits for SD7 & SD8 series	S14R/A

# Austral Verta Range

Verta Series




## Sliding Door Furniture

Description	Code
Verta Flush Pull Stainless Steel	SSS15002
Verta Flush Pull Matt Black	MB15002
Verta offset Back to back pull handle Stainless Steel	SSS15000
Verta offset Back to back pull handle Matt Black	MB15000
Verta 800m Pull Handle Back To Back Stainless Steel	SSS16000
Verta 800m Pull Handle Back To Back Matt Black	MB16000
Verta Single Pull Handle Fix Kit	SSHPHFKIT
Verta 3mm Single Offset Pull Handle Packer	VE8B




## Euro Escutcheon

Description	Code
Verta Euro Escutcheon Stainless Steel	SSS15004A
Verta Euro Escutcheon Matt Black	MB15004A




## Hinge Door Furniture

Description	Code
Verta lever furniture external stainless steel	SSS13005
Verta lever furniture external matt black	MB13005
Verta lever furniture internal stainless steel turns nib	SSS13003
Verta lever furniture internal matt black turns nib	MB13003
Verta lever furniture internal stainless steel	SSS13002
Verta lever furniture internal matt black	MB13002
2 Point Lock, Aluminium, 30mm Back set	SAL45262NZ
4 Point Lock, Aluminium, 30mm Back set	SAL45263NZ
Strike Plate 12mm and stainless steel screws	SP3317-12
Strike Plate 43mm and stainless steel screws	SP3317-43
Strike Plate 60mm and stainless steel screws	SP3317-60
4 Point Lock Rod pack, 3.5m, D tip	2800-35D




## Mortice Lock

Description	Code
<b>For Sliding Lock</b>	
Sliding Mortice Lock 28.5mm Back Set Less Cylinder with Standard Strike	SSH15100
Sliding Mortice Lock 28.5mm Back Set Less Cylinder with Low Profile Strike	SSH15100S
Sliding Mortice Lock 40mm Back Set Less Cylinder	SSH16100S
<b>For Hinged Lock with Snib</b>	
Sorrento Hinged Mortice Lock (Flush Mount)	SR2LAF
Sorrento Hinged Mortice Lock (Face Mount)	SR2LAS
<b>For Hinged Lock</b>	
2 Point Lock, Aluminium, 30mm Back Set	SAL45262NZ
4 Point Lock, Aluminium, 30mm Back Set	SAL45263NZ



# Austral Verta Range

Verta Series




AA706  
AAF70



ACCVERTA



SSH17400




SSH17100

## Cylinder

Description	Code
AA 45mm PVD Black 5 pin C4 repinnable fix cam, Euro single cylinder KA	AAF455C4MB/KA
AA 45mm PVD Black 5 pin GR9 repinnable fix cam, Euro single cylinder KA	AAF455GMB/KA
AA 45mm SC 5 pin C4 repinnable fix cam, Euro single cylinder KA	AAF455C4SC/KA
AA 45mm SC 5 pin GR9 repinnable fix cam, Euro single cylinder KA	AAF455GSC/KA
AA 45mm PVD Black fix cam, Euro cylinder with thumbturn	AAF45TTMB
AA 45mm SC fix cam, Euro cylinder with thumbturn	AAF45TTSC
AA 70mm PVD Black 5 pin C4 repinnable fix cam, Euro double cylinder KA	AAF705C4MB/KA
AA 70mm PVD Black 5 pin GR9 repinnable fix cam, Euro double cylinder KA	AAF705GMB/KA
AA 70mm SC 5 pin C4 repinnable fix cam, Euro double cylinder KA	AAF705C4SC/KA
AA 70mm SC 5 pin GR9 repinnable fix cam, Euro double cylinder KA	AAF705GSC/KA
AA 70mm PVD Black 5 pin C4 repinnable fix cam, Euro cylinder, interior thumbturn KA	AAF705C4TTMB/KA
AA 70mm PVD Black 5 pin GR9 repinnable fix cam, Euro cylinder, interior thumbturn KA	AAF705GTTMB/KA
AA 70mm SC 5 pin C4 repinnable fix cam, Euro cylinder, interior thumbturn KA	AAF705C4TTSC/KA
AA 70mm SC 5 pin GR9 repinnable fix cam, Euro cylinder, interior thumbturn KA	AAF705GTTSC/KA
AA 70mm SC 6 pin C4 lazy cam cylinder KA (only suitable for hinged door locks with turn snib)	AA706C4SC/KA
AA 70mm SC 6 pin C4 lazy cam cylinder KD (only suitable for hinged door locks with turn snib)	AA706C4SC/KD

## Accessory

Description	Code
Accessory Kit Verta for Sorrento Mortice Lock	ACCVERTA
Verta Sliding Flat Strike Kit	SSH17400
Mortice Sliding Door Lock Standard Strike	SSH17100



SSSFPS40PAK  
MBFSPS40PAK


## Sliding Door Kits

Description	Code
<b>Sliding Mortice Lock Flush Pull Set Stainless Steel Less Cylinder</b>	SSSFPS40PAK
Verta flush pull stainless steel pack of 2	
Verta Euro Escutcheon stainless steel pack of 2	
Sliding mortice lock less cylinder 40mm back set	
<b>Sliding Mortice Lock Flush Pull Set Matt Black Less Cylinder</b>	MBSFPS40PAK
Verta flush pull matt black pack of 2	
Verta Euro Escutcheon matt black pack of 2	
Sliding mortice lock less cylinder 40mm back set	

# Austral Verta Range


Verta Series

## Hinged Doors kits (with snib function)



Description	Code
<b>Hinged multi point kit stainless steel less cylinder</b>	<b>SSHLPMPPAK</b>
Sorrento flush mount lock	
Verta lever furniture external stainless steel	
Verta lever furniture internal stainless steel	
SRM Sorrento multi point kit	
ACCVERTA Accessory Kit Verta	
<b>Hinged multi point kit matt black less cylinder</b>	<b>MBHLPMPAK</b>
Sorrento flush mount lock	
Verta lever furniture external matt black	
Verta lever furniture internal matt black	
SRM Sorrento multi point kit	
ACCVERTA Accessory Kit Verta	
<b>Hinged entry set stainless steel less cylinder</b>	<b>SSHLPPAK</b>
Sorrento flush mount lock	
Verta lever furniture external stainless steel	
Verta lever furniture internal stainless steel	
ACCVERTA Accessory Kit Verta	
<b>Hinged entry set matt black less cylinder</b>	<b>MBHLPPAK</b>
Sorrento flush mount lock	
Verta lever furniture external matt black	
Verta lever furniture internal matt black	
ACCVERTA Accessory Kit Verta	

## Hinged Doors kits (without snib function)



Description	Code
<b>Hinged multi point kit stainless steel less cylinder</b>	<b>SSHLPSMPAK</b>
4 Point Lock, Aluminium, 30mm Back set	
Verta lever furniture external stainless steel	
Verta lever furniture internal stainless steel	
4 Point rod set, 3.5m D-tip	
Strike Plate 12mm	
<b>Hinged multi point kit matt black less cylinder</b>	<b>MBHLPMPAK</b>
4 Point Lock, Aluminium, 30mm Back set	
Verta lever furniture external matt black	
Verta lever furniture internal matt black	
4 Point rod set, 3.5m D-tip	
Strike Plate 12mm	
<b>Hinged entry set stainless steel less cylinder</b>	<b>SSHLPSPAK</b>
2 Point Lock, Aluminium, 30mm Back set	
Verta lever furniture external stainless steel	
Verta lever furniture internal stainless steel	
Strike Plate 12mm	
<b>Hinged entry set matt black less cylinder</b>	<b>MBHLPSPAK</b>
2 Point Lock, Aluminium, 30mm Back set	
Verta lever furniture external matt black	
Verta lever furniture internal matt black	
Strike Plate 12mm	

# Austral Door Closers

## Door Closers



DC/colour  
DCH/colour

### Door Closers

Description	Code
Standard Strength Door Closer (doors up to 18kg)	DC/colour
Increased Strength Door Closer (doors up to 26 kg)	DCH/colour

# Austral Accessories


## Accessories



FB/BLST

### Flush Bolts


Description	Code
<b>FLUSH BOLT - for Double door Screen &amp; Security Doors</b>	
Security Flush bolt	FB/BLST




PP1\_500PK

### Plunger Pins

Description	Code
Plunger Pin for insect screens	PP1_500PK



AAC4/  
AAG/



AAC4LHTT/  
AAC4RHTT

### Cylinders to suit Elegance and SD7

Description	Code
AA 5-pin double cylinder with C4 keyway	AAC4/Key Code
AA 5-pin double cylinder with GR9 keyway	AAG/Key Code
AA 5-pin C4 cylinder with interior thumb-turn for left hand doors	AAC4LHTT/Key Code
AA 5-pin C4 cylinder with interior thumb-turn for right hand doors	AAC4RHTT/Key Code



W2000KA/KA or KD



W8200KA/KA or KD

### Wafer Cylinder

Description	Code
Short - For Elegance, Elegance XC and SD7/SD8	W2000/KA or KD
Short - For Ultimate and Ultimate XC	W82000/KA or KD

**Notes:**

Brio





Image: Brio 312 Automated Pleated Insect Screen



# Contents and Application Selection Guide

## Product Range

System	Application	Residential	Commercial	Industrial	Max Panel Weight	Panel Thickness	Max Panel Height	Max Panel Width	Interior	Exterior
<b>Straight Sliding Top Hung Systems</b>										
Sprintline 30	Room Divider	●			30kg	25mm min	2400mm	1500mm	●	
Single Run 60	Room Divider, Cavity Slider Doors	●	●		60kg	19mm min	2400mm	1500mm	●	
Zero Clearance 60	Room Divider	●	●		60kg	28mm min	2400mm	1500mm	●	
Open Bar Rail Timber 80	Room Divider	●	●		80kg	35-44mm	3000mm	1250mm	●	
Open Round Rail Timber 100	Room Divider	●	●		100kg	35-44mm	3000mm	2000mm	●	
Open Round Rail Glass 100	Room Divider	●	●		100kg	8-12mm	3000mm	2000mm	●	
Open Square Rail Timber 150	Room Divider	●	●		150kg	35-44mm	3000mm	2000mm	●	
Single Run 120 Exterior	Room Divider, Sliding Patio Doors, Sliding Shutters	●	●		120kg	19mm min	3000mm	1500mm		●
Single Run 180	Room Divider, Sliding Patio Doors, Sliding Shutters	●	●		180kg	35mm min	3000mm	2500mm	●	●
Single Run 350	Room Divider, Sliding Patio Doors, Sliding Shutters	●	●		350kg	35mm min	3300mm	2500mm	●	●
Quick Run 120	Room Divider, Sliding Patio Doors, Sliding Shutters	●	●		120kg	28-32mm min	3000mm	1500mm	●	●
Zero Clearance 180	Room Divider, Sliding Patio Doors, Sliding Shutters	●	●		180kg	40mm min	3000mm	2500mm	●	●
Zero Clearance 350	Room Divider, Sliding Patio Doors, Sliding Shutters	●	●		350kg	40mm min	3300mm	2500mm	●	●
Single Run 200	Sliding Industrial/Agricultural Doors			●	200kg	35mm min	3600mm	2500mm	●	●
Single Run 300	Sliding Industrial/Agricultural Doors			●	300kg	43-57mm min	3600mm	3000mm	●	●
Single Run 800	Sliding Industrial, Fire rated & Agricultural Doors			●	800kg	43-57mm min	4200mm	3000mm	●	●
<b>Straight Sliding Bottom Roller Systems</b>										
Timberoll 100	Room Divider, Sliding Patio Doors	●	●		100kg	40mm min	2400mm	1500mm	●	●
Timberoll 170	Room Divider, Sliding Patio Doors	●	●		170kg	40mm min	2600mm	3000mm	●	●
Timberoll 200	Room Divider, Sliding Patio Doors	●	●		200kg	40mm min	3000mm	3000mm	●	●
Timberoll 300N	Room Divider, Sliding Patio Doors	●	●	●	300kg	40mm min	3300mm	3000mm	●	●
<b>Interior Folding Systems</b>										
Bifold 16	Cupboards & Wardrobes	●			16kg	23mm min	2400mm	620mm	●	
Multifold 30	Cupboards, Wardrobes & Room Dividers	●			30kg	19mm min	2400mm	650mm	●	
Pivotfold 35	Cupboards, Wardrobes & Room Dividers	●	●		35kg	35mm min	2400mm	900mm	●	
Centrefold 35	Room Dividers	●	●		35kg	35mm min	2400mm	920mm	●	
Endfold 35	Cupboards, Wardrobes & Room Dividers	●	●		35kg	35mm min	2400mm	900mm	●	
Pivotfold 75	Cupboards & Room Dividers	●	●		75kg	44mm min	3300mm	900mm	●	
Centrefold 75	Room Dividers	●	●		75kg	44mm min	3300mm	1000mm	●	
Endfold 75	Cupboards & Room Dividers	●	●		75kg	44mm min	3300mm	900mm	●	
Interfold 35F	Room Dividers	●	●		35kg	35mm min	2600mm	820mm	●	
Interfold 50F	Room Dividers	●	●		50kg	35mm min	2600mm	820mm	●	
Interfold 35	Room Dividers	●	●		35kg	35mm min	2600mm	1000mm	●	
Interfold 50	Room Dividers	●	●		50kg	35mm min	3000mm	1000mm	●	
<b>Exterior Folding Systems</b>										
Weatherfold 4s Servery 35	Kitchen Serveries, Cafes, Bars, Restaurants	●	●		35kg	35mm min	1800mm	650mm		●
Weatherfold 4s Window 35	Exterior Folding Outward Opening Timber Windows	●	●		35kg	35mm min	1800mm	1000mm		●
Shutterfold 25	Exterior Folding Shutters	●	●		25kg	35mm min	2400mm	900mm		●
Screenfold 25	Exterior Folding Alum. Security Screens	●	●		25kg	19mm min	2400mm	900mm		●
Louvre-fold 25	Exterior Folding Louvred Panels - conceal fixing	●	●		25kg	30mm min	2400mm	900mm		●
Weatherfold 4s 50F	Exterior Folding Patio, Cafe, Bars, Restaurant Doors	●	●		50kg	35-68mm	2600mm	820mm		●
Weatherfold 4s 50 & 100	Timber Panels NM Exterior Folding Patio, Hospitality	●	●		100kg	35-68mm	3300mm	1000mm		●
Weatherfold 4s 50 & 100	Alum. Panels NM Exterior Folding Patio, Hospitality	●	●		100kg	35-68mm	3300mm	1000mm		●
Weatherfold 4s 50 & 100	Timber Panels MS Exterior Folding Patio, Hospitality	●	●		100kg	35-68mm	3300mm	1000mm		●
Channels	For Weatherfold 4s 50, 75 & 100	●	●							●
Hybrid Sills	For Weatherfold 4s 50, 75 & 100	●	●							●
Weatherfold 5c 80	Timber Panels NM Exterior Folding Patio, Hospitality	●	●		80kg	38-68mm	3300mm	1000mm		●
Weatherfold 4s 150	Timber & Alum. Panels NM Exterior Folding Patio, Hospitality	●	●	●	150kg	44-68mm	4000mm	1200mm		●
<b>Locking Solutions</b>										
Dual Point Lock	Folding and French Door Applications	●	●						●	●
Flush Bolts	Sliding, Folding and French Door Applications	●	●						●	●
<b>Screen Solutions</b>										
612 Screen	Sliding, Folding and French Door Applications	●								●
312 Automated Pleated Insect Screen	Folding Window and Servery Applications	●								●

# Index

Product Range

## Sliding Top Hung Hardware

Br48                      Sprintline 30

### Single Run Range

Br49                      Single Run 60  
Br54, Br55              Quick Run 120  
Br56                      Single Run 120 Exterior  
Br57                      Single Run 180, 350  
Br59                      Simultaneous and Telescopic Accessory

### Zero Clearance Range

Br50                      Zero Clearance 60  
Br58                      Zero Clearance 180, 350

### Open Rail Range

Br51                      Open Bar Timber 80  
Br52                      Open Round Rail Timber 100  
Br53                      Open Round Rail Glass 100  
Br53                      Open Square Rail Timber 150

## Straight Sliding Bottom Roller Hardware

### Timberoll Range

Br60, Br61              Timberoll 100, 170, 200  
Br62                      Timberoll 300N

# Index

Product Range

## Interior Folding Door Hardware

Br63	Bifold 16
Br64	Multifold 30
Br65, Br66	Pivotfold, Centrefold, Endfold 35, 75

### Interfold Range

Br67, Br68	Interfold 35F, 50F
Br69	Interfold 35, 50

## Exterior Folding Door Hardware

Br72	Shutterfold 25
Br73	Screenfold 25
Br74	Louvrefold 25

### Weatherfold 4s Range

Br70	Weatherfold 4s Seryery 35
Br71	Weatherfold 4s Widow 35
Br75	Weatherfold 4s 50F
Br76-Br78	Weatherfold 4s 50, 100 (Timber Panels Non Mortice)
Br79, Br80	Weatherfold 4s 50, 100 (Aluminium Panels Non Mortice)
Br81, Br82	Weatherfold 4s 50, 100 (Timber Panels Mortice Square)
Br83	Weatherfold 4s 50, 100 (Channels)
Br84	Weatherfold 4s 50, 100 (Sills)
Br90, Br91	Weatherfold 4s 150 (Timber and Aluminium Panels Non Mortice)

## Locking Solutions

Br88	Flush Bolt
------	------------

### Range Dual Point Lock Range

Br85	Dual Point Lock Timber
Br86, Br87	Dual Point Lock Aluminium

# Index

Product Range

## Exterior Bottom Folding Door Hardware

Br89

Weatherfold 5c 80

## Screens Solutions

Br92




312 Automated Pleated Insect Screen

Br93 – Br96

612 Retractable Pleated Screen

# Sprintline 30

## Sliding Top Hung Hardware



Maximum Panel Weight	30kg
Maximum Panel Width	1500mm
Minimum Panel Thickness	25mm

### Standard Sets and Packs

Description	Code	
Sets comprise top track, hangers, door stops, guide, all screws & installation instructions.		
Maximum Panel Width	Track Length	
900mm	1600mm	SL30-16/1
1500mm	2440mm	SL30-24/1
(Packs for additional panels do not include top track)		
Single panel pack fittings	SL30-1PK	

### Fascia and End Caps







Description	Code
Aluminium fascia in pearl white powder coat, supplied with end caps.	
1800mm long for panels up to 900mm wide	170-18
3050mm long for panels up to 1500mm wide	170-30

### Components

Description	Code
1600mm aluminium track	169-16
2440 aluminium track	169-24
Hanger with ballrace nylon wheel	168
Door stop	263
Standard guide, nylon floor mounted	55G
Sawcut guide, nylon floor mounted	101N
Sawcut guide, steel zinc plated, wall mounted	102WA
Surface guide, nylon, wall mounted	103WA

# Single Run 60

## Sliding Top Hung Hardware



Maximum Panel Weight	60kg
Maximum Panel Height	2400mm
Minimum Panel Thickness	19mm

### Standard Sets and Packs

Description	Code
Sets comprise track, brackets, two hangers, two door clips or soft close, one guide, spanner, all screws and installation instructions.	
Standard slider (Track Length 2000mm)	SR60-20/1
Standard slider (Track Length 3000mm)	SR60-30/1
Standard slider with dual soft close (Track Length 2000mm)	SR60-S20/1
Standard slider with dual soft close (Track Length 3000mm)	SR60-S30/1
Sets comprise track, two hangers, one guide, spanner, all screws and installation instructions.	
Cavity slider (Track Length 2000mm)	CR60-20/1
Cavity slider (Track Length 3000mm)	CR60-30/1
Pack comprises two hangers, two door clips, one guide, spanner, all screws and installation instructions.	
Standard slider	SR60-1PK
Pack comprises two hangers, one guide, spanner, all screws and installation instructions.	
Cavity slider	CR60-1PK

### Brackets – for face fixing track

Description	Code
Single, zinc plated with fasteners	91Z
Five, zinc plated with fasteners	91Z/5

### Components



Description	Code
Aluminium mill track 2000mm	60A-20
Aluminium mill track 3000mm	60A-30
Aluminium mill track 4000mm	60A-40
Aluminium mill track 6000mm	60A-60
Fascia in clear anodised 2000mm	63-20CA
Fascia in clear anodised 3000mm	63-30CA
Fascia in powder coat white 2000mm	63-20PWT
Fascia in powder coat white 3000mm	63-30PWT
Hanger, nylon body with fixing plate	607
Hanger, nylon body with precision bearings (pocket application)	608
Standard guide, nylon floor mounted	55G
Clip stop	60CS
Soft close	60SCT
Cavity bumper	C153B
Spanner	805-SPN
Threshold – aluminium anodised 2000mm	92-A20
Threshold – aluminium anodised 3000mm	92-A30
Threshold – aluminium anodised 4000mm	92-A40
Threshold – aluminium anodised 6000mm	92-A60

### Guides


Description	Code
Sawcut guide, nylon, floor mounted	101N
Spring loaded, use with 92 threshold	801S
For cavity panel applications, nylon	C155LS
Sawcut guide, steel zinc plate, wall mounted	102WA
Surface guide, nylon, wall mounted	103WA

# Zero Clearance 60

## Sliding Top Hung Hardware




60A  
TRACK




64  
FASCIA WITH  
END CAPS




610  
HANGER



609  
HANGER



60CS  
CLIP STOP



60SCT  
SOFT CLOSE

Maximum Panel Weight	60kg
Maximum Panel Height	2400mm
Minimum Panel Thickness	28mm

### Standard Sets and Packs



Description	Code
Sets comprise track, brackets, two hangers, door clips or soft close, guide, all screws and installation instructions.	
Standard slider, Track 2000mm	ZC60-20/1
Standard slider, Track 3000mm	ZC60-30/1
Standard slider with dual soft close, Track 2000mm	ZC60-S20/1
Standard slider with dual soft close, Track 3000mm	ZC60-S30/1
Standard slider, face fix track 2000mm, clear anod. fascia and dual soft close	ZC60F-S20/1CA
Standard slider, face fix track 2000mm, p/c white fascia and dual soft close	ZC60F-S20/1PWT
Standard slider, face fix track 2000mm, p/c black fascia and dual soft close	ZC60F-S20/1PBK
Standard slider, face fix track 2000mm, p/c copper fascia and dual soft close	ZC60F-S20/1PBC
Standard slider, face fix track 2000mm, p/c silver fascia and dual soft close	ZC60F-S20/1PVS
Standard slider, face fix track 2000mm, p/c blue fascia and dual soft close	ZC60F-S20/1PWD
Standard slider, face fix track 2000mm, p/c green fascia and dual soft close	ZC60F-S20/1PPE
Standard slider, face fix track 2000mm, p/c red fascia and dual soft close	ZC60F-S20/1PFR
Standard slider, face fix track 3000mm, clear anod. fascia and dual soft close	ZC60F-S30/1CA
Standard slider, face fix track 3000mm, p/c white fascia and dual soft close	ZC60F-S30/1PWT
Sets comprise track, two hangers with long and short plate, one guide, all screws and installation instructions. Soft close where indicated.	
Cavity slider, Track 2000mm	CC60-20/1
Cavity slider, Track 3000mm	CC60-30/1
Cavity slider with dual soft close, Track 2000mm	CC60-S20/1
Cavity slider with dual soft close, Track 3000mm	CC60-S30/1
Pack comprises two hangers, two door clips, guide options, all screws and installation instructions.	
Standard slider	ZC60-1PK

### Components

Description	Code
Aluminium mill track 2000mm	60A-20
Aluminium mill track 3000mm	60A-30
Aluminium mill track 4000mm	60A-40
Aluminium mill track 6000mm	60A-60
Fascia in clear anodised 2000mm	64-20CA
Fascia in clear anodised 3000mm	64-30CA
Fascia in powder coat white 2000mm	64-20PWT
Fascia in powder coat white 3000mm	64-30PWT
Fascia with face fix track clear anod. 2000mm	64T-A20CA
Fascia with face fix track p/c white 2000mm	64T-A20PWT
Single bracket, zinc plated with fasteners	91Z
Five brackets, zinc plated with fasteners	91Z/5
Hanger, nylon body with precision bearings	609
Hanger, nylon body with precision bearings (short plate)	610
Standard guide, nylon floor mounted	55G
Sawcut guide, nylon, floor mounted	101N
Cavity guide, nylon	C155LS
Clip stop	60CS
Soft close	60SCT

# Open Bar Rail Timber 80

Sliding Top Hung Hardware



Maximum Panel Weight	80kg
Maximum Panel Height	3000mm
Maximum Panel Width	1250mm
Panel Thickness	35-44mm

## Standard Sets


Description	Code
Sets comprise rail, two hangers, door stops, guide, brackets and fixings.	
2000mm rail, stainless steel finish	OBF80-20
2000mm rail, powder coat black finish	OBF80-20PB
2500mm rail, stainless steel finish	OBF80-25
2500mm rail, powder coat black finish	OBF80-25PB

## Accessories

Description	Code
Joining bracket for 2 systems, stainless steel finish	80B-JB
Joining bracket for 2 systems, powder coat black finish	80B-JBPB
Open Bar Rail Timber Soft Close 80kg	OBF80-SCT

# Open Round Rail Timber 100

Sliding Top Hung Hardware




Maximum Panel Weight	100kg
Maximum Panel Height	3000mm
Maximum Panel Width	2000mm
Panel Thickness	35-44mm

## Standard Packs

Description	Code
Packs comprise 2 hangers, door stops, guide, handle, brackets and fixings.	
Top fix pack stainless steel	ORT100
Top fix pack PVD black	ORT100PR
Face fix pack stainless steel	ORF100
Face fix pack PVD black	ORF100PR

## Rail

Description	Code
Stainless steel 2000mm	1000R-20
Stainless steel 2500mm	1000R-25
Stainless steel 3000mm	1000R-30
Stainless steel 4000mm	1000R-40
PVD black 2000mm	1000R-20PR
PVD black 2500mm	1000R-25PR
PVD black 3000mm	1000R-30PR



531T GUIDE



106E/94 GUIDE

## Alternative Guides

Description	Code
Stainless steel plate with single precision bearing	106E/94

Channels - see page Br58, Zero Clearance 180 and 350

## Support Bracket - one required for every additional 500mm on rails longer than 2000mm


Description	Code
Top fix bracket stainless steel	100-RB
Top fix bracket PVD black	100-RBPR
Face fix bracket stainless steel	100F-RB
Face fix bracket PVD black	100F-RBPR

## Accessories

Description	Code
Stainless steel sawcut guide (supplied)	531T
Stainless steel PVD Black sawcut guide (supplied)	531TPR
Stainless steel fix through handle (supplied)	535T

# Open Round Rail Glass 100

Sliding Top Hung Hardware



Maximum Panel Weight	100kg
Maximum Panel Height	3000mm
Maximum Panel Width	2000mm
Panel Thickness	8-12mm

## Standard Packs




Description	Code
Packs comprise two hangers, door stops, guide, handle, brackets and fixings.	
Stainless steel	ORG100
PVD black	ORG100PR

Rail - see page Br52, Open Round Rail Timber 100


Support Bracket - see page Br52, Open Round Rail Timber 100

# Open Square Rail Timber 150


Brio Range



150SR RAIL



531T GUIDE



106E/94 GUIDE

Maximum Panel Weight	150kg
Maximum Panel Height	3000mm
Maximum Panel Width	2000mm
Panel Thickness	35-44mm

## Standard Packs

Description	Code
Packs comprise two hangers, door stops, guide, handle, brackets and fixings.	
Stainless steel	OST150
PVD black	OST150PR

## Rail

Description	Code
Stainless steel 2000mm	150SR-20
Stainless steel 2500mm	150SR-25
Stainless steel 3000mm	150SR-30
Stainless steel 4000mm	150SR-40
PVD black 2000mm	150SR-20PR
PVD black 2500mm	150SR-25PR
PVD black 3000mm	150SR-30PR

## Guides

Description	Code
Stainless steel sawcut guide (supplied)	531T
PVD black sawcut guide (supplied)	531TPR
Stainless steel plate with single precision bearing	106E/94


## Support Bracket

One required for every additional 500mm on rails longer than 2000mm


Description	Code
Stainless steel	150-SB
PVD black	150-SBPR

# Quick Run 120


## Sliding Top Hung Hardware



57JNP HANGER



58JNP HANGER



61JNP HANGER




120SCT  
SOFT CLOSE



106E/94 GUIDE



106SSMF GUIDE



120SCS  
CLIP STOP



120C TRACK



120E TRACK



120F TRACK

Maximum Panel Weight	120kg
Maximum Panel Height	3000mm
Minimum Panel Thickness	28mm - 32mm

### Standard Sets and Packs


Description	Code
Sets comprise of track, two hangers, two hanger stops, one guide, fixings and installation instructions for 1 panel.	
Surface Mount, Clip Stop, Flush Track 2000mm	QR120S-C20F/1
Surface Mount, Clip Stop, Flush Track 3000mm	QR120S-C30F/1
Surface Mount, Soft Close, Flush Track 2000mm	QR120S-S20F/1
Surface Mount, Soft Close, Flush Track 3000mm	QR120S-S30F/1
Recessed Mount, Clip Stop, Flush Track 2000mm	QR120R-C20F/1
Recessed Mount, Clip Stop, Flush Track 3000mm	QR120R-C30F/1
Recessed Mount, Soft Close, Flush Track 2000mm	QR120R-S20F/1
Recessed Mount, Soft Close, Flush Track 3000mm	QR120R-S30F/1
Zero Clearance Mount, Clip Stop, Flush Track 2000mm	QR120Z-C20F/1
Zero Clearance Mount, Clip Stop, Flush Track 3000mm	QR120Z-C30F/1
Zero Clearance Mount, Soft Close, Flush Track 2000mm	QR120Z-S20F/1
Zero Clearance Mount, Soft Close, Flush Track 3000mm	QR120Z-S30F/1
Zero Clearance Mount, Clip Stop, Ceiling Track 2000mm	QR120Z-C20C/1
Zero Clearance Mount, Clip Stop, Ceiling Track 3000mm	QR120Z-C30C/1
Zero Clearance Mount, Clip Stop, Ceiling Track 2000mm	QR120Z-S20C/1
Zero Clearance Mount, Soft Close, Ceiling Track 3M	QR120Z-S30C/1
Packs comprise of two hangers, two hanger stops, one guide, fixings and installation instructions, no track	
Surface Mount, Clip Stop, 1 Panel Pack, no track	QR120S-C1PK
Recessed Mount, Clip Stop, 1 Panel Pack, no track	QR120R-C1PK
Zero Clear Mount, Clip Stop, 1 Panel Pack, no track	QR120Z-C1PK

### Track

Description	Code
<b>Ceiling Track</b>	
Aluminium Anodised Track 2000mm	120C-A20
Aluminium Anodised Track 3000mm	120C-A30
Aluminium Anodised Track 4000mm	120C-A40
Aluminium Anodised Track 6000mm	120C-A60
<b>External Track (suitable for use with pelmet)</b>	
Aluminium Anodised Track 2000mm	120E-A20
Aluminium Anodised Track 3000mm	120E-A30
Aluminium Anodised Track 4000mm	120E-A40
Aluminium Anodised Track 6000mm	120E-A60
<b>Flat Track</b>	
Aluminium Anodised Track 2000mm	120F-A20
Aluminium Anodised Track 3000mm	120F-A30
Aluminium Anodised Track 4000mm	120F-A40
Aluminium Anodised Track 6000mm	120F-A60


# Quick Run 120

## Sliding Top Hung Hardware



57JNP HANGER

58JNP HANGER



61JNP HANGER

Maximum Panel Weight	120kg
Maximum Panel Height	3000mm
Minimum Panel Thickness	28mm - 32mm

### Hangers

Description	Code
<b>Hanger – for surface mount</b>	
Type 57, high quality bearings (pair)	57JNP
<b>Hanger – for recessed mount</b>	
Type 58, high quality bearings (pair)	58JNP
<b>Hanger – for zero clearance between track and hanger</b>	
Type 61, high quality bearings (pair)	61JNP



106E/94 GUIDE

106SSMF GUIDE



101N GUIDE


106AT GUIDE

106A/94 GUIDE

105AA GUIDE

### Guides

Description	Code
SS plate with bearing	106E/94
SS plate with bearing	104W/94PR
Sawcut guide, nylon	101N
Adjustable Guides Multiple Panels T-slot	106AT
Adjustable Guides Multiple Panels - Bearing	106A/94
Adjustable Guide Aluminium Panels	105AA




120SCS CLIP STOP

120SCT SOFT CLOSE

### Hanger Stops

Description	Code
Clip stop	120CS
Soft close (120kg)	120SCT



1SS/250 BRACKET

91Z BRACKET

5SS/120 BRACKET

### Brackets – for face fixing track

Description	Code
Single, face fitted	1SS/250
Double, face fitted	5SS/120
Single, zinc plated with fasteners	91Z

# Single Run 120 Exterior

## Sliding Top Hung Hardware

120



120A TRACK



1SS/250 BRACKET



5SS/120 BRACKET



57SS/EN HANGER



106E/94 GUIDE



106SSMF GUIDE



120DS DOOR STOP

Maximum Panel Weight	120kg
Maximum Panel Height	3000mm
Minimum Panel Thickness	19mm

### Track

Description	Code
Aluminium anodised track 2000mm	120A-A20
Aluminium anodised track 3000mm	120A-A30
Aluminium anodised track 4000mm	120A-A40
Aluminium anodised track 6000mm	120A-A60

### Brackets – for face fixing track

Description	Code
Single, face fitted	1SS/250
Double, face fitted	5SS/120

### Hangers

Description	Code
<b>Hangers – for MDF &amp; timber panels</b>	
Type 57, stainless steel bearings	57SS/EN

### Guides

Description	Code
SS plate with bearing	106E/94
SS plate with bearing, use with 96W	106SSMF



### Guides

Description	Code
Door stop	120DS

Channel – see page Br58, Zero Clearance 180 & 350

# Single Run 180 & 350

## Sliding Top Hung Hardware



52GN HANGER



57GN HANGER




56GN HANGER



56GLN HANGER



106RB/94 GUIDE



No. 106AT GUIDE No. 106A/94 GUIDE



180DS DOOR STOP



124 GUIDE

180 350

Maximum Panel Weight	180kg	350kg
Maximum Panel Height	3000mm	3000mm
Minimum Panel Thickness	35mm	35mm

### Track

Description	Code	Code
Aluminium mill track 2000mm	180A-20	350-20
Aluminium mill track 3000mm	180A-30	350-30
Aluminium mill track 4000mm	180A-40	350-40
Aluminium mill track 6000mm	180A-60	350-60
Aluminium anodised track 2000mm	180A-A20	350-A20
Aluminium anodised track 3000mm	180A-A30	350-A30
Aluminium anodised track 4000mm	180A-A40	350-A40
Aluminium anodised track 6000mm	180A-A60	350-A60

### Brackets – for face fixing track

Description	Code	Code
Single, face fitted	1SS/250	1SS/250
Double, face fitted	5SS/250	5SS/250

### Hangers – for timber panels

Description	Code	Code
Type 52, chrome steel bearings	52GN	52HN
Type 52, stainless steel bearings	52SS/GN	52SS/HN
Type 57, chrome steel bearings	57GN	57HN
Type 57, stainless steel bearings	57SS/GN	57SS/HN

### Hangers – for metal panels

Description	Code	Code
Type 56, chrome steel bearings	56GN	56HN
Type 56, stainless steel bearings	56SS/GN	56SS/HN
Type 56L, chrome steel bearings	56GLN	56HLN
Type 56L, stainless steel bearings	56SS/GLN	56SS/HLN

### Guides

Description	Code	Code
SS plate with bearing	106RB/94	106RB/94
Adjustable Guides Multiple Panels T-slot	106AT	106AT
Adjustable Guides Multiple Panels - Bearing	106A/94	106A/94
Use with 52GN and 52HN hangers	21RB/94	21RB/94
Angle guide	124	124

### Door Stops

Description	Code	Code
Door stop	180DS	180DS

Channel – see page Br58, Zero Clearance 180 & 350

Accessories – see page Br58, Zero Clearance 180 & 350

Sliding Top Hung Accessories: see page Br59 – Simultaneous, Telescopic and Fascia's

# Zero Clearance 180 & 350

## Sliding Top Hung Hardware




180A TRACK



61GN HANGER



350 TRACK




61HN HANGER



106RB/94 GUIDE



180DS DOOR STOP



401B2B FLUSH PULL  
BACK TO BACK SET

180 350

Maximum Panel Weight	180kg	350kg
Maximum Panel Height	3000mm	3000mm
Minimum Panel Thickness	40mm	40mm

### Track – anodised aluminium

Description	Code	Code
2000mm	180A-A20	350-A20
3000mm	180A-A30	350-A30
4000mm	180A-A40	350-A40
6000mm	180A-A60	350-A60

### Hangers - for timber doors

Description	Code	Code
Type 61, chrome steel bearings	61GN	61HN
Type 61, stainless steel bearings	61SS/GN	61SS/HN

### Guides

Description	Code	Code
SS plate with bearing	106RB/94	106RB/94
Adjustable Guides Multiple Panels T-slot	106AT	106AT
Adjustable Guides Multiple Panels - Bearing	106A/94	106A/94

### Door Stops

Description	Code	Code
Door stop	180DS	180DS

### Channels

Description	Code	Code
Aluminium mill 2000mm	94A-20	94A-20
Aluminium mill 3000mm	94A-30	94A-30
Aluminium mill 4000mm	94A-40	94A-40
Aluminium mill 6000mm	94A-60	94A-60
Polypropylene, black 2000mm	94P-20	94P-20
Polypropylene, black 3000mm	94P-30	94P-30
Polypropylene, black 4000mm	94P-40	94P-40
Polypropylene, black 6000mm	94P-60	94P-60
Poly & aluminium mill 2000mm	94PPA-20	94PPA-20
Poly & aluminium mill 3000mm	94PPA-30	94PPA-30
Poly & aluminium mill 4000mm	94PPA-40	94PPA-40
Poly & aluminium mill 6000mm	94PPA-60	94PPA-60
Poly & aluminium anod. 2000mm	94PPA-A20	94PPA-A20
Poly & aluminium anod. 3000mm	94PPA-A30	94PPA-A30
Poly & aluminium anod. 4000mm	94PPA-A40	94PPA-A40
Poly & aluminium anod. 6000mm	94PPA-A60	94PPA-A60

### Accessories

Description	Code	Code
Flush pull – PVD brass	401PVDB	401PVDB
Flush pull – satin nickel	401SN	401SN
Flush pull – back to back 401 kits – PVD brass	401B2BPVDB	401B2BPVDB
Flush pull – back to back 401 kits – satin nickel	401B2BSS	401B2BSS

# Simultaneous Accessory Kit

Sliding Top Hung Hardware

**Single Run**

**180**

**350**

(Accessory suitable for Single Run system only)		
Maximum Panel Weight	100kg	100kg
Maximum Panel weight with soft close (per panel)		
Maximum Panel Height	3000mm	3000mm
Minimum Panel Thickness	35mm	35mm

## Standard Sets and Packs

Description	Code	Code
Simultaneous Accessory Kit - 2 door panels	SIM/2	SIM/2

Fascia - see table below

# Telescopic Accessory Kit

Sliding Top Hung Hardware

**Quick Run**

**120**

**Single Run**

**180**

**350**


(Accessory suitable for Quick Run and Single Run systems only)			
Maximum Panel Weight - 2 panels	120kg	120kg	120kg
Maximum Panel Weight - 3 panels		100kg	100kg
Maximum Panel Height	3000mm	3000mm	3000mm
Minimum Panel Thickness	28mm	35mm	35mm

## Standard Sets and Packs

Description	Code	Code	Code
Telescopic Accessory Kit - 2 panels	TEL/2	TEL/2	TEL/2
Telescopic Accessory Kit - 3 panels	TEL/3	TEL/3	

## Fascia's

Description	Code	Code	Code
Fascia 2000mm & End Caps CA	123-20CA	183-20CA	353-20CA
Fascia 3000mm & End Caps CA	123-30CA	183-30CA	353-30CA
Fascia 4000mm & End Caps CA	123-40CA	183-40CA	353-40CA
Fascia 6000mm & End Caps CA	123-60CA	183-60CA	353-60CA



# Timberoll 100, 170 & 200

## Sliding Bottom Rolling Hardware

100 170 200

Maximum Panel Weight	100kg	170kg	200kg
Maximum Panel Height	2400mm	2400mm	3000mm
Minimum Panel Thickness	40mm	40mm	40mm



900A GUIDE CHANNEL



94PPA CHANNEL



94P CHANNEL



913A RAIL 913B RAIL




918 RAIL



1SS/250 BRACKET



5SS/250 BRACKET




106RB/94 GUIDE




113RB/94 GUIDE



913SBA  
BOTTOM ROLLER



61SS/900 TOP  
GUIDE ROLLER



913DBA-SS  
BOTTOM ROLLER

### Top Guide Channels

Description	Code	Code	Code
Polypropylene, black 2000mm	94P-20	94P-20	94P-20
Polypropylene, black 3000mm	94P-30	94P-30	94P-30
Polypropylene, black 4000mm	94P-40	94P-40	94P-40
Polypropylene, black 6000mm	94P-60	94P-60	94P-60
Poly & aluminium anod. 2000mm	94PPA-A20	94PPA-A20	94PPA-A20
Poly & aluminium anod. 3000mm	94PPA-A30	94PPA-A30	94PPA-A30
Poly & aluminium anod. 4000mm	94PPA-A40	94PPA-A40	94PPA-A40
Poly & aluminium anod. 6000mm	94PPA-A60	94PPA-A60	94PPA-A60
Aluminium anodised 2000mm	900A-A20	900A-A20	900A-A20
Aluminium anodised 3000mm	900A-A30	900A-A30	900A-A30
Aluminium anodised 4000mm	900A-A40	900A-A40	900A-A40
Aluminium anodised 6000mm	900A-A60	900A-A60	900A-A60

### Top Guide Brackets

Description	Code	Code	Code
Single, face fitted	1SS/250	1SS/250	1SS/250
Double, face fitted	5SS/250	5SS/250	5SS/250

### Top Guide Rollers – 2 per door

Description	Code	Code	Code
Cast stainless top fitting – stainless bearing	106RB/94	106RB/94	106RB/94
Cast stainless angle fitting – stainless bearing	113RB/94	113RB/94	113RB/94
Cast stainless plate – double adjustable nylon roller	61SS/900	61SS/900	61SS/900

### Bottom Rollers – 2 per door


Description	Code	Code	Code
Double bogie, nylon roller, SS precision bearing, adjustable	913DBA-N		
Adjustable stainless steel roller & precision bearing		913SBA	
Double bogie stainless steel roller, SS precision bearing adjustable			913DBA-SS

### Bottom Rails

Description	Code	Code	Code
Aluminium rail – drilled & countersunk 2000mm	913A-A20		
Aluminium rail – drilled & countersunk 3000mm	913A-A30		
Aluminium rail – drilled & countersunk 4000mm	913A-A40		
Aluminium rail – drilled & countersunk 6000mm	913A-A60		

# Timberoll 100, 170 & 200

Sliding Bottom Rolling Hardware




No. 924-DC  
DOOR COLLECTOR




924 INTERLOCKER




AQ21 SEAL



401 FLUSH PULL    401B2B FLUSH PULL    401D FLUSH PULL



456



456R



456 ROUTER

## Interlocker

Description	Code
Door Collector - multiple panels	924-DC
Interlocker clear anodised 4800mm	924-CA48
Interlocker black anodised 4800mm	924-BK48
Interlocker bronze anodised 4800mm	924-BZ48
Interlocker clear anodised 2 pack 2400mm	924-CA24
Interlocker black anodised 2 pack 2400mm	924-BK24
Interlocker bronze anodised 2 pack 2400mm	924-BZ24
<b>Perimeter Seals</b>	
Frame seal 15m bag	AQ21B-15
Frame seal 20m bag	AQ21B-20
Frame seal 15m bag	AQ21W-15
Frame seal 20m bag	AQ21W-20

## Accessories


Description	Code
Flush pull - PVD brass	401PVDB
Flush pull - satin nickel	401SN
Flush pull - back to back PVD brass	401B2BPVDB
Flush pull - satin nickel	401B2B55
Flush pull - raised finger grip	401DPS
Flush pull - raised finger grip	401DSN
Flush pull - raised finger grip	401DPVDB
Flush bolt, square top 190 - PVD brass	456PVDB
Flush bolt, square top 190 - satin nickel	456SN
Flush bolt, round top 190 - PVD brass	456RPVDB
Flush bolt, round top 190 - satin nickel	456RSN
Plunge router for 456 Flush bolt profile	ROUTER

# Timberoll 300N

## Sliding Bottom Rolling Hardware



900A GUIDE CHANNEL



913DBA-300N



913A RAIL

Maximum Panel Weight	300kg
Maximum Panel Height	3300mm
Minimum Panel Thickness	40mm

### Bottom Rollers – 2 per door

Description	Code
Double bogie, nylon roller, precision bearing, adjustable	913DBA-300N

### Bottom Rails

Description	Code
Aluminium rail – drilled & countersunk 2000mm	913A-A20
Aluminium rail – drilled & countersunk 3000mm	913A-A30
Aluminium rail – drilled & countersunk 4000mm	913A-A40
Aluminium rail – drilled & countersunk 6000mm	913A-A60


Top Guide Channels - see page Br60, Timberoll 100, 170 & 200

Top Guide Brackets - see page Br60, Timberoll 100, 170 & 200

Top Guide Rollers - see page Br60, Timberoll 100, 170 & 200

# Bifold 16

## Interior Folding Door Hardware



810 TOP PIVOT SOCKET



813 BUMPER



808 DOOR ALIGNER

Maximum Panel Weight	16kg
Maximum Panel Width	620mm
Maximum Panel Height	2400mm
Minimum Panel Thickness	23mm

### Standard Sets and Packs


Description	Code
Sets for 2 panels comprise track, top pivot socket, bumper, top and bottom pivots, jamb bracket, top guide, three hinges, spanner, all screws and installation instructions. Sets for four panels comprise twice the amount of the above hardware plus two aligners but only one spanner and installation instruction	
<b>Opening Width (Track Length)</b>	
915mm for 2 panels, Track Length 915mm	<b>BF16-09/2</b>
1250mm for 2 panels, Track Length 1250mm	<b>BF16-12/2</b>
1830mm for 2 panels both sides, Track Length 1830	<b>BF16-18/4</b>
2500mm for 2 panels both sides, Track Length 2500mm	<b>BF16-25/4</b>

### Components

Description	Code
820mm track, steel in white finish - with 1 x 810, 1 x 813	<b>825T-08W</b>
915mm track, steel in white finish - with 1 x 810, 1 x 813	<b>825T-09W</b>
1220mm track, steel in white finish - with 1 x 810, 1 x 813	<b>825T-12W</b>
1830mm track, steel in white finish - with 2 x 810, 2 x 813	<b>825T-18W</b>
2440mm track, steel in white finish - with 2 x 810, 2 x 813	<b>825T-24W</b>
Bifold top pivot/guide	<b>801</b>
Bottom pivot - nylon and steel, zinc dichromate	<b>807</b>
Aligner - steel, zinc dichromate	<b>808</b>
Top pivot socket - steel, zinc dichromate	<b>810</b>
Jamb bracket - nylon and steel, zinc dichromate	<b>811</b>
Spanner	<b>320</b>
Bumper - rubber and steel, zinc dichromate	<b>813</b>
Hinge - 65mm Zinc plated with screws	<b>282Z</b>
Hinge - 75mm in electro brass with screws	<b>823</b>

# Multifold 30

## Interior Folding Door Hardware




Maximum Panel Weight	30kg
Maximum Panel Width	650mm
Maximum Panel Height	2400mm
Minimum Panel Thickness	19mm

### Standard Sets and Packs

Description	Code
Standard sets comprise track, top pivot assembly, bottom pivot, wall bracket, hanger(s) door stop, spanner, hinges, screws and installation instructions.	
650mm (2 Panels), Track Length 1300mm	MF30-13/2
2 Panel Pack	MF30-2PK
4 Panel Pack	MF30-4PK
6 Panel Pack	MF30-6PK
Add-on 2 Panel Pack	MF30-APK

### Components

Description	Code
Aluminium mill track 2000mm	60A-20
Aluminium mill track 3000mm	60A-30
Aluminium mill track 4000mm	60A-40
Aluminium mill track 6000mm	60A-60
Bracket, single, zinc plated with fasteners	91Z
Hanger, nylon body with fixing plate	607
Door stop	60DS
Top pivot assembly	818
Bottom pivot	802
Wall bracket (for bottom pivot)	806
Hinge – 65mm zinc plated with screws	282Z
Guide – spring loaded, use with 92 & 130 threshold	801
Guide – use with 96W channel	106SSMF
Threshold – aluminium anodised 2000mm	92-A20
Threshold – aluminium anodised 3000mm	92-A30
Threshold – aluminium anodised 4000mm	92-A40
Threshold – aluminium anodised 6000mm	92-A60
Guide channel, clear anodised finish – 2000mm	96W-A20
Guide channel, clear anodised finish – 3000mm	96W-A30
Guide channel, clear anodised finish – 4000mm	96W-A40
Guide channel, clear anodised finish – 6000mm	96W-A60
Threshold – aluminium anodised 2000mm	130-20
Threshold – aluminium anodised 3000mm	130-30
Threshold – aluminium anodised 4000mm	130-40
Threshold – aluminium anodised 6000mm	130-60
Spanner	805-SPN
Flush pull – satin nickel	401SN
Flush pull – PVD brass	401PVDB



# Pivotfold, Centrefold, Endfold 35, 75

Interior Folding Door Hardware

35 75




120A TRACK




350 TRACK




1SS/250 BRACKET



21HP PIVOT SET




21GN HANGER



21/4 HANGER



61/4 HANGER



21RB/94 GUIDE



106RB/94 GUIDE



106SSMF

Maximum Panel Weight	35kg	75kg
Maximum Panel Height	2400mm	3300mm
Maximum Panel Width (Pivotfold & Endfold)	900mm	900mm
Maximum Panel Width (Centrefold)	920mm	1000mm
Minimum Panel Thickness	35mm	40mm

## Standard Pack

Description	Code	Code
All packs include 57ENP hangers and 282SS hinges		
<b>Endfold / Centrefold</b>		
2 Panel Pack – hangers, hinges	EF35-2PK	
2 Panel Add-on Pack – hangers, guide, hinges	EF35-APK	
4 Panel Pack – hangers, guides, hinges	EF35-4PK	
6 Panel Pack – hangers, guides, hinges	EF35-6PK	
<b>Pivotfold</b>		
2 Panel Pack – pivot set, hanger, guide, hinges	PF35-2PK	
2 Panel Add-on Pack – hangers, guide, hinges	PF35-APK	
No Channel 2 Panel Pack – pivot set, hangers, hinges	PF35-2PKNC	
4 Panel Pack – pivot set, hangers, guides, hinges	PF35-4PK	
6 Panel Pack – pivot set, hangers, guides, hinges	PF35-6PK	

## Track

Description	Code	Code
Track Aluminium Anodised – 2000mm	120A-A20	350-A20
Track Aluminium Anodised – 3000mm	120A-A30	350-A30
Track Aluminium Anodised – 4000mm	120A-A40	350-A40
Track Aluminium Anodised – 6000mm	120A-A60	350-A60

## Brackets – For aluminium tracks

Description	Code	Code
Single face fitted	1SS/250	1SS/250

## Pivot Sets – Pivotfold only

Description	Code	Code
Top and bottom pivots	35EP	21HP-C
Top and bottom pivots – no channel		21HP

## Hangers – Pivotfold & Endfold

Description	Code	Code
2 wheel, chrome bearings		21HN
4 wheel, chrome bearings	35EN	21/4HN
4 wheel, nylon body & chrome bearings	35ENP	

## Hangers – Centrefold

Description	Code	Code
4 wheel, chrome bearing	35EN	61/4HN
4 wheel, nylon body & chrome bearings	35ENP	

# Pivotfold, Centrefold, Endfold 35, 75 (cont.)

Interior Folding Door Hardware

35 75




94A CHANNEL




94P CHANNEL




94PPA CHANNEL




282SS HINGE



404/2 HINGE



404/3 HINGE



401 FLUSH PULL

## Guides – Pivotfold & Endfold

Description	Code	Code
Stainless steel with precision bearing	106SSMF	21RB/94

## Guides – Centrefold

Description	Code	Code
Stainless steel with precision bearing	106SSMF	106RB/94

## Door Stops

Description	Code	Code
Door stop		180DS

## Channel

Description	Code	Code
Aluminium mill 2000mm		94A-20
Aluminium mill 3000mm		94A-30
Aluminium mill 4000mm		94A-40
Aluminium mill 6000mm		94A-60
Aluminium anodised 2000mm	96W-A20	94A-A20
Aluminium anodised 3000mm	96W-A30	94A-A30
Aluminium anodised 4000mm	96W-A40	94A-A40
Aluminium anodised 6000mm	96W-A60	94A-A60
Polypropylene, black 2000mm		94P-20
Polypropylene, black 3000mm		94P-30
Polypropylene, black 4000mm		94P-40
Polypropylene, black 6000mm		94P-60
Poly & aluminium mill 2000mm		94PPA-20
Poly & aluminium mill 3000mm		94PPA-30
Poly & aluminium mill 4000mm		94PPA-40
Poly & aluminium mill 6000mm		94PPA-60
Poly & aluminium anod. 2000mm		94PPA-A20
Poly & aluminium anod. 3000mm		94PPA-A30
Poly & aluminium anod. 4000mm		94PPA-A40
Poly & aluminium anod. 6000mm		94PPA-A60

## Hinges

Description	Code	Code
Hinge 65mm – SS with screws	282SS	
Hinge – 65mm zinc plated with screws	282Z	
Butt 76x63 satin stainless	404/2S	404/2S
Butt 100x75 satin stainless	404/3S	404/3S
Butt 100x75 PVD brass	BW215MPB	BW215MPB
<b>Accessories</b>		
Flush pull Satin Nickel	401SN	401SN
Flush pull PVD Brass	401PVDB	401PVDB

# Interfold 35F & 50F


Interior Folding Door Hardware




120A TRACK




180A TRACK




BWS1F-35H





BWS2F-35CH BWS2F-35CM



BWS2F-35CH BWS2F-35CM



BWS4F-35CH



35F

50F

Maximum Panel Weight	35kg	50kg
Maximum Panel Height	2600mm	2600mm
Maximum Panel Width	820mm	820mm
Minimum Panel Thickness	35mm	35mm

## Track

Description	Code	Code
Aluminium anodised track 2000mm	120A-A20	180A-A20
Aluminium anodised track 3000mm	120A-A30	180A-A30
Aluminium anodised track 4000mm	120A-A40	180A-A40
Aluminium anodised track 6000mm	120A-A60	180A-A60

## Pivot Sets

Description	Code	Code
Consists of top pivot and jamb pivot		
Pivot set – bottom jamb fix SS	BWS1F-35HSS	BWS1F-75HSS

## End Hangers Sets Non Mortice

Description	Code	Code
Consists of hanger only, chrome steel bearings		
End hanger SS	BWS2F-35CHSS	BWS2F-50CHSS

## End Hangers Mortice

Description	Code	Code
Consists of hanger only, chrome steel bearings		
End hanger SS	BWS2F-35CMSS	BWS2F-50CMSS

## Intermediate Hanger Sets


Description	Code	Code
Consists of hanger and two hinges, chrome steel bearings		
Intermediate hanger set SS	BWS4F-35CHSS	BWS4F-50CHSS

# Interfold 35F & 50F

## Interior Folding Door Hardware

**35F      50F**


Maximum Panel Weight	35kg	50kg
Maximum Panel Height	2600mm	2600mm
Maximum Panel Width	820mm	820mm
Minimum Panel Thickness	35mm	35mm




401




360RKSS



360



456R




360E



456RE



360N




456RN



ROUTER 360



ROUTER



360L




456RL

### Hinge Sets

Description	Code	Code
Consisting of three 304 SS hinges per set		
Intermediate hinge set, two hinges + hinge handle SS	BW3-35HSS	BW3-100HSS
Intermediate hinge set inward opening, three hinges SS	BW5-35HSS	BW5-100HSS
Offset hinge set inward opening, three hinges SS	BW6-35HSS	BW6-100HSS
Offset hinge set, two hinges + hinge handle SS	BW7-35HSS	BW7-100HSS

### Accessories

Description	Code	Code
Flush pull – satin nickel	401SN	401SN
Flush bolt – standard satin nickel	360SN	456RSN
Flush bolt – lockable satin nickel	360ESN-1	456RESN-1
Flush bolt – long satin nickel	360LSN	456RLSN
Flush bolt – necked satin nickel	360NSN	456RNSN
Masonry keeper	360RKSS	
Plunge router	ROUTER360	ROUTER




BW3-35H



BW5-35H




BW6-35H



BW7-35H

# Interfold 35 & 50


## Interior Folding Door Hardware




120A TRACK 180A TRACK



96W CHANNEL




BWS1F-35H



BWS2R-35CH

BWS2R-35CM



BWS4-35CH

35

50

Maximum Panel Weight	35kg	50kg
Maximum Panel Height	2600mm	3000mm
Maximum Panel Width	1000mm	1000mm
Minimum Panel Thickness	35mm	35mm

### Track

Description	Code	Code
Track Aluminium Anodised – 2000mm	120A-A20	180A-A20
Track Aluminium Anodised – 3000mm	120A-A30	180A-A30
Track Aluminium Anodised – 4000mm	120A-A40	180A-A40
Track Aluminium Anodised – 6000mm	120A-A60	180A-A60

### Bottom Guide Channel

Description	Code	Code
Guide channel, clear anodised finish – 2000mm	96W-A20	94PPA-A20
Guide channel, clear anodised finish – 3000mm	96W-A30	94PPA-A30
Guide channel, clear anodised finish – 4000mm	96W-A40	94PPA-A40
Guide channel, clear anodised finish – 6000mm	96W-A60	94PPA-A60

### Pivot Sets

Description	Code	Code
Consists of top pivot and jamb pivot		
Pivot Set – bottom jamb fix SS	BWS1F-35HSS	BWS1F-75HSS

### End Hanger Sets Non Mortice

Description	Code	Code
Consists of hanger and guide, chrome steel bearings		
End hanger set right SS	BWS2R-35CHSS	BWS2-50CHSS
End hanger set left SS	BWS2L-35CHSS	BWS2-50CHSS

### End Hanger Sets Mortice

Description	Code	Code
Consists of hanger and guide, chrome steel bearings		
End hanger set right SS	BWS2R-35CMSS	BWS2-50CMSS
End hanger set left SS	BWS2L-35CMSS	BWS2-50CMSS

### Intermediate Hanger Sets


Description	Code	Code
Consists of hanger, guide and middle hinge, chrome steel bearings		
Intermediate hanger set SS	BWS4-35CHSS	BWS4-50CHSS

Hinge Sets – see page Br68, Interfold 35F & 50F

# Weatherfold 4s Servery 35

Exterior Folding Door Hardware - For Systems without Bottom Guide

Maximum Sash Weight	35kg
Maximum Sash Height	1800mm
Maximum Sash Width	650mm
Minimum Sash Thickness	35mm



## Track

Description	Code
Aluminium anodised track 2000mm	120A-A20
Aluminium anodised track 3000mm	120A-A30
Aluminium anodised track 4000mm	120A-A40
Aluminium anodised track 6000mm	120A-A60

## Pivot Sets

Description	Code
Consists of top pivot and jamb pivot	
Pivot set – bottom jamb fix SS	BWS1F-35HSS

## End Hangers Non Mortice

Description	Code
Consists of hanger only, stainless steel bearings	
End Hanger – with Stainless Steel Bearings SS	BWS2F-35SHSS

## End Hangers Mortice

Description	Code
Consists of hanger only, stainless steel bearings	
End Hanger SS	BWS2F-35SMSS

## Hinge Sets

Description	Code
Consisting of three 304 SS hinges per set	
Intermediate hinge set, two hinges + hinge handle SS	BW3-35HSS
Intermediate hinge set inward opening, three hinges SS	BW5-35HSS

## Accessories

Description	Code
Flush pull	401SN
Flush bolt – standard	360SN
Flush bolt – lockable	360ESN-1
Flush bolt – long	360LSN
Flush bolt – necked	360NSN
Masonry keeper	360RKSS
Plunge router	ROUTER360
<b>Track &amp; Perimeter Seals</b>	
Track seal 6m bag	PS13B-6
Track seal 6m bag	PS16B-6
Frame seal 15m bag black	AQ21B-15
Frame seal 20m bag black	AQ21B-20
Frame seal 15m bag white	AQ21W-15
Frame seal 20m bag white	AQ21W-20
Window seal 25m bag black	AQ48B-25
Window seal 25m bag white	AQ48W-25

Screen Accessory – see page Br92, 312 Automated Pleated Insect Screen

# Weatherfold 4s Window 35

Exterior Folding Door Hardware


35




120A TRACK




96W CHANNEL



BWS1F-35H




BWS2R-35SH



BWS2R-35SM



BWS2R-35SF



BWS4-35SH

Maximum Sash Weight	35kg
Maximum Sash Height	1800mm
Maximum Sash Width	1000mm
Minimum Sash Thickness	35mm

## Track

Description	Code
Aluminium anodised track 2000mm	120A-A20
Aluminium anodised track 3000mm	120A-A30
Aluminium anodised track 4000mm	120A-A40
Aluminium anodised track 6000mm	120A-A60

## Bottom Guide Channel

Description	Code
Guide channel, clear anodised finish 2000mm	96W-A20
Guide channel, clear anodised finish 3000mm	96W-A30
Guide channel, clear anodised finish 4000mm	96W-A40
Guide channel, clear anodised finish 6000mm	96W-A60

## Pivot Sets

Description	Code
Consists of top pivot and jamb pivot	
Pivot set – bottom jamb fix SS	BWS1F-35HSS

## End Hanger Sets Non Mortice

Description	Code
Consists of hanger and guide, stainless steel bearings	
End hanger set right SS	BWS2R-35SHSS
End hanger set left SS	BWS2L-35SHSS

## End Hanger Sets Mortice

Description	Code
Consists of hanger and guide, stainless steel bearings	
End hanger set right SS	BWS2R-35SMSS
End hanger set left SS	BWS2L-35SMSS
End hanger set – face fix right SS	BWS2R-35SFSS
End hanger set – face fix left SS	BWS2L-35SFSS

## Intermediate Hanger Sets

Description	Code
Consists of hanger, guide and middle hinge, stainless steel bearings	
Intermediate hanger set SS	BWS4-35SHSS

Hinge Sets – see page Br68, Interfold 35F & 50F

Accessories – see page Br70, Weatherfold 4s Servery 35

# Shutterfold 25

## Exterior Folding Door Hardware

25




120A TRACK



1SS/250 BRACKET



21EP PIVOT SET



21EPNC PIVOT SET




21SS/EN HANGER




106E/94 GUIDE



282SS HINGE



401 FLUSH PULL



884 DOOR HOLDER

Maximum Panel Weight	25kg
Maximum Panel Height	2400mm
Maximum Panel Width	900mm
Minimum Panel Thickness	35mm

### Standard Packs – fittings only

Description	Code
Sets comprise 21EP or 21EPNC pivot set, 57SS/EN hanger, 20DS stop, 106E/94 guide and 282SS hinges	
2 Panel Pack - pivot set, hanger, guide, hinges & stop	SF25-2PK
2 Panel Add-on Pack - hanger, guide & hinges	SF25-APK
No channel 2 Panel Pack - pivot set, hanger, hinges & stop	SF25-2PKNC
4 Panel Pack - pivot Set, hangers, guides, hinges & stop	SF25-4PK
6 Panel Pack - pivot set, hangers, guides, hinges & stop	SF25-6PK

### Track

Description	Code
Aluminium anodised track 2000mm	120A-A20
Aluminium anodised track 3000mm	120A-A30
Aluminium anodised track 4000mm	120A-A40
Aluminium anodised track 6000mm	120A-A60

### Brackets – for aluminium tracks

Description	Code
Single face fitted	1SS/250

### Pivot Sets

Description	Code
Top and bottom pivots	21EP
Top and bottom pivots - no channel	21EPNC

### Hanger

Description	Code
Four wheels, stainless steel bearings	21SS/EN

### Guide

Description	Code
SS plate with bearing	106E/94

### Hinge

Description	Code
Hinge 65mm – SS with Screws	282SS

### Accessories

Description	Code
Flush pull – satin nickel	401SN
Flush pull – PVD brass	401PVDB

# Screenfold 25

## Exterior Folding Door Hardware

25




120A TRACK



94A CHANNEL



1SS/250 BRACKET



21EPB PIVOT SET




53SSEN 2 WHEEL HANGER




53SS/4EN 4 WHEEL HANGER



113RB/94 GUIDE



135SS HINGE



136SS HINGE HANDLE



FFB-85S BARREL BOLT

Maximum Panel Weight	25kg
Maximum Panel Height	2400mm
Maximum Panel Width	900mm
Minimum Panel Thickness	19mm

### Track

Description	Code
Aluminium anodised track 2000mm	120A-A20
Aluminium anodised track 3000mm	120A-A30
Aluminium anodised track 4000mm	120A-A40
Aluminium anodised track 6000mm	120A-A60
<b>Brackets – for aluminium tracks</b>	
Single face fitted	1SS/250

### Pivot Set

Description	Code
Top and bottom pivots	21EPB

### Hanger

Description	Code
Two wheel end hanger, stainless steel bearings	53SS/EN
Four wheel int. hanger, stainless steel bearings	53SS/4EN

### Guide

Description	Code
Cast stainless angle with bearing	113RB/94

### Hinge

Description	Code
Hinge 75mm – SS with rivets	135SS
Hinge Handle 75mm – SS with rivets	136SS

### Channel

Description	Code
Aluminium mill 2000mm	94A-20
Aluminium mill 3000mm	94A-30
Aluminium mill 4000mm	94A-40
Aluminium mill 6000mm	94A-60
Aluminium anod 2000mm	94A-A20
Aluminium anod 3000mm	94A-A30
Aluminium anod 4000mm	94A-A40
Aluminium anod 6000mm	94A-A60

### Accessories

Description	Code
Barrel bolt - anodised aluminium body with SS bolt	FFB-85S

# Louvrefold 25

## Interior Folding Door Hardware

25




120A TRACK



94A CHANNEL



1SS/250 BRACKET



21EP-A PIVOT SET




52EN-A 2 WHEEL HANGER




52EN/4-A 4 WHEEL HANGER



21ER-A END GUIDE



135SS HINGE



136SS HINGE HANDLE



FFB-85S BARREL BOLT

Maximum Panel Weight	25kg
Maximum Panel Height	2400mm
Maximum Panel Width	900mm
Minimum Panel Thickness	30mm

### Track

Description	Code
Aluminium anodised track 2000mm	120A-A20
Aluminium anodised track 3000mm	120A-A30
Aluminium anodised track 4000mm	120A-A40
Aluminium anodised track 6000mm	120A-A60
<b>Brackets - For aluminium tracks</b>	
Single face fitted	1SS/250

### Pivot Set

Description	Code
Top and bottom pivots	21EP-A

### Hanger

Description	Code
2 wheel end hanger, stainless steel bearings	52EN-A
4 wheel int. hanger, stainless steel bearings	52EN/4-A

### Guide

Description	Code
Cast stainless angle with bearing	21ER-A

### Hinge

Description	Code
Hinge 75mm - SS with rivets	135SS
Hinge Handle 75mm - SS with rivets	136SS

### Channel

Description	Code
Aluminium mill 2000mm	94A-20
Aluminium mill 3000mm	94A-30
Aluminium mill 4000mm	94A-40
Aluminium mill 6000mm	94A-60
Aluminium anod 2000mm	94A-A20
Aluminium anod 3000mm	94A-A30
Aluminium anod 4000mm	94A-A40
Aluminium anod 6000mm	94A-A60

### Accessories

Description	Code
Barrel bolt - anodised aluminium body with SS bolt	FFB-85S


# Weatherfold 4s 50F

Exterior Folding Door Hardware - For Systems without Bottom Guide


50




180A TRACK




BWS1F-75H



BWS4F-50SH



BWS2F-50SH BWS2F-50SM



BWS8F-50S

Maximum Panel Weight	50kg
Maximum Panel Height	2600mm
Maximum Panel Width	820mm
Panel Thickness	35-68mm

## Track

Description	Code
Aluminium mill track 2000mm	180A-20
Aluminium mill track 3000mm	180A-30
Aluminium mill track 4000mm	180A-40
Aluminium mill track 6000mm	180A-60
Aluminium anodised track 2000mm	180A-A20
Aluminium anodised track 3000mm	180A-A30
Aluminium anodised track 4000mm	180A-A40
Aluminium anodised track 6000mm	180A-A60

## Pivot Sets Non Mortice

Description	Code
Consists of top pivot and 316 SS jamb pivot	
Pivot set - bottom jamb fix SS	BWS1F-75HSS

## End Hangers Non Mortice

Description	Code
Consists of 316 SS hanger only, stainless steel bearings	
End Hanger SS	BWS2F-50SHSS

## End Hangers Mortice

Description	Code
Consists of 316 SS hanger only, stainless steel bearings	
End Hanger SS	BWS2F-50SMSS

## Intermediate Hanger Sets Non Mortice

Description	Code
Consists of 316 SS hanger and two 304 SS hinges, stainless steel bearings	
Intermediate hanger set SS	BWS4F-50SHSS

## Meeting Door Sets Rebated

Description	Code
Consists of two 316 SS hangers, one rebated hinge and one surface mounted, stainless steel bearings	
Meeting door set SS	BWS8F-50SSS

## Hinge Sets Non Mortice

Description	Code
Consisting of three 304 SS hinges per set	
Intermediate hinge set, two hinges + hinge handle SS	BW3-100HSS
Intermediate hinge set inward opening, three hinges SS	BW5-100HSS
Offset hinge set inward opening, three hinges SS	BW6-100HSS
Offset hinge set, two hinges + hinge handle SS	BW7-100HSS

# Weatherfold 4s 50, 100

Exterior Folding Door Hardware - Timber Panels Non Mortice

50


100




180A TRACK



350 TRACK




BWS1-100H



BWS1F-100H



BWS2-50CR



BW189H

Maximum Panel Weight	50kg	100kg
Maximum Panel Height	3000mm	3300mm
Maximum Panel Width	1000mm	1000mm
Panel Thickness	35-68mm	35-68mm

## Track

Description	Code	Code
Aluminium anodised track 2000mm	180A-A20	350-A20
Aluminium anodised track 3000mm	180A-A30	350-A30
Aluminium anodised track 4000mm	180A-A40	350-A40
Aluminium anodised track 6000mm	180A-A60	350-A60

## Pivot Sets Non Mortice

Description	Code	Code
Consists of top pivot and 316 SS bottom pivot with 304 SS hinge flags		
Pivot set PB	BWS1-100HPB	BWS1-100HPB
Pivot set SS	BWS1-100HSS	BWS1-100HSS
Pivot set – bottom jamb fix PB	BWS1F-75HPB	
Pivot set – bottom jamb fix SS	BWS1F-75HSS	

## Jamb Pivot Non Mortice

Description	Code	Code
Consists of 316 SS jamb pivot with 304 SS hinge flag		
Jamb pivot SS	BW189HSS	BW189HSS
Security aligner SS	199SS	199SS

## End Hanger Sets for Rebated Panels – chrome steel bearings

Description	Code	Code
Consists of 316 SS hanger, offset guide and two 304 SS hinge flags		
End hanger set SS	BWS2-50CRSS	BWS2-100CRSS

## End Hanger Sets for Rebated Panels – stainless steel bearings



Description	Code	Code
Consists of 316 SS hanger, offset guide and two 304 SS hinge flags		
End hanger set PB	BWS2-50SRPB	BWS2-100SRPB
End hanger set SS	BWS2-50SRSS	BWS2-100SRSS

# Weatherfold 4s 50, 100



Exterior Folding Door Hardware - Timber Panels Non Mortice

50


100



BWS2-100SH



BWS4-100SH



BWS8-100

## End Hanger Sets Non Mortice – chrome steel bearings

Description	Code	Code
Consists of 316 SS hanger, offset guide and two 304 SS hinge flags		
End hanger set PB	BWS2-50CHPB	BWS2-100CHPB
End hanger set SS	BWS2-50CHSS	BWS2-100CHSS

## End Hanger Sets Non Mortice – stainless steel bearings

Description	Code	Code
Consists of 316 SS hanger, offset guide and two 304 SS hinge flags		
End hanger set PB	BWS2-50SHPB	BWS2-100SHPB
End hanger set SS	BWS2-50SHSS	BWS2-100SHSS

## Intermediate Hanger Sets Non Mortice – chrome steel bearings

Description	Code	Code
Consists of 316 SS hanger, offset guide and three 304 SS hinges		
Intermediate hanger set PB	BWS4-50CHPB	BWS4-100CHPB
Intermediate hanger set SS	BWS4-50CHSS	BWS4-100CHSS

## Intermediate Hanger Sets Non Mortice – stainless steel bearings

Description	Code	Code
Consists of two 316 SS hangers, offset guide and three 304 SS hinges		
Intermediate hanger set PB	BWS4-50SHPB	BWS4-100SHPB
Intermediate hanger set SS	BWS4-50SHSS	BWS4-100SHSS

## Meeting Door Sets Rebated – chrome steel bearings

Description	Code	Code
Consists of two 316 SS hangers, one rebated hinge and one surface mounted		
Meeting door set SS	BWS8-50CSS	BWS8-100CSS

## Meeting Door Sets Rebated – stainless steel bearings

Description	Code	Code
Consists of two 316 SS hangers, one rebated hinge and one surface mounted		
Meeting door set PB	BWS8-50SPB	BWS8-100SPB
Meeting door set SS	BWS8-50SSS	BWS8-100SSS

# Weatherfold 4s 50, 100


Exterior Folding Door Hardware - Timber Panels Non Mortice

50

100

## Hinge Sets Non Mortice


Description	Code	Code
Consisting of three 304 SS hinges per set		
Intermediate hinge set, two hinges + hinge handle PB	BW3-100HPB	BW3-100HPB
Intermediate hinge set, two hinges + hinge handle SS	BW3-100HSS	BW3-100HSS
Intermediate hinge set inward opening, three hinges PB	BW5-100HPB	BW5-100HPB
Intermediate hinge set inward opening, three hinges SS	BW5-100HSS	BW5-100HSS
Offset hinge set inward opening, three hinges PB	BW6-100HPB	BW6-100HPB
Offset hinge set inward opening, three hinges SS	BW6-100HSS	BW6-100HSS
Offset hinge set, two hinges + hinge handle PB	BW7-100HPB	BW7-100HPB
Offset hinge set, two hinges + hinge handle SS	BW7-100HSS	BW7-100HSS




BW3-100H



BW5-100H



BW6-100H



BW7-100H

## Single Hinges Non Mortice

Description	Code	Code
Hinge pull handle SS	BW180HSS	BW180HSS
Intermediate hinge PB	BW215HPB	BW215HPB
Intermediate hinge SS	BW215HSS	BW215HSS
Offset hinge PB	BW219HPB	BW219HPB
Offset hinge SS	BW219HSS	BW219HSS
Intermediate hinge with handle PB	BW216HPB	BW216HPB
Intermediate hinge with handle SS	BW216HSS	BW216HSS
Offset hinge with handle PB	BW220HPB	BW220HPB
Offset hinge with handle SS	BW220HSS	BW220HSS

# Weatherfold 4s 50, 100

Exterior Folding Door Hardware - Aluminium Panels Non Mortice

50


100





180A TRACK




350 TRACK



BWS1-100F



BW189F



BWS2-100SF

Maximum Panel Weight	50kg	100kg
Maximum Panel Height	3000mm	3300mm
Maximum Panel Width	1000mm	1000mm
Panel Thickness	35-68mm	35-68mm

## Track

Description	Code	Code
Aluminium anodised track 2000mm	180A-A20	350-A20
Aluminium anodised track 3000mm	180A-A30	350-A30
Aluminium anodised track 4000mm	180A-A40	350-A40
Aluminium anodised track 6000mm	180A-A60	350-A60

## Pivot Sets

Description	Code	Code
Consists of top pivot and 316 SS bottom pivot with 304 SS hinge flags		
Pivot set face fix SS	BWS1-100FSS	BWS1-100FSS
Pivot set non mortice PB	BWS1-100HPB	BWS1-100HPB
Pivot set non mortice SS	BWS1-100HSS	BWS1-100HSS
Pivot set non mortice – bottom jamb fix PB	BWS1F-75HPB	
Pivot set non mortice – bottom jamb fix SS	BWS1F-75HSS	

## Jamb Pivot

Description	Code	Code
Consists of 316 SS jamb pivot with 304 SS hinge flag		
Jamb pivot face fix SS	BW189FSS	BW189FSS
Jamb pivot non mortice SS	BW189HSS	BW189HSS
Security aligner SS	199SS	199SS

## End Hanger Sets Face Fix – chrome steel bearings

Description	Code	Code
Consists of 316 SS hanger, offset guide and two 304 SS hinge flags		
End hanger set face fix PB	BWS2-50CFPB	BWS2-100CFPB
End hanger set face fix SS	BWS2-50CFSS	BWS2-100CFSS

## End Hanger Sets Face Fix – stainless steel bearings



Description	Code	Code
Consists of 316 SS hanger, offset guide and two 304 SS hinge flags		
End hanger set face fix PB	BWS2-50SFPB	BWS2-100SFPB
End hanger set face fix SS	BWS2-50SFSS	BWS2-100SFSS

# Weatherfold 4s 50, 100

Exterior Folding Door Hardware - Aluminium Panels Non Mortice

50

100



BWS2-100SH

## End Hanger Sets Non Mortice – chrome steel bearings

Description	Code	Code
316 Stainless Steel hanger body, offset guide and two 304 Stainless Steel hinges		
End hanger set PB	BWS2-50CHPB	BWS2-100CHPB
End hanger set SS	BWS2-50CHSS	BWS2-100CHSS

## End Hanger Sets Non Mortice – stainless steel bearings


Description	Code	Code
316 Stainless Steel hanger body, offset guide and two 304 Stainless Steel hinges		
End hanger set PB	BWS2-50SHPB	BWS2-100SHPB
End hanger set SS	BWS2-50SHSS	BWS2-100SHSS

## Intermediate Hanger Sets Non Mortice – chrome steel bearings

Description	Code	Code
316 Stainless Steel hanger body, offset guide and three 304 Stainless Steel hinges		
Intermediate hanger set PB	BWS4-50CHPB	BWS4-100CHPB
Intermediate hanger set SS	BWS4-50CHSS	BWS4-100CHSS

## Intermediate Hanger Sets Non Mortice – stainless steel bearings

Description	Code	Code
316 Stainless Steel hanger body, offset guide and three 304 Stainless Steel hinges		
Intermediate hanger set PB	BWS4-50SHPB	BWS4-100SHPB
Intermediate hanger set SS	BWS4-50SHSS	BWS4-100SHSS



BWS4-100SH

# Weatherfold 4s 50, 100

Exterior Folding Door Hardware - Timber Panels Mortise Square

50



100




180A TRACK





350 TRACK



BWS1-100M



BW189M



BWS2-100SM

Maximum Panel Weight	50kg	100kg
Maximum Panel Height	3000mm	3300mm
Maximum Panel Width	1000mm	1000mm
Panel Thickness	35-68mm	35-68mm

## Track

Description	Code	Code
Aluminium anodised track 2000mm	180A-A20	350-A20
Aluminium anodised track 3000mm	180A-A30	350-A30
Aluminium anodised track 4000mm	180A-A40	350-A40
Aluminium anodised track 6000mm	180A-A60	350-A60

## Pivot Sets Mortise

Description	Code	Code
Consists of top pivot and 316 SS bottom pivot with 304 SS hinge flags		
Pivot set PB	BWS1-100MPB	BWS1-100MPB
Pivot set SS	BWS1-100MSS	BWS1-100MSS
Pivot set - bottom jamb fix SS	BWS1F-75MSS	

## Jamb Pivot Mortise

Description	Code	Code
Consists of 316 SS jamb pivot with 304 SS hinge flag		
Jamb pivot SS	BW189MSS	BW189MSS
Security aligner SS	199SS	199SS

## End Hanger Sets Mortise - chrome steel bearings

Description	Code	Code
Consists of 316 SS hanger, offset guide and two 304 SS hinge flags		
End hanger set PB	BWS2-50CMPB	BWS2-100CMPB
End hanger set SS	BWS2-50CMSS	BWS2-100CMSS

## End Hanger Sets Mortise - stainless steel bearings

Description	Code	Code
Consists of 316 SS hanger, offset guide and two 304 SS hinge flags		
End hanger set PB	BWS2-50SMPB	BWS2-100SMPB
End hanger set SS	BWS2-50SMSS	BWS2-100SMSS

## Intermediate Hanger Sets Mortise - chrome steel bearings

Description	Code	Code
Consists of 316 SS hanger, offset guide and three 304 SS hinges		
Intermediate hanger set PB	BWS4-50CMPB	BWS4-100CMPB
Intermediate hanger set SS	BWS4-50CMSS	BWS4-100CMSS

## Intermediate Hanger Sets Mortise - stainless steel bearings


Description	Code	Code
Consists of 316 SS hanger, offset guide and three 304 SS hinges		
Intermediate hanger set PB	BWS4-50SMPB	BWS4-100SMPB
Intermediate hanger set SS	BWS4-50SMSS	BWS4-100SMSS

# Weatherfold 4s 50, 100

Exterior Folding Door Hardware - Timber Panels Mortice Square

50

100




BWS4-100SM

## Hinge Sets Mortice

Description	Code	Code
Consisting of three 304 SS hinges per set		
Intermediate hinge set, two hinges + hinge handle PB	BW3-100MPB	BW3-100MPB
Intermediate hinge set, two hinges + hinge handle SS	BW3-100MSS	BW3-100MSS
Intermediate hinge set inward opening, three hinges PB	BW5-100MPB	BW5-100MPB
Intermediate hinge set inward opening, three hinges SS	BW5-100MSS	BW5-100MSS
Offset hinge set inward opening, three hinges PB	BW6-100MPB	BW6-100MPB
Offset hinge set inward opening, three hinges SS	BW6-100MSS	BW6-100MSS
Offset hinge set, two hinges + hinge handle PB	BW7-100MPB	BW7-100MPB
Offset hinge set, two hinges + hinge handle SS	BW7-100MSS	BW7-100MSS

## Single Hinges Mortice

Description	Code	Code
Intermediate hinge PB	BW215MPB	BW215MPB
Intermediate hinge SS	BW215MSS	BW215MSS
Offset hinge PB	BW219MPB	BW219MPB
Offset hinge SS	BW219MSS	BW219MSS
Intermediate hinge with handle PB	BW216MPB	BW216MPB
Intermediate hinge with handle SS	BW216MSS	BW216MSS
Offset hinge with handle SS	BW220MSS	BW220MSS



BW3-100M

BW5-100M

BW6-100M

BW7-100M

# Weatherfold 4s 50 & 100

Exterior Folding Door Hardware - Channels

## Channel




94A




94P




94PPA



401



828



882




PS13B



AQ21



AQ63



BW-DJH1

Description	Code
Aluminium anodised 2000mm	94A-A20
Aluminium anodised 3000mm	94A-A30
Aluminium anodised 4000mm	94A-A40
Aluminium anodised 6000mm	94A-A60
Polypropylene, black 2000mm	94P-20
Polypropylene, black 3000mm	94P-30
Polypropylene, black 4000mm	94P-40
Polypropylene, black 6000mm	94P-60
Poly aluminium support mill 2000mm	94PA-20
Poly aluminium support mill 3000mm	94PA-30
Poly aluminium support mill 4000mm	94PA-40
Poly aluminium support mill 6000mm	94PA-60
Poly aluminium support anod. 2000mm	94PA-A20
Poly aluminium support anod. 3000mm	94PA-A30
Poly aluminium support anod. 4000mm	94PA-A40
Poly aluminium support anod. 6000mm	94PA-A60
Poly & aluminium mill 2000mm	94PPA-20
Poly & aluminium mill 3000mm	94PPA-30
Poly & aluminium mill 4000mm	94PPA-40
Poly & aluminium mill 6000mm	94PPA-60
Poly & aluminium anod. 2000mm	94PPA-A20
Poly & aluminium anod. 3000mm	94PPA-A30
Poly & aluminium anod. 4000mm	94PPA-A40
Poly & aluminium anod. 6000mm	94PPA-A60

## Accessories

Description	Code
Flush pull SS	401SN
Flush pull PVD brass	401PVDB
Magnetic and rubber leaf catch SN	828SN
Magnetic and rubber leaf catch PBK	828PBK
Magnetic leaf catch SS	882SS
Magnetic leaf catch PVD brass	882PVDB
Drilling jig non mortice hinges only	BW-DJH1



## Track & Perimeter Seals

Description	Code
Track seal 6m bag	PS13B-6
Frame seal 15m bag black	AQ21B-15
Frame seal 20m bag black	AQ21B-20
Frame seal 15m bag white	AQ21W-15
Frame seal 20m bag white	AQ21W-20
Panel seal 25m bag black	AQ48B-25
Panel seal 25m bag white	AQ48W-25
Panel seal 35m bag black	AQ63B-35
Panel seal 35m bag white	AQ63W-35

# Weatherfold 4s 50 & 100



Exterior Folding Door Hardware - Sills

## Sill for 456 Flush Bolts



Description	Code
Aluminium sill, clear anodised, includes end caps and timbers.	
Sill standard 2000mm	95HS1A3T-CA20
Sill standard 3000mm	95HS1A3T-CA30
Sill standard 4000mm	95HS1A3T-CA40
Sill standard 5000mm	95HS1A3T-CA50
Sill standard 6000mm	95HS1A3T-CA60
Sill for screen 2000mm	95HS1A4T-CA20
Sill for screen 3000mm	95HS1A4T-CA30
Sill for screen 4000mm	95HS1A4T-CA40
Sill for screen 5000mm	95HS1A4T-CA50
Sill for screen 6000mm	95HS1A4T-CA60

## Sill for 286 Dual Point Lock




Description	Code
Aluminium sill, clear anodised, includes end caps and timbers.	
Sill standard 2000mm	94HS1A3T-CA20
Sill standard 3000mm	94HS1A3T-CA30
Sill standard 4000mm	94HS1A3T-CA40
Sill standard 6000mm	94HS1A3T-CA60
Sill for screen 2000mm	94HS1A4T-CA20
Sill for screen 3000mm	94HS1A4T-CA30
Sill for screen 4000mm	94HS1A4T-CA40
Sill for screen 6000mm	94HS1A4T-CA60

## Jointing Rods

Description	Code
Sill joining rods, quantity 3	HSJP


# Dual Point Lock Timber

## Exterior Folding Door Hardware - Dual Point Lock




286T/35

286T/45




286TD/35

286TD/45



286N

286L



286-HBHAS

286-HBHS

Back set	35mm	45mm
Panel Thickness	38/45-70mm	38/45-70mm
Minimum Stile Width	70mm	70mm
Maximum Panel Height	3.5m	3.5m
Throw Length	22mm	22mm
Euro Cylinder	3 pin 20/10	5 pin 30/10
<b>Finishes</b>		
SS - Satin Stainless	SN - Satin Nickel	PBK - Powder Coat Black

### Lock Sets

Description	Code	Code
Sets include a lock body, handle and rod pack		
Non-locking, 38-44mm intermediate panel 2.5m high SS	286N3-25NSS	286N4-25NSS
Non-locking, 38-44mm end panel 2.5m high SS	286N3-25XSS	286N4-25XSS
Locking, 38-44mm intermediate panel 2.5m high SS	286L3-25NSS	286L4-25NSS
Locking, 38-44mm end panel 2.5m high SS	286L3-25XSS	286L4-25XSS

### Lock Body

Description	Code	Code
Lock body for internal access (min PT 38mm)	286T/35-1	286T/45-1
Lock body for dual access (min PT 45mm)	286TD/35	286TD/45

### Non Locking Handle

Description	Code	Code
Stainless steel SS finish internal access	286NSS	286NSS
Zinc alloy SN finish internal access	286NSN-1	286NSN-1
Zinc alloy PBK finish internal access	286NPBK-1	286NPBK-1

### Locking Handle

Description	Code	Code
Stainless steel SS finish 38-44mm panel internal access	286L-30SS	286L-30SS
Zinc alloy SN finish 38-44mm panel internal access	286L-30SN	286L-30SN
Zinc alloy PBK finish 38-44mm panel internal access	286L-30PBK	286L-30PBK
Stainless steel SS finish 44mm+ panel internal access	286L-40SS	286L-40SS
Zinc alloy SN finish 44mm+ panel internal access	286L-40SN	286L-40SN
Zinc alloy PBK finish 44mm+ panel internal access	286L-40PBK	286L-40PBK
Stainless steel SS finish dual access (no cylinder)	286DL-SS	286DL-SS

### Rod Pack

Description	Code	Code
Intermediate 38-44mm panel 2.5m high	286-25NS	286-25NS
Intermediate 44mm and above panel 2.5m high	286-25HS	286-25HS
End panel 2.5m high	286-25XS	286-25XS
Intermediate 38-44mm panel 3.5m high	286-35NS	286-35NS
Intermediate 44mm and above panel 3.5m high	286-35HS	286-35HS
End panel 3.5m high	286-35XS	286-35XS

### Additional Hinge Blocks


Description	Code	Code
Individual hinge block 38-44mm panel	286-HBHAS	286-HBHAS
Individual hinge block 44mm and above panel	286-HBHS	286-HBHS

# Dual Point Lock Aluminium


## Exterior Folding Door Hardware - Dual Point Lock




286A




286N



286L



286AD



286DL

Panel Thickness	35/42-70mm
Minimum Stile Width	60mm
Maximum Panel Height	3.5m
Throw Length	25mm
Euro Cylinder	5 pin 30/10

### Lock Sets

Description	Code
Sets include a lock body, handle and rod pack	
Non-locking, 3.5m high panel with D tip SS	286N-35DSS
Non-locking, 2.5m high panel with D tip SS	286N-25DSS
Non-locking, 2.5m high panel with D tip PBK	286N-25DPBK
Locking, 3.5m high panel with D tip SS	286L-35DSS
Locking, 2.5m high panel with D tip SS	286L-25DSS
Locking, 2.5m high panel with D tip PBK	286L-25DPBK

### Lock Body

Description	Code
Lock body for internal access	286A-2
Lock body for dual access	286AD

### Non Locking Handle

Description	Code
Stainless steel SS finish internal access	286NSS
Zinc alloy SN finish internal access	286NSN-1
Zinc alloy PBK finish internal access	286NPBK-1

### Locking Handle



Description	Code
Stainless Steel SS finish internal access	286L-40SS
Zinc alloy SN finish internal access	286L-40SN
Zinc alloy PBK finish internal access	286L-40PBK
Stainless Steel SS finish dual access	286DL-SS

### Rod Pack

Description	Code
Ø12mm SS D tip for panel 2.5m high (min PT 42mm)	286-25D
Plastic tip (512 equivalent) for panel 2.5m high (min PT 35mm)	286-25P
Ø12mm SS D tip for panel 3.5m high (min PT 42mm)	286-35D
Plastic tip (512 equivalent) for panel 3.5m high (min PT 35mm)	286-35P

# Hinged Door Lock Aluminium

Exterior Folding Door Hardware - Hinged and Folding



## Matching Handle Furniture

Description	Code
Standard Handle	
Stainless steel SS finish	288-85SS
Zinc alloy SN finish	288-85SN-1
Zinc alloy PBK finish	288-85PBK-1
Low Profile, Magnetic Handle SN	288M-85SN
Low Profile, Magnetic Handle PBK	288M-85PBK

## 2 Point and 4 Point Lock


Description	Code
2 Point Lock, Aluminium, 30mm Back set	SAL45262NZ
4 Point Lock, Aluminium, 30mm Back set	SAL45263NZ
Strike Plate 12mm and stainless steel screws	SP3317-12
Strike Plate 43mm and stainless steel screws	SP3317-43
Strike Plate 60mm and stainless steel screws	SP3317-60
4 Point Lock Rod pack, 3.5m, D tip	2800-35D
<b>Sets include a lock body, 288 handle, 12mm strike plate and rod pack if applicable</b>	
2pt Locking SS	288L3/2SS
2pt Locking SN	288L3/2SN
2pt Locking PBK	288L3/2PBK
4pt Locking, 3.5m high panel with D tip SS	288L3/4-35DSS
4pt Locking, 3.5m high panel with D tip SN	288L3/4-35DSN
4pt Locking, 3.5m high panel with D tip PBK	288L3/4-35DPBK
<b>Sets include a lock body, 288M handle, 12mm strike plate and rod pack if applicable</b>	
2pt Locking SN	288M3/2SN
2pt Locking PBK	288M3/2PBK
4pt Locking, 3.5m high panel with D tip SN	288M3/4-35DSN
4pt Locking, 3.5m high panel with D tip PBK	288M3/4-35DPBK

# Flush Bolt


## Exterior Folding Door Hardware - Flush Bolt

Finishes	PVDB - PVD Brass	SN - Satin Nickel
----------	------------------	-------------------

### Timber Door – Square Top Flush Bolts




Description	Code
Flush bolt - standard, 190mm	456SN
Flush bolt - lockable, 190mm	456ESN-1
Flush bolt - necked, 190mm	456NSN
Flush bolt - lockable necked, 190mm	456ENSN-1
Flush bolt - inward opening, 190mm	456ISN
Flush bolt - lockable inward opening, 190mm	456EISN-1
Flush bolt - standard, 450mm	456LSN
Flush bolt - lockable, 450mm	456LESN-1
Flush bolt - necked, 450mm	456LNSN
Flush bolt - standard, 600mm	456LXSN-600
Flush bolt - necked, 600mm	456LNXSN-600



### Timber Door – Round Top Flush Bolts

Description	Code	Code
Flush bolt - standard, 190mm	456RPVDB	456RSN
Flush bolt - lockable, 190mm	456REPVDB-1	456RESN-1
Flush bolt - necked, 190mm		456RNSN
Flush bolt - lockable necked, 190mm		456RENSN-1
Flush bolt - inward opening, 190mm		456RISN
Flush bolt - lockable inward opening, 190mm		456REISN-1
Flush bolt - standard, 450mm	456RLPVDB	456RLSN
Flush bolt - lockable, 450mm	456RLEPVDB-1	456RLESN-1
Flush bolt - necked, 450mm		456RLNSN
Flush bolt - standard, 600mm	456RLXPVDB-600	456RLXSN-600
Flush bolt - necked, 600mm		456RLNXSN-600
Flush bolt - standard, 1000mm		456RLXSN-1000



### Aluminium Door – Flush Bolts

Description	Code
Flush bolt - standard, 400mm satin stainless steel	512SS-400
Flush bolt - standard, 600mm satin stainless steel	512SS-600
Flush bolt - standard, 900mm satin stainless steel	512SS-900
Flush Bolt - Lockable, 400mm satin stainless steel	512ESS-400
Flush Bolt - Lockable, 600mm satin stainless steel	512ESS-600
Flush Bolt - Lockable, 900mm satin stainless steel	512ESS-900
Fascia plate for 512 flush bolts	512FSS

### Flush Bolt Accessories

Description	Code
Router bit for 456	ROUTER
Extended 40mm keeper & dust box PVD Brass	456RKLPVDB
Extended 40mm keeper & dust box Satin Stainless Steel	456RKLSS


### Aluminium Door - Shutter Bolt

Description	Code
Shutter bolt - standard, 130mm zinc alloy	213PBK

# Weatherfold 5c 80

Timber Panels Non Mortice

80




98C




98HSF



98HSG





BWC1-80H



BWC2L-80H



BWC2R-80H



Maximum Panel Weight	80kg
Maximum Panel Height	3300mm
Maximum Panel Width	1000mm
Panel Thickness	38-68mm

## Sill

Description	Code
Sill standard anodised 2000mm	98HSF-A20
Sill standard anodised 3000mm	98HSF-A30
Sill standard anodised 4000mm	98HSF-A40
Sill standard anodised 5800mm	98HSF-A60
Sill for timber nose, anodised 2000mm	98HSG-A20
Sill for timber nose, anodised 3000mm	98HSG-A30
Sill for timber nose, anodised 4000mm	98HSG-A40
Sill for timber nose, anodised 5800mm	98HSG-A60

## Channel

Description	Code
Aluminium anodised 2000mm	98C-A20
Aluminium anodised 3000mm	98C-A30
Aluminium anodised 4000mm	98C-A40
Aluminium anodised 6000mm	98C-A60

## Pivot Sets

Description	Code
316 SS top and bottom pivot with two 304 SS hinge flags	
Pivot set non mortice SS	BWC1-80HSS

## Jamb Pivot

Description	Code
316 SS pivot and 304 SS hinge flag	
Jamb pivot non mortice SS	BW189HSS
Security aligner	199SS

## End Roller Sets

Description	Code
316 SS roller, offset guide and two 304 SS hinge flags	
End roller set left non mortice SS	BWC2L-80SHSS
End roller set right non mortice SS	BWC2R-80SHSS
End roller set left rebate SS	BWC2L-80SRSS
End roller set right rebate SS	BWC2R-80SRSS

## Intermediate Roller Sets

Description	Code
316 SS roller, offset guide and three 304 SS hinges	
Intermediate roller set non mortice SS	BWC4-80SHSS

Locking - see page Br85, 286 Dual Point Lock

# Weatherfold 4s 150

Timber & Aluminium Panels Non Mortice


150




700



98PPA



BWS1-150H



BW789H

Maximum Panel Weight	150kg
Maximum Panel Height	4000mm
Maximum Panel Width	1200mm
Panel Thickness	44-68mm

## Track

Description	Code
Track Aluminium Anodised – 4000mm	700-CA40
Track Aluminium Anodised – 6000mm	700-CA60

## Channel

Description	Code
Polypropylene & aluminium anodised 4000mm	98PPA-A40
Polypropylene & aluminium anodised 6000mm	98PPA-A60

## Pivot Sets

Description	Code
316 SS top and bottom pivot with two 304 SS hinge flags	
Pivot set non mortice SS	BWS1-150HSS

## Jamb Pivots

Description	Code
316 SS pivot and 304 SS hinge flag	
Jamb pivot non mortice SS	BW789HSS

## End Hanger Sets

Description	Code
Consists of 316 SS hanger, offset guide and two 304 SS hinge flags	
End hanger set non mortice SS	BWS2-150SHSS

## Intermediate Hanger Sets

Description	Code
Consists of 316 SS hanger, offset guide and three 304 SS hinges	
Intermediate hanger set non mortice SS	BWS4-150SHSS


## Jointing Rod

Description	Code
Track jointing rod (pair)	700TJR


# Weatherfold 4s 150

Timber & Aluminium Panels Non Mortice

150



BWS2-150SH



BWS4-150SH

Maximum Panel Weight	150kg
Maximum Panel Height	4000mm
Maximum Panel Width	1200mm
Panel Thickness	44-68mm

## Hinge Sets – Non Mortice

Description	Code
Intermediate hinge set, two hinges + hinge handle SS	BW3-150HSS
Intermediate hinge set inward opening, three hinges SS	BW5-150HSS
Offset hinge set inward opening, three hinges SS	BW6-150HSS
Offset hinge set, two hinges + hinge handle SS	BW7-150HSS

## Single Hinges


Description	Code
Hinge pull handle non mortice SS	BW780HSS
Intermediate hinge non mortice SS	BW705HSS
Offset hinge non mortice SS	BW709HSS

## Flush Bolts

Description	Code
Flush bolt – standard, 190mm	456RSN
Flush bolt – lockable, 190mm	456RESN-1
Flush bolt – necked, 190mm	456RNHSN
Flush bolt – inward opening, 190mm	456RIHSN
Flush bolt – lockable inward opening, 190mm	456REIHSN-1
Flush bolt – standard, 450mm	456RLSN
Flush bolt – lockable, 450mm	456RLESN-1
Flush bolt – necked, 450mm	456RLNHSN
Flush bolt – standard, 600mm	456RLXSN-600
Flush bolt – necked, 600mm	456RLNXHSN
Flush bolt – standard, 1000mm	456RLXSN-1000


# Automated Pleated Insect Screen

312 Automated Pleated Insect Screen




## Kit includes Frame + Screen

Description	Code
<b>1200mm Height by</b>	
1000mm Width	RSWA-12-10BK
1200mm Width	RSWA-12-12BK
1400mm Width	RSWA-12-14BK
1600mm Width	RSWA-12-16BK
1800mm Width	RSWA-12-18BK
2000mm Width	RSWA-12-20BK
2200mm Width	RSWA-12-22BK
2400mm Width	RSWA-12-24BK
2600mm Width	RSWA-12-26BK
<b>1400mm Height by</b>	
1000mm Width	RSWA-14-10BK
1200mm Width	RSWA-14-12BK
1400mm Width	RSWA-14-14BK
1600mm Width	RSWA-14-16BK
1800mm Width	RSWA-14-18BK
2000mm Width	RSWA-14-20BK
2200mm Width	RSWA-14-22BK
2400mm Width	RSWA-14-24BK
2600mm Width	RSWA-14-26BK
<b>1600mm Height by</b>	
1000mm Width	RSWA-16-10BK
1200mm Width	RSWA-16-12BK
1400mm Width	RSWA-16-14BK
1600mm Width	RSWA-16-16BK
1800mm Width	RSWA-16-18BK
2000mm Width	RSWA-16-20BK
2200mm Width	RSWA-16-22BK
2400mm Width	RSWA-16-24BK
2600mm Width	RSWA-16-26BK
<b>1800mm Height by</b>	
1000mm Width	RSWA-18-10BK
1200mm Width	RSWA-18-12BK
1400mm Width	RSWA-18-14BK
1600mm Width	RSWA-18-16BK
1800mm Width	RSWA-18-18BK
2000mm Width	RSWA-18-20BK
2200mm Width	RSWA-18-22BK
2400mm Width	RSWA-18-24BK
2600mm Width	RSWA-18-26BK



BOX 1 - FRAME KIT



BOX 2 - SCREEN KIT

No. RSWA-XX-XX\*\*  
SCREEN + FRAME KIT

# Retractable Pleated Insect Screen

## 612 Retractable Pleated Insect Screen







Illustration shows brio exterior folding door hardware and self draining sill



### Single Screen



### Double Screen



Description	Code
<b>800mm Height by</b>	
1100mm Width	RSDL08-11***
1500mm Width	RSDL08-15***
2000mm Width	RSDL08-20***
<b>1000mm Height by</b>	
1100mm Width	RSDL10-11***
1500mm Width	RSDL10-15***
2000mm Width	RSDL10-20***
<b>1200mm Height by</b>	
1100mm Width	RSDL12-11***
1500mm Width	RSDL12-15***
2000mm Width	RSDL12-20***
2700mm Width	RSDL12-27***
<b>1400mm Height by</b>	
1100mm Width	RSDL14-11***
1500mm Width	RSDL14-15***
2000mm Width	RSDL14-20***
2700mm Width	RSDL14-27***
<b>1600mm Height by</b>	
1100mm Width	RSDL16-11***
1500mm Width	RSDL16-15***
2000mm Width	RSDL16-20***
2700mm Width	RSDL16-27***
3600mm Width	RSDL16-36***
<b>1800mm Height by</b>	
1100mm Width	RSDL18-11***
1500mm Width	RSDL18-15***
2000mm Width	RSDL18-20***
2700mm Width	RSDL18-27***
3600mm Width	RSDL18-36***
<b>2000mm Height by</b>	
1100mm Width	RSDL20-11***
1500mm Width	RSDL20-15***
2000mm Width	RSDL20-20***
2700mm Width	RSDL20-27***
3600mm Width	RSDL20-36***
4500mm Width	RSDL20-45***
<b>2200mm Height by</b>	
1100mm Width	RSDL22-11***
1500mm Width	RSDL22-15***
2000mm Width	RSDL22-20***
2700mm Width	RSDL22-27***
3600mm Width	RSDL22-36***
4500mm Width	RSDL22-45***

Dimensions in mm

\*\*\* Powder Coated Colour Options

PBK = Black


PWT = White

PGY = Grey

# Retractable Pleated Insect Screen (cont.)


612 Retractable Pleated Insect Screen

## French / Patio Doors




SINGLE SCREEN SHOWN

## Bifolds / Exterior Folding Doors



SINGLE SCREEN SHOWN

## Sliding / Stacking Doors



SINGLE SCREEN ACROSS THE JAMB TO JAMB OPENING

Description	Code
<b>2400mm Height by</b>	
1100mm Width	RSDL24-11***
1500mm Width	RSDL24-15***
2000mm Width	RSDL24-20***
2700mm Width	RSDL24-27***
3600mm Width	RSDL24-36***
4500mm Width	RSDL24-45***
<b>2600mm Height by</b>	
1100mm Width	RSDL26-11***
1500mm Width	RSDL26-15***
2000mm Width	RSDL26-20***
2700mm Width	RSDL26-27***
3600mm Width	RSDL26-36***
4500mm Width	RSDL26-45***
<b>2800mm Height by</b>	
1100mm Width	RSDL28-11***
1500mm Width	RSDL28-15***
2000mm Width	RSDL28-20***
2700mm Width	RSDL28-27***
3600mm Width	RSDL28-36***
4500mm Width	RSDL28-45***
<b>3000mm Height by</b>	
1100mm Width	RSDL30-11***
1500mm Width	RSDL30-15***
2000mm Width	RSDL30-20***
2700mm Width	RSDL30-27***
3600mm Width	RSDL30-36***
4500mm Width	RSDL30-45***
<b>3200mm Height by</b>	
1100mm Width	RSDL32-11***
1500mm Width	RSDL32-15***
2000mm Width	RSDL32-20***
2700mm Width	RSDL32-27***
3600mm Width	RSDL32-36***
4500mm Width	RSDL32-45***

Dimensions in mm


\*\*\* Powder Coated Colour Options

PBK = Black


PWT = White

PGY = Grey


## Windows




CASEMENT




AWNING



SLIDING




DOUBLE HUNG



FOLDING

# Retractable Pleated Insect Screen

612 Retractable Pleated Insect Screen



## Standard Track and Channel

Description	Code
<b>Screen Height 800 - 1600mm</b>	
<b>RST Top Track</b>	
Track Length 1500mm	KIT-1-L***
Track Length 2200mm	KIT-2-L***
Track Length 3000mm	KIT-3-L***
Track Length 4500mm	KIT-4-L***
<b>Screen Height 800 - 1600mm</b>	
<b>RSTT Top Track</b>	
Track Length 1500mm	KIT-1-T***
Track Length 2200mm	KIT-2-T***
Track Length 3000mm	KIT-3-T***
Track Length 4500mm	KIT-4-T***
<b>Screen Height 1601 - 2400mm</b>	
<b>RST Top Track</b>	
Track Length 1500mm	KIT-5-L***
Track Length 2200mm	KIT-6-L***
Track Length 3000mm	KIT-7-L***
Track Length 4500mm	KIT-8-L***
<b>Screen Height 1601 - 2400mm</b>	
<b>RSTT Top Track</b>	
Track Length 1500mm	KIT-5-T***
Track Length 2200mm	KIT-6-T***
Track Length 3000mm	KIT-7-T***
Track Length 4500mm	KIT-8-T***
<b>Screen Height 2401 - 3200mm</b>	
<b>RSTT Top Track</b>	
Track Length 1500mm	KIT-9-T***
Track Length 2200mm	KIT-10-T***
Track Length 3000mm	KIT-11-T***
Track Length 4500mm	KIT-12-T***


Dimensions in mm

\*\*\* Powder Coated Colour Options

PBK = Black


PWT = White

PGY = Grey



# Retractable Pleated Insect Screen

612 Retractable Pleated Insect Screen



## Retrofit Track and Channel

Description	Code
<b>Screen Height 800 - 2400mm</b>	
<b>RSTTE Top Track</b>	
Track Length 3000mm	KIT-7-R***
Track Length 4500mm	KIT-8-R***
<b>Screen Height 2401 - 3200mm</b>	
<b>RSTTE Top Track</b>	
Track Length 3000mm	KIT-11-R***
Track Length 4500mm	KIT-12-R***

## Meeting Track and Channel

Description	Code
<b>Screen Height 800 - 2400mm</b>	
<b>RSTTE Top Track</b>	
Track Length 3000mm	KIT-22-R***
Track Length 4500mm	KIT-23-R***
<b>Screen Height 2400 - 3200mm</b>	
<b>RSTTE Top Track</b>	
Track Length 3000mm	KIT-26-R***
Track Length 4500mm	KIT-27-R***

Dimensions in mm

\*\*\* Powder Coated Colour Options





PBK = Black

PWT = White

PGY = Grey

## 612 Accessories

Description	Code
Pocket Cavity Kit for 800 - 3200mm high screens (jamb mount 4500mm)	KIT-PK
High performance cable and clip kit	KIT-HP



# Notes:

**Briton**






Image: Briton 1130 Door Closer

# Index

Product Range

## Door Closer

### Surface Mounted Door Closers

Bt102 1120 and 1130 Series Surface Mounted Door Closer

### Cam Action Closers

Bt103 2300, 2400, 2700 Series Cam Action Closer

### Multi Strength Transom Closers

Bt103 2800 Series Multi Strength Transom Closer

## Floor Spring

### 5000 Series Floor Spring

Bt104 5000 Series Floor Spring

### 7500 Series Floor Spring

Bt104 7500 Series Floor Spring

## Exit Device

### 1413 Exit Device

Bt104 1413 Exit Device

### 376 Spare Parts

Bt105 376 Spare Parts

## Pivot Set

### Briton Pivot Set

Bt105 Light Duty and Heavy Duty Pivot Set


### Briton Hinges

Bt105 3D Concealed Hinges


# 1120 & 1130 Closers

## Door Closers

SSS closer supplied with classic cover in SSS finish with matching arm and track.  
Warranty: 10 years. Backcheck standard feature. Fire rated: refer fire door manufacturer for approval.



1120B




1120T


### 1120 Series Surface Mounted Door Closers

Description	Finish	Code
1120B Regular closer strength 2-4	SE	B1120B-SE
	SSS	B1120B-C-SSS
1120B Hold open closer	SE	B1120B-HO-SE
1120T Track closer strength 1-3	SE	B1120BT-SE
	SSS	B1120BT-C-SSS
	Black	B1120BT-C-MB
Add component below for track hold open function.		
<b>1120 Series Accessories</b>		
1120 Track	Black	B1120-TK-MB
1120 Track arm	Black	B1120-TA-MB
1120 Track & arm	SE	B1120-T
1120/1130 Track hold open clip		BTHOCLIP
1120 Hold open arm	SE	B1120ARM-HOSE
1120/1130 Parallel arm bracket	SE	BPA-SE
1120 Adapter plate	SE	B1120-AP
1120 Parallel arm drop plate	SE	B1120-PADP
1120 Regular arm	SE	B1120-RA
1120 Slide cover	SE	B1120-SC
1120/1130 Z Bracket aluminium	SE	BZBRACKET
<b>Optional Covers</b>		
1120 Series classic metal cover	PSS	B1120-C-PSS
	SSS	B1120-C-SSS

### 1130 Series Surface Mounted Door Closers



1130B



1130T


Description	Finish	Code
1130B Regular closer strength 1-6	SE	B1130B-SE
	SSS	B1130B-C-SSS
1130B Hold open closer	SE	B1130B-HO-SE
1130DA Delayed action closer strength 1-6	SE	B1130B-DA-SE
1130T Track closer strength 1-4	SE	B1130BT-SE
	SSS	B1130BT-C-SSS
	Black	B1130BT-C-MB
Add component below for track hold open function.		
<b>1130 Series Accessories</b>		
1130 Track	Black	B1130-TK-MB
1130 Track arm	Black	B1130-TA-MB
1130 Track & arm	SE	B1130-T
1120/1130 Track hold open clip		BTHOCLIP
1130 Hold Open arm	SE	B1130ARMHO-SE
1120/1130 Parallel arm bracket	SE	BPA-SE
1130 Adapter plate	SE	B1130-AP
1130 Parallel arm drop plate	SE	B1130-PADP
1130 Regular arm	SE	B1130-RA
1130 Slide cover	SE	B1130-SC
1120/1130 Z Bracket aluminium	SE	BZBRACKET
<b>Optional Covers</b>		
1130 Series classic metal cover	PSS	B1130-C-PSS
1130 Series classic metal cover	SSS	B1130-C-SSS

# 2300, 2400 & 2700 Series

## Cam Action Closers

### 2300 Series Cam Action Closers


Stainless Steel finish is standard for closer, track and arm assembly  
Warranty: 10 year mechanical. Fire rated: Backcheck standard, refer fire door manufacturer for approval.



Description	Finish	Code
2320BT Cam action closer strength 2-4 Pull side	SSS	B2320BT-SS
2321BT Cam action closer strength 2-4 Push side includes angle mounting bracket	SSS	B2321BT-SS
<b>2300 Series Accessories</b>		
2720/2320HP Series hold open conversion kit		B2320HP
2720/2320AB Series angle mounting bracket	SE	B2320AB
2720/2320CS Series cushion limit stop		B2320CS
2720/2320AP Series track arm set	SSS	B2320APSS
2320CPS Series replacement cover	SSS	B2320CPS-SS
2320 Series adapter plate		B2320F-PLT-SE

### 2400 Series Cam Action Closers


Stainless Steel finish is standard for closer, track and arm assembly  
Warranty: 10 year mechanical. Fire rated: Backcheck standard, refer fire door manufacturer for approval.



Description	Finish	Code
2420T Concealed cam action closer strength 2-4	SE	B2420T-SE
<b>2400 Series Accessories</b>		
2420HP Series hold open conversion kit		B2320HP
2420CS Series cushion stop		B2320AB
2420FPLT Series flush fixing plate	SE	B2420FPLT

### 2700 Series Cam Action Closers

Stainless Steel finish is standard for closer, track and arm assembly  
Warranty: 10 year mechanical. Fire rated: Backcheck standard, refer fire door manufacturer for approval.



Description	Finish	Code
2720BT Cam action closer strength 1-5 Pull side delayed action	SSS	B2720BDT-SS
2721BT Cam action closer strength 1-5 Push side delayed action includes angle mounting bracket	SSS	B2721BDT-SS
<b>2700 Series Accessories</b>		
2720/2320HP Series hold open conversion kit		B2320HP
2720/2320AB Series angle mounting bracket	SE	B2320AB
2720/2320CS Series cushion limit stop		B2320CS
2720/2320AP Series track arm set	SSS	B2320APSS
2320CPS Series replacement cover	SSS	B2320CPS-SS

# Transom Closers

## Door Closers




### Briton 2800 Series Multi Strength Transom Closers

Description	Finish	Code
Non-hold open, adjustable, strength 2-4		B2800
Fire rated strength 2-4 – metal box not included		B2800/BC
Hold Open 90°, adjustable strength 2-4		B2800/90
Hold Open 105°, adjustable strength 2-4		B2800/105
<b>Transom Closer Accessories</b>		
2800 Cover plate aluminium frame	SSS	B2800ACPSS
2800 Cover plate wood frame	SSS	B2800WCPSS
2800 Metal box aluminium frame		B2800BOX
2800 Cover plate metal box	SSS	B2800BCPSS
2800 Bottom pivot set		B2800BP
2800 Heavy duty bottom pivot set – bottom strap not included (use BNT-5000-BS)		B2800HDP
2800 Side load arm		B2800SLA


# 5000 & 7500 Series

## Floor Springs

Warranty: 5 years. Includes: top pivot, bottom strap and cover plate.



BNT-5003



B7500

Description	Finish	Code	
<b>Briton 5000 Series Floor Springs</b>			
Maximum door weight 100kg			
<b>5000 Series Non Hold Open</b>			
Maximum door width 1000mm			
Non hold open strength 3	SSS	B5003	
<b>5000 Series Hold Open</b>			
Maximum door width 1000mm			
Hold open 90° strength 3	SSS	B5003/90	
Hold open 105° strength 3	SSS	B5003/105	
<b>5000 Series Non Hold Open</b>			
Maximum door width 1100mm			
Non hold open strength 4	SSS	B5004	
<b>5000 Series Hold Open</b>			
Maximum door width 1100mm			
Hold open 90° strength 4	SSS	B5004/90	
Hold open 105° strength 4	SSS	B5004/105	
<b>Briton 7500 Series Floor Springs</b>			
Maximum door weight 300kg			
<b>7500 Series Non Hold Open</b>		SSS	B7500
Maximum door width 1400mm Non hold open strength 3-6			
<b>7500 Series Hold Open</b>		SSS	B7500/90
Maximum door width 1400mm Hold open 90° strength 3-6			
<b>Floor Spring Accessories</b>			
5000 Top pivot set			B5000TP
5000 Bottom strap			B5000BS
5000 Cover plate		SSS	B5000CP-SSS
7500 Top pivot set			B7500TP
7500 Bottom strap			B7500BS
7500 Cover plate		SSS	B7500CP-SSS
5000/7500 Offset arm			BFS-OA
5000/7500 Floor spring 5mm spindle			BFS-SP05
5000/7500 Floor spring 10mm spindle			BFS-SP10
5000/7500 Floor spring 15mm spindle			BFS-SP15
5000/7500 Floor spring 20mm spindle			BFS-SP20
5000/7500 Floor spring 35mm spindle			BFS-SP35

# Exit Device Accessories

## Briton Range

Warranty: 10 year mechanical.



### Exit Device Accessories


Description	Code
1413K Locking knob SIL Euro cylinder	B1413KE/SE
1413L Locking lever SIL Euro cylinder	B1413LE/SE

# Exit Devices Spare Parts


Briton Range

Warranty: 10 year mechanical.


## Exit Device Spare Parts



376 Series Exit Device



377 Series Exit Device



378 Series Exit Device


Description	Finish	Code
376 BS Bottom shoot 1070mm	SE	B376BS
376 CB Cross bar 1200mm	SE	B376CB
376 EBA End box assembly	SE	B376EBA
376 EBAD End box assembly with dogging	SE	B376EBAD
376 ESP Top/Bottom end shoot plug		B376ESP
376 FEP Flat end plug	SE	B376FEP
376 MBA Main box assembly	SE	B376MBA
376 PC Pullman catch	SE	B376PC
376 SG Shoot guide	SE	B376SG
376 TKP Top keeper plate		B376TKP
376 TS Top shoot 1050mm		B376TS
376 TSP Tapered shoot plug		B376TSP
376 TTA Tio tripper assembly	SE	B376TTA
376/ELTS/SE Extra long top shoot 1950mm	SE	B376/ELTS/SE
376 Screw pack		B376SP
376/377 Flush face keeper plate		B376FFKP/ZP
376 Floor socket		B376FS
376 LAB Push to open label 376/330		B376LAB
376 Pullman striker		B376PSP
378/DDS Double door strike	SE	B378DDS/SE
378 Main box assembly	SE	B378MBA
379 Main box assembly	SE	B379MBA
379 CP Component pack		B379CP
376 Pullman floor keeper		B376PFK
378 Component pack screws and strike		B378/COM

# Pivot Sets

Briton Range

Warranty: 10 year mechanical warranty.

## Pivot Sets




B2800PS

B7500PS

Description	Finish	Code
Light duty pivot set - top & bottom pivots (max door weight: 80kg and max door width: 1100mm)	SSS	B2800PS
Heavy duty pivot set - top & bottom pivots (max door weight: 250kg and max door width: 1400mm)	SSS	B7500PS

## Briton Hinges



L132285SS-01

L132285SS-02

Description	Finish	Code
Briton 3D Concealed Hinges 80kg	SSS	L132285SS-01
Briton 3D Concealed Hinges 120kg	SSS	L132285SS-02

Gainsborough





Image: Gainsborough Trilock Contemporary Angular

# Index

Alpha Numeric

## Door Lock and Entrance Handle

### Gainsborough Freestyle™ Electronic Trilock

Ga110 Gainsborough Freestyle™ Electronic Trilock

### Trilock Omni

Ga110 Trilock Omni Accent 450mm Pull Handle

Ga111 Trilock Omni 600mm Pull Handle

### Accessories

Ga112 Entry Sets

Ga112 Rebate Kit

Ga112 Cylinders

Ga112 Wall Stops

Ga112 Escutcheon

### Trilock Entrance Sets

Ga113 Trilock Urban

Ga113 Trilock Contemporary

Ga114 Trilock Traditional

### Mortice Locks

Ga115 755 Series Mortice Lock

Ga115 760 Series Mortice Lock

Ga115 775 Series Roller Mortice Lock

Ga115 Fixed Cam Profile Cylinders to suit 755, 760 and 775 Mortice Locks

## Rectangular Flush Pull

### 5000 Series Floor Spring


Ga116 730 Flush Pull Rectangular 150mm

Ga116 730 Flush Pull Rectangular 250mm

Ga116 730 Flush Pull Rectangular 350mm

# Gainsborough Freestyle™ Electronic Trilock

Gainsborough Freestyle Electronic Trilock Urban




## Trilock Urban Freestyle

Description	Code
<b>Double cylinder</b>	
Trilock Urban Freestyle Matt Black	GFS8901AURMB
Trilock Urban Freestyle Brushed Satin Chrome	GFS8901AURBSC
Wifi Bridge Sensor Kit	GFS001WHV

# Trilock Omni

Door Lock and Entrance Handle









## Trilock Omni Accent 450mm Pull Handle

Description	Code
<b>Double Cylinder</b>	
Trilock Omni Accent Allure Double Cylinder Stainless Steel	8906ALLSS
Trilock Omni Accent Allure Double Cylinder Matt Black	8906ALLMB
<b>Back to Back Double Cylinder</b>	
Trilock Omni Accent Back to Back Double Cylinder Stainless Steel	8906BBSS
Trilock Omni Accent Back to Back Double Cylinder Matt Black	8906BBMB
<b>Double Cylinder Keyed</b>	
Trilock Omni Accent Allure Double Cylinder Keyed Stainless Steel	8906ALLSSK
Trilock Omni Accent Allure Double Cylinder Keyed Matt Black	8906ALLMBK
<b>Double Cylinder Back to Back Keyed</b>	
Trilock Omni Accent Back to Back Double Cylinder Keyed Stainless Steel	8906BBSSK
Trilock Omni Accent Back to Back Double Cylinder Keyed Matt Black	8906BBMBK
<b>Dummy Trim Set</b>	
Trilock Omni Accent Allure Dummy Trim Set Stainless Steel	8206ALLSS
Trilock Omni Accent Allure Dummy Trim Set Matt Black	8206ALLMB
<b>Back to Back Dummy Trim Set</b>	
Trilock Omni Accent Back to Back Dummy Trim Set Stainless Steel	8206BBSS
Trilock Omni Accent Back to Back Dummy Trim Set Matt Black	8206BBMB
<b>Accessory</b>	
Trilock Aluminium Fabricator Fixing Kit	TRIBRACKET

# Trilock Omni

## Door Lock and Entrance Handle

### Trilock Omni 600mm Pull Handle



Description	Code
<b>Double Cylinder</b>	
Trilock Omni Allure Double Cylinder Stainless Steel	8905ALLSS
Trilock Omni Allure Double Cylinder Matt Black	8905ALLMB
Trilock Omni Allure Double Cylinder Polished Stainless Steel	8905ALLPS
Trilock Omni Enchant Double Cylinder Stainless Steel	8905ENCSS
<b>Back to Back Double Cylinder</b>	
Trilock Omni Back to Back Double Cylinder Stainless Steel	8905BBSS
Trilock Omni Back to Back Double Cylinder Matt Black	8905BBMB
Trilock Omni Back to Back Double Cylinder Polished Stainless Steel	8905BBPS
<b>Double Cylinder Keyed</b>	
Trilock Omni Allure Double Cylinder Keyed Stainless Steel	8905ALLSSK
Trilock Omni Allure Double Cylinder Keyed Matt Black	8905ALLMBK
Trilock Omni Allure Double Cylinder Keyed Polished Stainless Steel	8905ALLPSK
Trilock Omni Enchant Double Cylinder Keyed Stainless Steel	8905ENCSSK
<b>Back to Back Double Cylinder</b>	
Trilock Omni Back to Back Double Cylinder Keyed Stainless Steel	8905BBSSK
Trilock Omni Back to Back Double Cylinder Keyed Matt Black	8905BBMBK
Trilock Omni Back to Back Double Cylinder Keyed Polished Stainless Steel	8905BBPSK
<b>Dummy Trim Set</b>	
Trilock Omni Allure Dummy Trim Set Matt Black	8205ALLMB
Trilock Omni Allure Dummy Trim Stainless Steel	8205ALLSS
Trilock Omni Allure Dummy Trim Polished Stainless	8205ALLPS
Trilock Omni Back to Back Dummy Trim Set Stainless Steel	8205BBSS
Trilock Omni Back to Back Dummy Trim Set Matt Black	8205BBMB
Trilock Omni Back to Back Dummy Trim Set Polished Stainless	8205BBPS
Trilock Omni Enchant Back to Back Dummy Trim Set Stainless Steel	8205ENCSS
<b>Accessory</b>	
Trilock Aluminium Fabricator Fixing Kit	TRIBRACKET

# Accessories

## Accessories for Trilock Series



PT890



KT890REB



PT890A



6207MB



6207BC



388EEMB

### Accessories to suit Trilock Series

Description	Code
<b>Entry Sets</b>	
Trilock Extended Strike Plate Bright Chrome	PT890/SPE1BC
Trilock Extended Strike Plate Satin Chrome	PT890/SPE1SC
<b>Rebate Kit</b>	
Trilock Rebate Kit Bright Chrome	KT890REBBC
Trilock Rebate Satin Chrome	KT890REBSC
<b>GR9, 5 Pin Double Cylinder</b>	
Trilock Double Cylinder 70mm Bright Chrome	PT890A/CY70BC
<b>C4, 6 Pin Double Cylinder</b>	
Trilock Double Cylinder Bright Chrome	PT890A/CYC4BC


Note: for a keyed cylinder add a 'K' to the product code and include keying notes.

Description	Code
<b>Wall Stops</b>	
Wall Stop Satin Chrome	6207SC
Wall Stop Matt Black	6207MB
Wall Stop Bright Chrome	6207BC
Wall Stop Aged Brushed Copper	6207ABC


Description	Code
<b>Escutcheon</b>	
Euro Cylinder Escutcheon Square Matt Black	388EEMB

# Trilock Entrance Sets


Entrance Set and Lock




8901AUR




8201AUR




TRIBRACKET




8901ANG



8901ALI



8201ANG



8201ALI



TRIBRACKET

## Trilock Urban


Description	Code
<b>Double Cylinder Keyed</b>	
Trilock Urban Aurora Double Cylinder Keyed Brushed Satin Chrome	8901AURBSC
Trilock Urban Aurora Double Cylinder Keyed Matt Black	8901AURMBK
<b>Dummy Trim Set</b>	
Trilock Urban Aurora Dummy Trim Set Brushed Satin Chrome	8201AURBSC
Trilock Urban Aurora Dummy Trim Set Matt Black	8201AURMB
<b>Accessory</b>	
Trilock Aluminium Fabricator Fixing Kit	TRIBRACKET

## Trilock Contemporary


Description	Code
<b>Double Cylinder Keyed</b>	
Trilock Contemporary Angular Double Cylinder Keyed Bright Chrome	8901ANGBCK
Trilock Contemporary Angular Double Cylinder Keyed Matt Black	8901ANGMBK
Trilock Contemporary Angular Double Cylinder Keyed Satin Chrome	8901ANGSCK
Trilock Contemporary Align Double Cylinder Keyed Satin Chrome	8901ALISCK
<b>Dummy Trim Set</b>	
Trilock Contemporary Angular Dummy Trim Set Bright Chrome	8201ANGBC
Trilock Contemporary Angular Dummy Trim Set Matt Black	8201ANGMB
Trilock Contemporary Angular Dummy Trim Set Satin Chrome	8201ANGSC
Trilock Contemporary Align Dummy Trim Set Satin Chrome	8201ALISC
<b>Accessory</b>	
Trilock Aluminium Fabricator Fixing Kit	TRIBRACKET

# Trilock Entrance Sets


## Entrance Set and Lock




890TRI



890TRICK



820TRIBC



820TRIBG




TRIBRACKET

### Trilock Traditional

Description	Code
<b>Double Cylinder</b>	
Trilock Traditional Knobset Double Cylinder Bright Chrome	890TRIBC
Trilock Traditional Knobset Double Cylinder Bright Goldtone	890TRIBG
Trilock Traditional Leverset Double Cylinder Bright Chrome	890TLEBC
Trilock Traditional Leverset Double Cylinder Bright Goldtone	890TLEBG
Trilock Traditional Leverset Double Cylinder Satin Chrome	890TLESC
<b>Double Cylinder Keyed</b>	
Trilock Traditional Knobset Double Cylinder Keyed Bright Chrome	890TRIBCK
Trilock Traditional Knobset Double Cylinder Keyed Bright Goldtone	890TRIBGK
Trilock Traditional Leverset Double Cylinder Keyed Bright Chrome	890TLEBCK
Trilock Traditional Leverset Double Cylinder Keyed Bright Goldtone	890TLEBGK
Trilock Traditional Leverset Double Cylinder Keyed Satin Chrome	890TLESCK
<b>Dummy Trim Set</b>	
Trilock Traditional Knobset Dummy Trim Set Bright Chrome	820TRIBC
Trilock Traditional Knobset Dummy Trim Set Bright Goldtone	820TRIBG
Trilock Traditional Leverset Dummy Trim Set Bright Chrome	820TLEBC
Trilock Traditional Leverset Dummy Trim Set Bright Goldtone	820TLEBG
Trilock Traditional Leverset Dummy Trim Set Satin Chrome	820TLESC
<b>Accessory</b>	
Trilock Aluminium Fabricator Fixing Kit	TRIBRACKET

# Mortice Lock

## Timber Panels Mortice Lock




755SC60

757SC

PT755/SPE1SSS

### 755 Series Mortice Locks

Description	Code
<b>60mm Backset</b>	
755 Series Mortice Lock Double Cylinder Satin Chrome	755SC60
755 Series Mortice Lock Double Cylinder Special Keying Satin Chrome	755SC60K
<b>Rebate Kit</b>	
757 Rebate Kit Satin Chrome	757SC
<b>Strike Plate</b>	
755 Pivot Door Strike Stainless Steel	PT755/SPE1SSS

760SC  
768SC

760RKSC

### 760 Series Sliding Door Mortice Locks


Description	Code
<b>60mm Backset</b>	
760 Series Sliding Door Mortice Lock Double Cylinder Satin Chrome	760SC
760 Series Sliding Door Mortice Lock Double Cylinder Special Keying Satin Chrome	760SCK
760 Series Sliding Door Mortice Lock Single Cylinder Satin Chrome	768SC
760 Series Sliding Door Mortice Lock Single Cylinder Special Keying Satin Chrome	768SCK
<b>Rebate Kit</b>	
760 Rebate Kit Satin Chrome	760RKSC

775SC60  
778SC60

777RKSC

### 775 Series Roller Bolt Mortice Locks

Description	Code
<b>60mm Backset</b>	
775 Series Roller Bolt Mortice Lock Double Cylinder Satin Chrome	775SC60
775 Series Roller Bolt Mortice Lock Double Cylinder Special Keying Satin Chrome	775SCK60K
775 Series Roller Bolt Mortice Lock Single Cylinder Satin Chrome	778SC60
775 Series Roller Bolt Mortice Lock Single Cylinder Special Keying Satin Chrome	778SCK60K
<b>Rebate Kit</b>	
777 Rebate Kit Satin Chrome	777RKSC
<b>Strike Plate</b>	
775 Pivot Door Strike Stainless Steel (left-handed)	PT775/SPE1LSSS
775 Pivot Door Strike Stainless Steel (Right-handed)	PT775/SPE1RSSS

PT775/SPE1LSSS  
PT775/SPE1RSSSPT855/CY70SC  
PT858/CY70SC

### Fixed Cam Profile Cylinders to suit 755, 760 and 775 Series Mortice Locks

Description	Code
<b>Fixed Cam Profile Cylinders GR9, 5 Pin</b>	
855 Double Cylinder (70mm) Satin Chrome	PT855/CY70SC
858 Single Cylinder Thumbturn (70mm) Satin Chrome	PT858/CY70SC

# 730 Series Flush Pull

Rectangular Flush Pulls



730FP350



730FP250



730FP150

## 730 Series Flush Pull

Description	Code
<b>Flush Pull Rectangular 150mm</b>	
730 Flush Pull Rectangular 150mm Satin Brass	730FP150SB
730 Flush Pull Rectangular 150mm Satin Graphite	730FP150SG
730 Flush Pull Rectangular 150mm Stainless Steel	730FP150SS
730 Flush Pull Rectangular 150mm Matt Black	730FP150MB
730 Flush Pull Rectangular 150mm Aged Brushed Copper	730FP150ABC
<b>Flush Pull Rectangular 250mm</b>	
730 Flush Pull Rectangular 250mm Stainless Steel	730FP250SS
730 Flush Pull Rectangular 250mm Matt Black	730FP250MB
730 Flush Pull Rectangular 250mm Aged Brushed Copper	730FP250ABC
<b>Flush Pull Rectangular 350mm</b>	
730 Flush Pull Rectangular 350mm Stainless Steel	730FP350SS
730 Flush Pull Rectangular 350mm Matt Black	730FP350MB
730 Flush Pull Rectangular 350mm Aged Brushed Copper	730FP350ABC

# Notes:

**LEGGE**





Image: Legge 700 Series Long Plate Alpha Lever

# Index

Alpha Numeric

## Mortice Lock Kits

### Keyed to Differ

Le122                      991 & 995 MF Kit

### Keyed alike or No Cylinder

Le123, Le124              991 & 995 MF Kit

### Mortice Lock Case Only

Le125                      995 MF Narrow Stile Mortice Lock Case Only

## Furniture Lever

### 5300 Marine Series

Le126                      Alpha Plate Lever

Le126                      995MF Series Accessories

## Narrow Stile Deadlock

### 950 Series Narrow Stile Deadlock

Le127                      950 Narrow Stile Deadlock

Le127                      Oval Cylinders

## Cabinet Hardware

### Flush bolts and Hinges

Le128                      Flush Bolt and Cabinet and Commercial Hinges

## Door Stop

### 12000 Series Door Stop

Le129                      12000 Door Stop


### 13000 Series Door Stop

Le129                      13000 Door Stop


# 991 & 995 MF Kit

## Lock and Latches


### Keyed to Differ



L95V9 Storeroom Lock



L95V21 Vestibule Lock



L95V31 Office/Classroom Locking Latch

Description	Code
<b>Legge 995 23mm Back Set Kits</b>	
995 V Series Vestibule Lock Office/Classroom with 5300 Series Long Plate Alpha Lever SSS	L95V31/53SSS
995 C Series Combination Lock Entry Lock Back set with 5300 Series Long Plate Alpha Lever SSS	L95C21/53SSS
995 C Series Combination Lock Glass Door with 5300 Series Long Plate Alpha Lever SSS	L95C27/53SSS
995 C Series Combination Exterior with 5300 Series Long Plate Alpha Lever SSS	L95C49/53SSS
995 V Series Vestibule Lock Office/Classroom with 5300 Series Long Plate Alpha Lever PC	L95V31/53PC
995 C Series Combination Lock Entry Lock Back set with 5300 Series Long Plate Alpha Lever PC	L95C21/53PC
995 C Series Combination Lock Glass Door with 5300 Series Long Plate Alpha Lever PC	L95C27/53PC
995 C Series Combination Exterior with 5300 Series Long Plate Alpha Lever PC	L95C49/53PC
995 V Series Vestibule Lock Office/Classroom with 5300 Series Long Plate Alpha Lever MB	L95V31/53MB
995 C Series Combination Lock Entry Lock Back set with 5300 Series Long Plate Alpha Lever MB	L95C21/53MB
995 C Series Combination Lock Glass Door with 5300 Series Long Plate Alpha Lever MB	L95C27/53MB
995 C Series Combination Exterior with 5300 Series Long Plate Alpha Lever MB	L95C49/53MB
<b>Legge 995 30mm Back Set Kits</b>	
995 V Series Vestibule Lock Office/Classroom with 5300 Series Long Plate Alpha Lever SSS	L95V3130/53SSS
995 V Series Combination Entry Lock Back set with 5300 Series Long Plate Alpha Lever SSS	L95C2130/53SSS
995 C Series Combination Glass Door Lock Double Cylinder with 5300 Series Long Plate Alpha Lever SSS	L95C2730/53SSS
995 V Series Vestibule Lock Office/Classroom with 5300 Series Long Plate Alpha Lever PC	L95V3130/53PC
995 V Series Combination Entry Lock Back set with 5300 Series Long Plate Alpha Lever PC	L95C2130/53PC
995 C Series Combination Glass Door Lock Double Cylinder with 5300 Series Long Plate Alpha Lever PC	L95C2730/53PC
995 V Series Vestibule Lock Office/Classroom with 5300 Series Long Plate Alpha Lever MB	L95V3130/53MB
995 V Series Combination Entry Lock Back set with 5300 Series Long Plate Alpha Lever MB	L95C2130/53MB
995 C Series Combination Glass Door Lock Double Cylinder with 5300 Series Long Plate Alpha Lever MB	L95C2730/53MB
<b>Legge 991 60mm Back Set Kits</b>	
991 V Series Vestibule Lock 60mm Back set with 700 Series Long Plate Alpha Lever SSS	L91V21/700SSS
991 V Series Vestibule Lock Office/Classroom Kit 700 Series Long Plate Alpha Lever SSS	L91V315/700SSS
991 C Series Combination Lock Glass Door Kit with 700 Series Long Plate Alpha Lever SSS	L91C27/700SSS
991 V Series Vestibule Kit with 700 Series Long Plate Alpha Lever PC	L91V21/700PC
991 V Series Vestibule Lock Office/Classroom Kit 700 Series Long Plate Alpha Lever PC	L91V31/700PC
991 C Series Combination Lock Glass Door Kit with 700 Series Long Plate Alpha Lever PC	L91C27/700PC

SSS = Satin Stainless Steel


PC = Powder Coat

MB = Matte Black


Alpha




Minimum Backset: 23mm




995 MF Lock



5300 Series Long Plate Alpha Lever




500 Series Long Plate Alpha Lever




700 Series Long Plate Alpha Lever

# 991 & 995 MF Kit


## Lock and Latches




L95C21 Entry Lock




L95C27 Glass Door Lock



L95C41 Exterior Privacy Latch



L95C49 Exterior Lock



991 MF

### Keyed alike

Description	Code
<b>Legge 995 23mm Back Set Kits</b>	
995 V Series Vestibule Lock Office/Classroom with 5300 Series Long Plate Alpha Lever SSS	L95V31/53SS**
995 C Series Combination Lock Entry Lock Back set with 5300 Series Long Plate Alpha Lever SSS	L95C21/53SS**
995 C Series Combination Lock Glass Door with 5300 Series Long Plate Alpha Lever SSS	L95C27/53SS**
995 C Series Combination Exterior with 5300 Series Long Plate Alpha Lever SSS	L95C49/53SS**
995 V Series Vestibule Lock Office/Classroom with 5300 Series Long Plate Alpha Lever PC	L95V31/53PC**
995 C Series Combination Lock Entry Lock Back set with 5300 Series Long Plate Alpha Lever PC	L95C21/53PC**
995 C Series Combination Lock Glass Door with 5300 Series Long Plate Alpha Lever PC	L95C27/53PC**
995 C Series Combination Exterior with 5300 Series Long Plate Alpha Lever PC	L95C49/53PC**
995 V Series Vestibule Lock Office/Classroom with 5300 Series Long Plate Alpha Lever MB	L95V31/53MB**
995 C Series Combination Lock Entry Lock Back set with 5300 Series Long Plate Alpha Lever MB	L95C21/53MB**
995 C Series Combination Lock Glass Door with 5300 Series Long Plate Alpha Lever MB	L95C27/53MB**
995 C Series Combination Exterior with 5300 Series Long Plate Alpha Lever MB	L95C49/53MB**
<b>Legge 995 30mm Back Set Kits</b>	
995 V Series Vestibule Lock Office/Classroom with 5300 Series Long Plate Alpha Lever SSS	L95V3130/53SS**
995 V Series Combination Entry Lock Back set with 5300 Series Long Plate Alpha Lever SSS	L95C2130/53SS**
995 C Series Combination Glass Door Lock Double Cylinder with 5300 Series Long Plate Alpha Lever SSS	L95C2730/53SS**
995 V Series Vestibule Lock Office/Classroom with 5300 Series Long Plate Alpha Lever PC	L95V3130/53PC**
995 V Series Combination Entry Lock Back set with 5300 Series Long Plate Alpha Lever PC	L95C2130/53PC**
995 C Series Combination Glass Door Lock Double Cylinder with 5300 Series Long Plate Alpha Lever PC	L95C2730/53PC**
995 V Series Vestibule Lock Office/Classroom with 5300 Series Long Plate Alpha Lever MB	L95V3130/53MB**
995 V Series Combination Entry Lock Back set with 5300 Series Long Plate Alpha Lever MB	L95C2130/53MB**
995 C Series Combination Glass Door Lock Double Cylinder with 5300 Series Long Plate Alpha Lever MB	L95C2730/53MB**
<b>Legge 991 60mm Back Set kits</b>	
991 V Series Vestibule Lock 60mm Back set with 700 Series Long Plate Alpha Lever SSS	L91V21/700SS**
991V Series Vestibule Lock Office/Classroom Kit 700 Series Long Plate Alpha Lever SSS	L91V31/700SS**
991 C Series Combination Lock Glass Door Kit with 700 Series Long Plate Alpha Lever SSS	L91C27/700SS**
991 V Series Vestibule Kit with 700 Series Long Plate Alpha Lever PC	L91V21/700PC**
991 V Series Vestibule Lock Office/Classroom Kit 700 Series Long Plate Alpha Lever PC	L91V31/700PC**
991 C Series Combination Lock Glass Door Kit with 700 Series Long Plate Alpha Lever PC	L91C27/700PC**

\*\* Key option

K1 = Key 1, K2= Key 2, K3 = Key 3, K4 = Key 4, K5 = Key 5


SSS = Satin Stainless Steel

PC = Powder Coat


MB = Matte Black

# 991 & 995 MF Kit


## Lock and Latches




L95C21 Entry Lock




L95C27 Glass Door Lock



L95C41 Exterior Privacy Latch



L95C49 Exterior Lock



991 MF

### Less Cylinder (Cylinder not included)


Description	Code
<b>Legge 995 23mm Back Set Kits</b>	
995 V Series Vestibule Lock Office/Classroom with 5300 Series Long Plate Alpha Lever SSS	L95V31/53SSLC
995 C Series Combination Lock Entry Lock Back set with 5300 Series Long Plate Alpha Lever SSS	L95C21/53SSLC
995 C Series Combination Lock Glass Door with 5300 Series Long Plate Alpha Lever SSS	L95C27/53SSLC
995 C Series Combination Exterior with 5300 Series Long Plate Alpha Lever SSS	L95C49/53SSLC
995 V Series Vestibule Lock Office/Classroom with 5300 Series Long Plate Alpha Lever PC	L95V31/53PCLC
995 V Series Combination Entry Lock Back set with 5300 Series Long Plate Alpha Lever PC	L95C21/53PCLC
995 C Series Combination Glass Door Lock Double Cylinder with 5300 Series Long Plate Alpha Lever PC	L95C27/53PCLC
995 C Series Combination Exit Lock Back set with 5300 Series Long Plate Alpha Lever PC	L95C49/53PCLC
995 V Series Vestibule Lock Office/Classroom with 5300 Series Long Plate Alpha Lever MB	L95V31/53MBLC
995 V Series Combination Entry Lock Back set with 5300 Series Long Plate Alpha Lever MB	L95C21/53MBLC
995 C Series Combination Glass Door Lock Double Cylinder with 5300 Series Long Plate Alpha Lever MB	L95C27/53MBLC
995 C Series Combination Exit Lock Back set with 5300 Series Long Plate Alpha Lever	L95C49/53MBLC
<b>Legge 995 30mm Back Set Kits</b>	
995 V Series Vestibule Lock Office/Classroom with 5300 Series Long Plate Alpha Lever SSS	L95V3130/53SSLC
995 C Series Combination Lock Entry Lock Back set with 5300 Series Long Plate Alpha Lever SSS	L95C2130/53SSLC
995 C Series Combination Lock Glass Door with 5300 Series Long Plate Alpha Lever SSS	L95C2730/53SSLC
995 V Series Vestibule Lock Office/Classroom with 5300 Series Long Plate Alpha Lever PC	L95V3130/53PCLC
995 V Series Combination Entry Lock Back set with 5300 Series Long Plate Alpha Lever PC	L95C2130/53PCLC
995 C Series Combination Glass Door Lock Double Cylinder with 5300 Series Long Plate Alpha Lever PC	L95C2730/53PCLC
995 V Series Vestibule Lock Office/Classroom with 5300 Series Long Plate Alpha Lever MB	L95V3130/53MBLC
995 V Series Combination Entry Lock Back set with 5300 Series Long Plate Alpha Lever MB	L95C2130/53MBLC
995 C Series Combination Glass Door Lock Double Cylinder with 5300 Series Long Plate Alpha Lever MB	L95C2730/53MBLC
<b>Legge 991 60mm Back Set kits</b>	
991 V Series Vestibule Lock 60mm Back set with 700 Series Long Plate Alpha Lever SSS	L91V21/700SSLC
991 V Series Vestibule Lock Office/Classroom Kit 700 Series Long Plate Alpha Lever SSS	L91V31/700SSLC
991 C Series Combination Lock Glass Door Kit with 700 Series Long Plate Alpha Lever SSS	L91C27/700SSLC
991 V Series Vestibule Kit with 700 Series Long Plate Alpha Lever PC	L91V21/700PCLC
991 V Series Vestibule Lock Office/Classroom Kit 700 Series Long Plate Alpha Lever PC	L91V31/700PCLC
991 C Series Combination Lock Glass Door Kit with 700 Series Long Plate Alpha Lever PC	L91C27/700PCLC

LC = Less Cylinder  
 SSS = Satin Stainless Steel  
 PC = Powder Coat  
 MB = Matte Black


# 995MF Narrow Stile Mortice Lock

## Mortice Lock

Back set: 23mm standard, 30mm and 38mm available. Door thickness: 32mm to 50mm. For cylinder options refer to page 47-50. Use with Legge 5300/5400 series.



995 MF Lock



LY9-CYL

### Mortice Lock

Description	Code
<b>Case Only</b>	
995 MF Case only 30mm back set SCP	L95MF530
995 MF Case only 38mm back set SCP	L95MF538
995 MF Mortice Lock	
L95 MF Mortice Lock SCP	L95MFS
Aluminium Fixing Tab	Z990TAB

### 990 Cylinders

Description	Code
990 Cylinder Powder Coat KA	LY9-CYLPCA1
990 Cylinder Powder Coat KA	LY9-CYLPCA2
990 Cylinder Powder Coat KA	LY9-CYLPCA3
990 Cylinder Powder Coat KA	LY9-CYLPCA4
990 Cylinder Powder Coat KA	LY9-CYLPCA5
990 Cylinder SCP KA	LY9-CYLSCKA1
990 Cylinder SCP KA	LY9-CYLSCKA2
990 Cylinder SCP KA	LY9-CYLSCKA3
990 Cylinder SCP KA	LY9-CYLSCKA4
990 Cylinder SCP KA	LY9-CYLSCKA5
990 Cylinder Keyed	LY9-CYL-PC-CKD
990 Cylinder SCP Keyed	LY9-CYLSCKD

### Cams and Adaptors

Description	Code
990-30 Cam #1	LY9-C1
990-30 Cam #2	LY9-C2
990 Cam #4L (990MF extended backsets only)	LY9-CA4L
990 Cam #4R (990MF extended backsets only)	LY9-CA4R
990-55 Cam #5	LY9-C5
991, 990, 995 Cam adaptor #6B	LY9-CA6B
991, 995 Cam adaptor #9A	LY9-CA9A
990-43 Cam adaptor #IA	LY9-CA1



LY9-C1



LY9-CA1



LY9-C2



LY9-C5



LY9-CA6B



LY9-CA9A

To be used with supplied anti-lockout screw



LY9-CA4L



LY9-CA4R

990MF Extended Backset only


### Spare Parts

Description	Code
995-FW Forend - wood door (faceplate) SCP	LY95-0035
995-FM Forend - metal door (faceplate) SCP	LY95-0045
990 MF Forend and Strike pack Matte Black	L990MB
995 MF Forend and Strike pack Matte Black	L995MMB
990 Cylinder - 6 pin C4 keyway (supplied with #2 cam standard) SCP	LY9-CYLS
990 Extended cylinder, up to 76mm thick door SCP	LY9-CYLEXTS
995 Strike Plate	LY95-0295
995 Cylinder retaining screw	LY95-036
995 Strike box for metal door	LY95-060
995 Screw pack - wood door	LY95-082WS

# 5300 Marine Series

## Door Furniture

Features & Benefits: 316 marine grade stainless steel. Door thickness: 32mm to 55mm. 75mm screw supplied with external furniture. External screws to suit 56mm to 75mm available on request. Warranty: 30 year mechanical and finish.



### 5300 Marine Series

Description	Code
Alpha External Plate with Cylinder Hole	L5300/29SSS
Alpha External Plate with Emergency Release	L5304/29SSS
Alpha External Plain Plate Furniture	L5305/29SSS
Alpha Internal Plate with Cylinder Hole	L5301/29SSS
Alpha Internal Plate with Turn	L5303/29SSS
Alpha Internal Plain Plate Furniture	L5306/29SSS
Alpha Internal Plate with Accessible Turn LH	L5353/29LSSS
Alpha Internal Plate with Accessible Turn RH	L5353/29RSSS
Bergen External Plate with Cylinder Hole	L5300/BS
Bergen External Plain Plate Furniture	L5305/BS
Bergen Internal Plate with Cylinder Hole	L5301/BS
Bergen Internal Plate with Turn	L5303/BS
Bergen Internal Plain Plate Furniture	L5306/BS
External Plate with Cylinder Hole	L5310SSS
External Plain Plate	L5315SSS
Internal Plate with Turn	L5313SSS
Internal Plain Plate	L5316SSS
Alpha External Plate with Cylinder Hole MB	L5300/29MB
Alpha External Plain Plate Furniture MB	L5305/29MB
Alpha Internal Plate with Cylinder Hole MB	L5301/29MB
Alpha Internal Plate with Turn MB	L5303/29MB
Alpha Internal Plain Plate Furniture MB	L5306/29MB
Bergen External Plate with Cylinder Hole	L5300/BPC
Bergen External Plain Plate Furniture	L5305/BPC
Bergen Internal Plate with Cylinder Hole	L5301/BPC
Bergen Internal Plate with Turn	L5303/BPC
Bergen Internal Plain Plate Furniture	L5306/BPC

SSS = Satin Stainless Steel

MB = Matte Black

PC = Powder Coat


### 995MF Series Accessories

Description	Code
SL40 40mm short lipped strike	LY9-SLS
LL50 50mm long lipped strike	LY9-LL50S
LL60 60mm long lipped strike	LY9-LL60S
LL70 70mm long lipped strike	LY9-LL70S
LL80 80mm long lipped strike	LY9-LL80S
LL90 90mm long lipped strike	LY9-LL90S

Bergen



Minimum Backset: 23mm




5300 Bergen Plate Furniture

# 950 Series Narrow Stile Deadlocks

Mortice Lock

For use with metal doors. Back set: 23mm Door Thickness: 32mm to 50mm Bolt throw: 950- 22mm, 36mm throw to suit double doors.




## 950 Series Narrow Stile Deadlocks

Description	Code
950L-1 Single cylinder with turn SCP	SCL10344
950L-3 Double cylinder SCP	SCL10347
951-1 Single cylinder with turn SCP	SCL10356
951-3 Double cylinder SCP	SCL10359
951-5 Single cylinder without turn SCP	SCL10357
951-7 Turn without cylinder SCP	SCL10358
950/951 Lever Handle SCP	SCL10346

## Cylinders (Standard Key Profiles - 6 PIN)

Description	Code
Oval cylinder - C4 Keyway CP	LY9-CYLC
Oval cylinder - C4 Keyway SCP	LY9-CYLS
Oval Cylinder 50mm Extended - C4 Keyway SCP	LY9-CYLETS




LY9-CYL




LY9-CYLETS

# Flush Bolts and Cabinet Hardware


General Hardware Warranty: 10 years



L1760ALY



L14538  
L14542









L13221SSS



L13225SSS-FP

Description	Finish	Code
<b>Legge Commercial Flush Bolt Accessories</b>		
Top hat ferrule 1760 shoot to suit 1901, 12mm shoot	ALUM	L1760ALY
<b>Double Action Hinges (Each)</b>		
401 Steel double action hinge 100mm - 26kg per pair	CP	L14538
401 Steel double action hinge 150mm - 38kg per pair	CP	L14542
<b>Legge Commercial Hinges (Each)*</b>		
<b>13221 Stainless steel broad butt hinges button tipped. Thickness 2.5mm. Fixed Pin</b>		
100 x 75	SSS	L13221SSS-02FP
100 x 100	SSS	L13221SSS-04FP
100 x 75	SSS & MB	L13221MB-02FP
100 x 100	SSS & MB	L13221MB-04FP
<b>13221 Stainless Steel broad butt hinges button tipped. Thickness 2.5mm. Loose pin</b>		
100 x 75	SSS	L13221SSS-01LP
100 x 100	SSS	L13221SSS-03LP
100 x 75	SSS & MB	L13221MB-01LP
<b>13225 Stainless Steel "Fast Fix" Hinge. Button Tipped. Ball Bearing Hinges. Thickness 2.5mm. Fixed Pin</b>		
100 x 70 T1 = Suit Metal	SSS	L13225SSS-FP-T1
100 x 70 T2 = Suit Timber	SSS	L13225SSS-FP-T2
100 x 70 T1 = Suit Metal MB	SSS & MB	L13225MB-FP-T1
100 x 70 T2 = Suit Timber MB	SSS & MB	L13225MB-FP-T2

# Door Stops



## Door Stops

Description	Finish	Code
<b>12802 Door Stop</b>		
With screws	SSS	L12802SSS
<b>12861 Wall Mounted Door Stop</b>		
77mm	SCP	L12861SCP
<b>12901 Floor Mounted Dome Door Stop</b>		
Mounted Dome Door Stop	CP	L12901CP
	SCP	L12901SCP
<b>12902 Nu Stop Spacer</b>		
9mm	CP	L12902CP
	SCP	L12902SCP
<b>13001 Door Stop</b>		
Concealed Fixing Projection with fixing plate – 80mm	PSS	L13001PSS
	SSS	L13001SSS
<b>13002 Door Stop</b>		
Projection – 75mm	PSS	L13002PSS
	SSS	L13002SSS
<b>13004 Door Stop</b>		
Projection – 75mm with screws	SSS	L13004SSS
<b>13005 Hold Open Door Stop</b>		
Hold Open Door Stop	SCP	L13005SCP

**SCHLAGE**





Image: Schlage Remote 2.0

# Index

Product Range

## Entrance Handle

### **Tubular 316 Stainless Steel Entrance Handle**

Sc134	Andor Entrance Pull Handle
Sc134	Capri Entrance Pull Handle
Sc134	Corfu Entrance Pull Handle
Sc134	Dego Entrance Pull Handle
Sc134	Silvi Entrance Pull Handle
Sc134	Trento Entrance Pull Handle
Sc134	Turin Entrance Pull Handle
Sc134	Verona Entrance Pull Handle

## Schlage Electronic Solutions

Sc135	Schlage 2.0 Remote Window Winder
Sc135	Schlage Ease Lock
Sc135	Schlage Omnia Fire Rated Lock

# Tubular

## 316 Stainless Steel Entrance Handle

Schlage Tubular Stainless Steel Entrance Handles. Warranty: 10 years Door thickness: Suits timber or metal doors from 35mm to 50mm Glass doors from 8mm to 12mm Includes: Single and BTB fixings sold in pairs. Construction: Tubular 316 Grade stainless steel.

### Entrance Handles



Andor




Capri



Corfu



Deigo



Silvi



Trento



Turin



Verona


Description	Code
<b>Andor Entrance Pull Handle</b>	
325mm length, 300mm fixing centres	S316-1-325-SSS
425mm length, 400mm fixing centres	S316-1-425-SSS
625mm length, 600mm fixing centres	S316-1-625-SSS
825mm length, 800mm fixing centres	S316-1-825-SSS
<b>Capri Pull Handles</b>	
332mm length, 300mm fixing centres	S316-6-332-SSS
482mm length, 450mm fixing centres	S316-6-482-SSS
632mm length, 600mm fixing centres	S316-6-632-SSS
832mm length, 800mm fixing centres	S316-6-832-SSS
<b>Corfu Entrance Pull Handle</b>	
450mm length, 250mm fixing centres	S316-7-450-SSS
600mm length, 400mm fixing centres	S316-7-600-SSS
800mm length, 600mm fixing centres	S316-7-800-SSS
1000mm length, 800mm fixing centres	S316-7-1000-SSS
1200mm length, 1000mm fixing centres	S316-7-1200-SSS
<b>Deigo Pull Handle</b>	
325mm length, 300mm fixing centres	S316-2-325-SSS
475mm length, 450mm fixing centres	S316-2-475-SSS
625mm length, 600mm fixing centres	S316-2-625-SSS
825mm length, 800mm fixing centres	S316-2-825-SSS
1025mm length, 1000 fixing centres	S316-2-625-SBC
<b>Silvi Pull Handle</b>	
332mm length, 300mm fixing centres	S316-8-332-SSS
482mm length, 450mm fixing centres	S316-8-482-SSS
632mm length, 600mm fixing centres	S316-8-632-SSS
832mm length, 800mm fixing centres	S316-8-832-SSS
1032mm length, 1000mm fixing centres	
<b>Trento Pull Handle</b>	
620mm length, 600mm fixing centres	S316-4-620-SSS
820mm length, 800mm fixing centres	S316-4-820-SSS
1020mm length, 600mm fixing centres	S316-4-1020-SSS
<b>Turin Pull Handle</b>	
600mm length, 400mm fixing centres	S316-3-600-SSS
800mm length, 600mm fixing centres	S316-3-800-SSS
<b>Verona Pull Handle</b>	
380mm length, 300mm fixing centres	S316-5-380-SSS
530mm length, 450mm fixing centres	S316-5-530-SSS
680mm length, 600mm fixing centres	S316-5-680-SSS
880mm length, 600mm fixing centres	S316-5-880-SSS
1080mm length, 1000mm fixing centres	S316-5-1080-SSS

SSS in code denotes satin stainless steel finish

MB will change to matte black

PC will change to powder coat

# Schlage Electronic Solutions



## Schlage Remote 2.0 Window Winder

Description	Code
Schlage Remote 2.0 Winder Black	S29020056SC
Schlage Remote 2.0 Winder Grey	S29020096SC



## Schlage Ease Locks

Description	Code
Schlage Ease S2 Smart Lever Lock GR9 Black	SREEAS2GR9BL
Schlage Ease™ S1 Smart Deadbolt C5 Black	SREEAS1C5BL
Schlage Ease™ S1 Keyless Smart Deadbolt Black	SREEAS1KBL
Schlage Abode™ Wi-Fi Bridge	SREAB0001

For pricing, please refer to your Allegion price file



## Schlage Omnia Fire Rated Lock

Description	Code
Schlage Omnia Black	SCEOMMB
Schlage Omnia SNP	SCEOMSNP
Schlage Omnia Keypad	SCEOMKPC
Schlage Breeze Bridge	SCEBRZGW
Schlage Breeze Encoder	SCEBRZENC
Schlage Omnia + 990 Entry Lock MB	SCEOM99MB
Schlage Omnia + 990 Entry Lock SNP	SCEOM99SNP
Schlage Omnia + 990 + Extcyl Entry Lock MB	SCEOM99XMB
Schlage Omnia + 990 + Extcyl Entry Lock SNP	SCEOM99XSNP
Schlage Omnia + 990 Entry Lock MB Keyed	SCEOM99MBK
Schlage Omnia + 990 Entry Lock SNP Keyed	SCEOM99SNPK
Schlage Omnia + 990 + Extcyl Entry Lock MB Keyed	SCEOM99XMBK
Schlage Omnia + 990 + Extcyl Entry Lock SNP Keyed	SCEOM99XSNPK



# Support at every step

With a portfolio of leading Australian and global brands, Allegion is able to assist you at every step of your project.

Our local team of experienced consultants and technical experts provide trusted advice to help successfully and proudly deliver projects with a focus on compliance, speed and operational efficiency.

From specification, to installation and maintenance, we can help

- Free hardware specifications through our industry leading platform, Overtur™
- Nationwide team of hardware consultants
- A dedicated Technical Support Hub to answer your technical queries
- Review of hardware submittals
- CPD-certified training
- Expert product training
- Compliance to building, life-safety and accessibility codes
- Job site reviews, and pre and post installation inspections
- Market leading warranties and after sales support
- Keying schedules specific to each project's requirements



## Allegion's brands offer pioneering solutions

**Schlage** electronic access control

**Legge** commercial mechanical hardware

**Overtur™** specification collaboration platform

**Brio** sliding and folding hardware

**Briton** door controls

**Gainsborough** residential hardware

**LCN** door closers

**Von Duprin** exit devices

## When you partner with Allegion, you receive:

- **A dedicated resource**  
A highly experienced team of Consultants located around the country
- **Flexible solutions**  
Scalable solutions for any business need or budget
- **Technical support hub**  
A team located in Australia to support you with your most complex technical queries or training support
- **Compliant solutions**  
A range of products to meet Australian security, accessibility and fire standards.

Sales support **1800 098 094** or [info.au@allegion.com](mailto:info.au@allegion.com)


Technical support hub **1300 898 596** or [techsupport.au@allegion.com](mailto:techsupport.au@allegion.com)  
[allegion.com.au](http://allegion.com.au)

# All in one place

Allegion's Overtur is an integrated cloud-based solution that enables architects, builders and suppliers to review, maintain and share door hardware specifications and security requirements.



## Four Cores of Overtur



Scan to learn more about Overtur



# Terms and Conditions

## 1. Definitions

- 1.1. "Seller" means Allegion (Australia) Pty Ltd, its successors and assigns or any person acting on behalf of and with the authority of Allegion (Australia) Pty Ltd.
- 1.2. "Buyer" means the person/s or any person acting on behalf of and with the authority of the Buyer requesting the Seller to provide the Services as specified in any proposal, quotation, order, invoice or other documentation, and:
  - (a) if there is more than one Buyer, is a reference to each Buyer jointly and severally; and
  - (b) if the Buyer is a part of a Trust, shall be bound in their capacity as a trustee; and
  - (c) includes the Buyer's executors, administrators, successors and permitted assigns.
- 1.3. "Goods" means all Goods or Services supplied by the Seller to the Buyer at the Buyer's request from time to time (where the context so permits the terms 'Goods' or 'Services' shall be interchangeable for the other).
- 1.4. "Confidential Information" means any information supplied by the Seller to the Buyer and any confidential information of the Seller that comes into the possession of the Buyer in connection with this Agreement, including without limitation the terms of this Agreement, other than information that is generally available in the public domain (without unauthorised disclosure under this Agreement) other than through breach of this Agreement by the Buyer.
- 1.5. "Agreement" means the terms and conditions contained herein, together with any Quotation, order, invoice or other document or amendments expressed to be supplemental to this Agreement. If there are any inconsistencies between the incorporated documentation (including, but not limited to, any special terms or conditions), then any conflicting term or condition contained in any Quotation, order, invoice or other document, or amendments expressed to be supplemental to this Agreement, shall prevail.
- 1.6. "Price" means the Price payable (plus any Goods and Services Tax ("GST") where applicable) for the Goods as agreed between the Seller and the Buyer in accordance with clause 5 below and shall be in Australian Dollars (\$AU), unless otherwise specified.
- 1.7. "GST" means Goods and Services Tax as defined within the "A New Tax System (Goods and Services Tax) Act 1999" (Cth).

## 2. Acceptance

- 2.1. The Buyer is taken to have exclusively accepted and is immediately bound, jointly and severally, by these terms and conditions if the Buyer places an order for or accepts delivery of the Goods.
- 2.2. These terms and conditions of this Agreement may only be amended with the consent of both parties in writing and shall prevail to the extent of any inconsistency with any other schedule or document pertaining to this Agreement between the Buyer and the Seller.
- 2.3. None of the Seller's agents or representatives are authorised to make any representations, statements, conditions or agreements not expressed by the manager of the Seller in writing nor is the Seller bound by any such unauthorised statements.

2.4. The Buyer acknowledges that:

- (a) all descriptive specifications, illustrations, drawings, data, dimensions and weights stated in the Seller's fact sheets, price lists or advertising material, are approximate only and are given by way of identification only. The Buyer shall not be entitled to rely on such information, and any use of such does not constitute a sale by description, and does not form part of the Agreement, unless expressly stated as such in writing by the Seller;
- (b) while the Seller may have provided information or figures to the Buyer regarding the performance of the Goods, the Buyer acknowledges that the Seller has given these in good faith and are estimates based on the prescribed standards.

2.5. The Buyer acknowledges and accepts that:

- (a) the Buyer shall be responsible for ensuring that the Goods ordered are suitable for their intended use;
- (b) the supply of Goods on credit shall not take effect until the Buyer has completed a credit application with the Seller and it has been approved with a credit limit established for the account;
- (c) in the event that the supply of Goods request exceeds the Buyer's credit limit and/or the account exceeds the payment terms, the Seller reserves the right to refuse delivery and/or request an alternative payment method;
- (d) the supply of Goods for accepted orders may be subject to availability and if, for any reason, Goods are not or cease to be available, the Seller reserves the right to vary the Price with alternative Goods as per clause 5.2, subject to prior confirmation and agreement of both parties. The Seller also reserves the right to halt all Services until such time as the Seller and the Buyer agree to such changes. The Seller shall not be liable to the Buyer for any loss or damage the Buyer suffers due to the Seller exercising its rights under this clause; and
- (e) changes in regulations or decisions made by local authorities may alter necessary specifications and therefore costs that are unforeseen in order to satisfy such changes in regulations or decisions and this will be invoiced as a variation;
- (f) the Price stated will remain fixed for an initial period of twelve (12) months from the date of this Agreement and will then be subject to revision on the basis of the movement in the Consumer Price Index (CPI).

2.6. The commencement date shall be the date of the first delivery of the Services, or from the date of signing, whichever, is the earlier. Fixed

Price Agreements shall be for the period ("initial term") as agreed between both parties and shall revert to a monthly roll over basis automatically (subject to clause 2.5(f)), thereafter, unless agreed otherwise until terminated by either party by giving at least one (1) months required notice as defined in the Agreement prior to the expiration date of the initial term or any additional term.

2.7. In the event that the Goods and/or Services provided by the Seller are the subject of an insurance claim that the Buyer has made, then the Buyer shall be responsible for the payment of any monies payable to the insurance company and agrees to honour their obligation for payment for such transactions invoiced by the Seller and shall ensure payment is made by the due date irrespective of whether the insurance claim is successful.

- 2.8. Electronic signatures shall be deemed to be accepted by either party providing that the parties have complied with Section 9 of the Electronic Transactions Act 2000 (NSW & SA), the Electronic Transactions Act 2001 (ACT), the Electronic Transactions (Victoria) Act 2000, the Electronic Transactions (Northern Territory) Act 2000, Section 14 of the Electronic Transactions (Queensland) Act 2001, Section 7 of the Electronic Transactions Act 2000 (TAS), Section 10 of the Electronic Transactions Act 2011 (WA), Section 226 of the Contract Commercial Law Act 2017 (NZ) (whichever is applicable), or any other applicable provisions of that Act or any Regulations referred to in that Act.
3. **Errors and Omissions**
- 3.1. The Buyer acknowledges and accepts that the Seller shall, without prejudice, accept no liability in respect of any alleged or actual error(s) and/or omission(s):
- resulting from an inadvertent mistake made by the Seller in the formation and/or administration of this Agreement; and/or
  - contained in/omitted from any literature (hard copy and/or electronic) supplied by the Seller in respect of the Services.
- 3.2. In the event such an error and/or omission occurs in accordance with clause 3.1, and is not attributable to the negligence and/or wilful misconduct of the Seller; the Buyer shall not be entitled to treat this Agreement as repudiated nor render it invalid.
4. **Change in Control**
- 4.1. The Buyer shall give the Seller not less than fourteen (14) days prior written notice of any proposed change of ownership of the Buyer and/or any other change in the Buyer's details (including but not limited to, changes in the Buyer's name, address, contact phone or fax number/s, change of trustees or business practice). The Buyer shall be liable for any loss incurred by the Seller as a result of the Buyer's failure to comply with this clause.
5. **Price and Payment**
- 5.1. At the Seller's sole discretion, the Price shall be either:
- as indicated on any invoice provided by the Seller to the Buyer; or
  - the Price as at the date of delivery of the Goods according to the Seller's current price list; or
  - the Seller's quoted price (subject to clause 5.2) which will be valid for the period stated in the quotation or otherwise for a period of thirty (30) days.
- 5.2. The Seller reserves the right to change the Price:
- if a variation to the Goods which are to be supplied is requested; or
  - if a variation to the Services originally scheduled (including any applicable plans or specifications) is requested; or
  - if during the course of the Services, the Goods are not or cease to be available from the Seller's third-party suppliers, then the Seller reserves the right to provide alternative Goods; or
  - in the event of increases to the Seller in the cost of labour or materials (including, but not limited to, any variation as a result of fluctuations in currency exchange rates and/or international freight and insurance charges, of stock or increases to the Seller in the cost of taxes, duties and levies, etc.) which are beyond the Seller's control.
- 5.3. Variations will be charged for on the basis of the Seller's quotation, and will be detailed in writing, and shown as variations on the Seller's invoice. The Buyer shall be required to respond to any variation submitted by the Seller within ten (10) working days. Failure to do so will entitle the Seller to add the cost of the variation to the Price. Payment for all variations must be made in full at the time of their completion.
- 5.4. Time for payment for the Goods being of the essence, the Price will be payable by the Buyer on the date/s determined by the Seller, which may be:
- on Delivery of the Goods;
  - thirty (30) days following the end of the month in which a statement is posted to the Buyer's address or address for notices;
  - the date specified on any invoice or other form as being the date for payment; or
  - failing any notice to the contrary, the date which is seven (7) days following the date of any invoice given to the Buyer by the Seller.
- 5.5. Any discounts applicable to the Price shall become null and void if payment is not made by the due date stated on the invoice and/or statement.
- 5.6. Payment may be made by cheque, bank cheque, electronic/on-line banking, credit card (a surcharge may apply per transaction), or by any other method as agreed to between the Buyer and the Seller.
- 5.7. The Buyer acknowledges and agrees that any purchases made on credit with the Seller, must reach a minimum of one hundred fifty (\$150.00 GST excl) dollars per order. At the Seller's discretion, failure to comply may result in the Seller's reserving the right to charge a minimum order processing fee of fifteen (\$15.00 GST excl) dollars that shall be invoiced for that order.
- 5.8. Payment may be made by cash, cheque, bank cheque, electronic/on-line banking, or by any other method as agreed to between the Buyer and the Seller.
6. **Delivery of Goods**
- 6.1. Delivery ("Delivery") of the Goods is taken to occur at the time that:
- the Buyer or the Buyer's nominated carrier takes possession of the Goods at the Seller's address; or
  - the Seller (or the Seller's nominated carrier) delivers the Goods to the Buyer's nominated address even if the Buyer is not present at the address.
- 6.2. At the Seller's sole discretion, the cost of delivery is either included or is in addition to the Price, subject to:
- orders to the value of \$150.00 net Price and over will have standard freight prepaid to the Buyer's nominated address for orders accepted by the Seller. Orders to the value of less than \$150.00 net Price with standard freight will be charged \$30+GST as freight & processing charge
  - orders where overnight, weekend, or special Delivery is requested, will have freight quoted and charged to the Buyer;
  - the Buyer must take Delivery by receipt or collection of the Goods whenever they are tendered for Delivery. In the event that the Buyer is unable to take Delivery of the Goods as arranged, then the Seller shall be entitled to charge a reasonable fee for redelivery and/or storage.
- 6.3. The Seller may deliver the Goods in separate instalments. Each separate instalment shall be invoiced and paid in accordance with the provisions in these terms and conditions.
- 6.4. Any time specified by the Seller for delivery of the Goods is an estimate only. The Buyer must take delivery by receipt or collection of the Goods whenever they are tendered for delivery. The Seller will not be liable for any loss or damage incurred by the Buyer as a result of delivery being late.
7. **Risk**
- 7.1. Risk of damage to or loss of the Goods passes to the Buyer on Delivery and the Buyer must insure the Goods on or before Delivery.

- 7.2. If any of the Goods are damaged or destroyed following delivery but prior to ownership passing to the Buyer, the Seller is entitled to receive all insurance proceeds payable for the Goods. The production of these terms and conditions by the Seller is sufficient evidence of the Seller's rights to receive the insurance proceeds without the need for any person dealing with the Seller to make further enquiries.
- 7.3. If the Buyer requests the Seller to leave Goods outside the Seller's premises for collection or to deliver the Goods to an unattended location, then such Goods shall be left at the Buyer's sole risk.
- 8. Title**
- 8.1. The Seller and the Buyer agree that ownership of the Goods shall not pass until:
- (a) the Buyer has paid the Seller all amounts owing to the Seller; and
- (b) the Buyer has met all of its other obligations to the Seller.
- 8.2. Receipt by the Seller of any form of payment other than cash shall not be deemed to be payment until that form of payment has been honoured, cleared or recognised.
- 8.3. It is further agreed that, until ownership of the Goods passes to the Buyer in accordance with clause 8.1:
- (a) the Buyer is only a bailee of the Goods and must return the Goods to the Seller on request;
- (b) the Buyer holds the benefit of the Buyer's insurance of the Goods on trust for the Seller and must pay to the Seller the proceeds of any insurance in the event of the Goods being lost, damaged or destroyed;
- (c) the Buyer must not sell, dispose, or otherwise part with possession of the Goods other than in the ordinary course of business and for market value. If the Buyer sells, disposes or parts with possession of the Goods then the Buyer must hold the proceeds of any such act on trust for the Seller and must pay or deliver the proceeds to the Seller on demand;
- (d) the Buyer should not convert or process the Goods or intermix them with other goods but if the Buyer does so then the Buyer holds the resulting product on trust for the benefit of the Seller and must sell, dispose of or return the resulting product to the Seller as it so directs;
- (e) the Buyer irrevocably authorises the Seller to enter any premises where the Seller believes the Goods are kept and recover possession of the Goods;
- (f) the Seller may recover possession of any Goods in transit whether or not delivery has occurred;
- (g) the Buyer shall not charge or grant an encumbrance over the Goods nor grant nor otherwise give away any interest in the Goods while they remain the property of the Seller;
- (h) the Seller may commence proceedings to recover the Price of the Goods sold notwithstanding that ownership of the Goods has not passed to the Buyer.
- 9. Personal Property Securities Act 2009 ("PPSA")**
- 9.1. In this clause financing statement, financing change statement, security agreement, and security interest has the meaning given to it by the PPSA.
- 9.2. Upon assenting to these terms and conditions in writing the Buyer acknowledges and agrees that these terms and conditions constitute a security agreement for the purposes of the PPSA and creates a security interest in all Goods and/or collateral (account) – being a monetary obligation of the Buyer to the Seller for Services – that have previously been supplied and that will be supplied in the future by the Seller to the Buyer.
- 9.3. The Buyer undertakes to:
- (a) promptly sign any further documents and/or provide any further information (such information to be complete, accurate and up-to-date in all respects) which the Seller may reasonably require to;
- (b) register a financing statement or financing change statement in relation to a security interest on the Personal Property Securities Register;
- (c) register any other document required to be registered by the PPSA; or
- (d) correct a defect in a statement referred to in clause 9.3(a)(i) or 9.3(a)(ii);
- (e) indemnify, and upon demand reimburse, the Seller for all expenses incurred in registering a financing statement or financing change statement on the Personal Property Securities Register established by the PPSA or releasing any Goods charged thereby;
- (f) not register a financing change statement in respect of a security interest without the prior written consent of the Seller;
- (g) not register, or permit to be registered, a financing statement or a financing change statement in relation to the Goods and/or collateral (account) in favour of a third party without the prior written consent of the Seller;
- (h) immediately advise the Seller of any material change in its business practices of selling the Goods which would result in a change in the nature of proceeds derived from such sales.
- 9.4. The Seller and the Buyer agree that sections 96, 115 and 125 of the PPSA do not apply to the security agreement created by these terms and conditions.
- 9.5. The Buyer waives their rights to receive notices under sections 95, 118, 121(4), 130, 132(3)(d) and 132(4) of the PPSA.
- 9.6. The Buyer waives their rights as a grantor and/or a debtor under sections 142 and 143 of the PPSA.
- 9.7. Unless otherwise agreed to in writing by the Seller, the Buyer waives their right to receive a verification statement in accordance with section 157 of the PPSA.
- 9.8. The Buyer must unconditionally ratify any actions taken by the Seller under clauses 9.3 to 9.5.
- 9.9. Subject to any express provisions to the contrary (including those contained in this clause 9), nothing in these terms and conditions is intended to have the effect of contracting out of any of the provisions of the PPSA.
- 10. Security and Charge**
- 10.1. In consideration of the Seller agreeing to supply the Goods, the Buyer charges all of its rights, title and interest (whether joint or several) in any land, realty or other assets capable of being charged, owned by the Buyer either now or in the future, to secure the performance by the Buyer of its obligations under these terms and conditions (including, but not limited to, the payment of any money).
- 10.2. The Buyer indemnifies the Seller from and against all the Seller's costs and disbursements including legal costs on a solicitor and own client basis incurred in exercising the Seller's rights under this clause.
- 10.3. The Buyer irrevocably appoints the Seller and each director of the Seller as the Buyer's true and lawful attorney/s to perform all necessary acts to give effect to the provisions of this clause 10 including, but not limited to, signing any document on the Buyer's behalf.

11. **Defects, Warranties and Returns, Competition and Consumer Act 2010 (CCA)**
- 11.1. The Buyer must inspect the Goods on delivery and must within fourteen (14) days of delivery notify the Seller in writing of any evident defect/damage, shortage in quantity, or failure to comply with the description or quote. The Buyer must notify any other alleged defect in the Goods as soon as reasonably possible after any such defect becomes evident. Upon such notification the Buyer must allow the Seller to inspect the Goods.
- 11.2. Under applicable State, Territory and Commonwealth Law (including, without limitation the CCA), certain statutory implied guarantees and warranties (including, without limitation the statutory guarantees under the CCA) may be implied into these terms and conditions (Non- Excluded Guarantees).
- 11.3. The Seller acknowledges that nothing in these terms and conditions purports to modify or exclude the Non-Excluded Guarantees.
- 11.4. Except as expressly set out in these terms and conditions or in respect of the Non-Excluded Guarantees, the Seller makes no warranties or other representations under these terms and conditions including but not limited to the quality or suitability of the Goods. The Seller's liability in respect of these warranties is limited to the fullest extent permitted by law.
- 11.5. If the Buyer is a consumer within the meaning of the CCA, the Seller's liability is limited to the extent permitted by section 64A of Schedule 2.
- 11.6. If the Seller is required to replace the Goods under this clause or the CCA, but is unable to do so, the Seller may refund any money the Buyer has paid for the Goods.
- 11.7. If the Buyer is not a consumer within the meaning of the CCA, the Seller's liability for any defect or damage in the Goods is:
- limited to the value of any express warranty or warranty card provided to the Buyer by the Seller at the Seller's sole discretion;
  - limited to any warranty to which the Seller is entitled, if the Seller did not manufacture the Goods;
  - otherwise negated absolutely.
- 11.8. Subject to this clause 11, returns will only be accepted provided that:
- the Buyer has complied with the provisions of clause 11.1; and
  - the Seller has agreed that the Goods are defective; and
  - the Goods are returned within a reasonable time (being fourteen (14) from the Delivery Date) at the Buyer's cost (if that cost is not significant); and
  - the Goods are returned in as close a condition to that in which they were delivered as is possible.
- 11.9. Notwithstanding clauses 11.1 to 11.8 but subject to the CCA, the Seller shall not be liable for any defect or damage which may be caused or partly caused by or arise as a result of:
- the Buyer failing to properly maintain or store any Goods;
  - the Buyer using the Goods for any purpose other than that for which they were designed;
  - the Buyer continuing the use of any Goods after any defect became apparent or should have become apparent to a reasonably prudent operator or user;
  - the Buyer failing to follow any instructions or guidelines provided by the Seller;
  - fair wear and tear, any accident, or act of God.
- 11.10. The Seller may in its absolute discretion accept non-defective Goods for return in which case the Seller may require the Buyer to pay handling fees of up to twenty percent (20%) of the value of the returned Goods plus any freight costs.
- 11.11. Notwithstanding anything contained in this clause if the Seller is required by a law to accept a return then the Seller will only accept a return on the conditions imposed by that law.
- 11.12. Subject to clause 11.1, customised, or non-stocklist items or Incidental Items made or ordered to the Buyer's specifications are not acceptable for credit or return.
12. **Intellectual Property**
- 12.1. Where the Seller has designed, drawn or developed Goods for the Buyer, then the copyright in any designs and drawings and documents shall remain the property of the Seller. Under no circumstances may such designs, drawings and documents be used without the express written approval of the Seller.
- 12.2. The Buyer warrants that all designs, specifications or instructions given to the Seller will not cause the Seller to infringe any patent, registered design or trademark in the execution of the Buyer's order and the Buyer agrees to indemnify the Seller against any action taken by a third party against the Seller in respect of any such infringement.
- 12.3. The Buyer agrees that the Seller may (at no cost) use for the purposes of marketing or entry into any competition, any documents, designs, drawings or Goods which the Seller has created for the Buyer.
13. **Default and Consequences of Default**
- 13.1. Interest on overdue invoices shall accrue daily from the date when payment becomes due, until the date of payment, at a rate of two and a half percent (2.5%) per calendar month (and at the Seller's sole discretion such interest shall compound monthly at such a rate) after as well as before any judgment.
- 13.2. If the Buyer owes the Seller any money the Buyer shall indemnify the Seller from and against all costs and disbursements incurred by the Seller in recovering the debt (including but not limited to internal administration fees, legal costs on a solicitor and own client basis, the Seller's contract default fee, and bank dishonour fees).
- 13.3. Further to any other rights or remedies the Seller may have under this Agreement, if a Buyer has made payment to the Seller, and the transaction is subsequently reversed, the Buyer shall be liable for the amount of the reversed transaction, in addition to any further costs incurred by the Seller under this clause 13 where it can be proven that such reversal is found to be illegal, fraudulent or in contravention to
- 13.4. the Buyer's obligations under this Agreement.
- 13.5. Without prejudice to the Seller's other remedies at law the Seller shall be entitled to cancel all or any part of any order of the Buyer which remains unfulfilled and all amounts owing to the Seller shall, whether or not due for payment, become immediately payable if:
- any money payable to the Seller becomes overdue, or in the Seller's opinion the Buyer will be unable to make a payment when it falls due;
  - the Buyer has exceeded any applicable credit limit provided by the Seller;
  - the Buyer becomes insolvent, convenes a meeting with its creditors or proposes or enters into an arrangement with creditors, or makes an assignment for the benefit of its creditors; or
  - a receiver, manager, liquidator (provisional or otherwise) or similar person is appointed in respect of the Buyer or any asset of the Buyer.

14. Cancellation
- 14.1. Without prejudice to any other remedies the Seller may have, if at any time the Buyer is in breach of any obligation (including those relating to payment) under these terms and conditions the Seller may suspend or terminate the supply of Goods to the Buyer. The Seller will not be liable to the Buyer for any loss or damage the Buyer suffers because the Seller has exercised its rights under this clause.
- 14.2. Either party may terminate this Agreement by providing the other party with a minimum of thirty (30) days' notice in writing, subject to:
- (a) where the Seller cancels any Agreement to which these terms and conditions apply or cancels Delivery of Goods at any time before the Goods are delivered, then upon giving such notice the Seller shall repay to the Buyer any money paid by the Buyer for the Goods. The Seller shall not be liable for any loss or damage whatsoever arising from such cancellation; and
- (b) where the Buyer cancels Delivery of Goods, then the Buyer shall be liable for any and all loss incurred (whether direct or indirect) by the Seller as a direct result of the cancellation (including, but not limited to, any loss of profits). All current invoices issued up to and including the cancellation date shall become immediately due and payable.
- 14.3. Cancellation of orders for Goods made to the Buyer's specifications, or for non-stocklist items, will definitely not be accepted once production has commenced, or an order has been placed.
15. **Compliance with Laws**
- 15.1. Both the Buyer and the Seller agree that they will at all times ensure that they comply with the provisions of all statutes, regulations and bylaws of government, local and other public authorities that may be applicable to the Services, including occupational health and safety laws, and any other relevant safety standards or legislation.
- 15.2. In advertising, marketing, promoting, sales and installation of the Goods and in carrying on the Buyer's business, each Buyer, its owners, officers, directors, employees or agents (collectively and individually in this clause "Buyer") must comply with its, his or her obligations under the law including without limitation, the Buyer must not:
- (a) make any untrue or misleading statement relating to the Seller, its goods and services including the Goods, its business or its practices;
- (b) pay, offer or promise to pay, or authorise the payment of, any monies or anything of value, directly or indirectly, to any government official or employee, any official or employee of a state-run or state-owned or controlled enterprise or entity, any official or employee of a public international organisation, any candidate for political or public office, any official or employee of any political party, or any family member or relative of such persons or any political party for the purpose of influencing any act or decision of any such official, employee, candidate, political party, enterprise or entity, public organisation, or government to obtain or retain business, or direct business to any person or entity, or for any other improper advantage or purpose, and in the event the Buyer breaches its, his or her obligations under this clause, the Seller may immediately terminate this Agreement and the Buyer shall indemnify and hold harmless the Seller against any and all claims, losses, damages, penalties or fines related to such breach of the Agreement.
16. **Confidentiality**
- 16.1. Each party agrees to treat all information and ideas communicated by the other party confidential and each agrees not to divulge it to any third party, without the other party's written consent, other than:
- (a) as required by law (in which case it must simultaneously be advised to the other respective contracted party of such disclosure); or
- (b) to the extent necessary to perform its obligations under this Agreement.
- 16.2. The quotation and the information contained in the quotation provided by the Seller to the Buyer is done so on a "commercial in confidence" basis thereby, the Buyer agrees not to reproduce or provide said information in any manner to any third party without the prior written approval of the Seller.
17. **Privacy Act 1988**
- 17.1. The Buyer agrees for the Seller to obtain from a credit reporting body (CRB) a credit report containing personal credit information (e.g. name, address, D.O.B, occupation, previous credit applications, credit history) about the Buyer in relation to credit provided by the Seller.
- 17.2. The Buyer agrees that the Seller may exchange information about the Buyer with those credit providers and with related body corporates for the following purposes:
- (a) to assess an application by the Buyer; and/or
- (b) to notify other credit providers of a default by the Buyer; and/or
- (c) to exchange information with other credit providers as to the status of this credit account, where the Buyer is in default with other credit providers; and/or
- (d) to assess the creditworthiness of the Buyer including the Buyer's repayment history in the preceding two (2) years.
- 17.3. The Buyer consents to the Seller being given a consumer credit report to collect overdue payment on commercial credit.
- 17.4. The Buyer agrees that personal credit information provided may be used and retained by the Seller for the following purposes (and for other agreed purposes or required by):
- (a) the provision of Goods; and/or
- (b) analysing, verifying and/or checking the Buyer's credit, payment and/or status in relation to the provision of Goods; and/or
- (c) processing of any payment instructions, direct debit facilities and/or credit facilities requested by the Buyer; and/or
- (d) enabling the collection of amounts outstanding in relation to the Goods.
- 17.5. The Seller may give information about the Buyer to a CRB for the following purposes:
- (a) to obtain a consumer credit report;
- (b) allow the CRB to create or maintain a credit information file about the Buyer including credit history.
- 17.6. The information given to the CRB may include:
- (a) personal information as outlined in 17.1 above;
- (b) name of the credit provider and that the Seller is a current credit provider to the Buyer;
- (c) whether the credit provider is a licensee;
- (d) type of consumer credit;
- (e) details concerning the Buyer's application for credit or commercial credit (e.g. date of commencement/termination of the credit account and the amount requested);
- (f) advice of consumer credit defaults, overdue accounts, loan repayments or outstanding monies which are overdue by more than sixty (60) days and for which written notice for request of payment has been made and debt recovery action commenced or alternatively that the Buyer no longer has any overdue accounts and the Seller has been paid or otherwise discharged and all details surrounding that discharge (e.g. dates of payments);

- (g) information that, in the opinion of the Seller, the Buyer has committed a serious credit infringement;
- (h) advice that the amount of the Buyer's overdue payment is equal to or more than one hundred and fifty dollars (\$150).

17.7. The Buyer shall have the right to request (by e-mail) from the Seller:

- (a) a copy of the information about the Buyer retained by the Seller and the right to request that the Seller correct any incorrect information; and
- (b) that the Seller does not disclose any personal information about the Buyer for the purpose of direct marketing.

17.8. The Seller will destroy personal information upon the Buyer's request (by e-mail) or if it is no longer required unless it is required in order to fulfil the obligations of this Agreement or is required to be maintained and/or stored in accordance with the law.

17.9. The Buyer can make a privacy complaint by contacting the Seller via e-mail. The Seller will respond to that complaint within seven (7) days of receipt and will take all reasonable steps to make a decision as to the complaint within thirty (30) days of receipt of the complaint. In the event that the Buyer is not satisfied with the resolution provided, the Buyer can make a complaint to the Information Commissioner at [www.oaic.gov.au](http://www.oaic.gov.au).

## 18. Service of Notices

- 18.1. Any written notice given under this Agreement shall be deemed to have been given and received: (a) by handing the notice to the other party, in person;
- (b) by leaving it at the address of the other party as stated in this Agreement;
- (c) by sending it by registered post to the address of the other party as stated in this Agreement;
- (d) if sent by facsimile transmission to the fax number of the other party as stated in this Agreement (if any), on receipt of confirmation of the transmission;
- (e) if sent by email to the other party's last known email address.

18.2. Any notice that is posted shall be deemed to have been served, unless the contrary is shown, at the time when by the ordinary course of post, the notice would have been delivered.

## 19. Trusts

19.1. If the Buyer at any time upon or subsequent to entering in to the Agreement is acting in the capacity of trustee of any trust ("Trust") then whether or not the Seller may have notice of the Trust, the Buyer covenants with the Seller as follows:

- (a) the Agreement extends to all rights of indemnity which the Buyer now or subsequently may have against the Trust and the trust fund;
- (b) the Buyer has full and complete power and authority under the Trust to enter into the Agreement and the provisions of the Trust do not purport to exclude or take away the right of indemnity of the Buyer against the Trust or the trust fund. The Buyer will not release the right of indemnity or commit any breach of trust or be a party to any other action which might prejudice that right of indemnity;
- (c) the Buyer will not without consent in writing of the Seller (the Seller will not unreasonably withhold consent), cause, permit, or suffer to happen any of the following events:
  - the removal, replacement or retirement of the Buyer as trustee of the Trust;
  - any alteration to or variation of the terms of the Trust;
  - any advancement or distribution of capital of the Trust; or
  - any resettlement of the trust property.

## 20. General

20.1. Any dispute or difference arising as to the interpretation of these terms and conditions or as to any matter arising hereunder, shall be submitted to, and settled by, arbitration in accordance with the Commercial Arbitration Act 2010 or its replacement(s).

20.2. The failure by either party to enforce any provision of these terms and conditions shall not be treated as a waiver of that provision, nor shall it affect that party's right to subsequently enforce that provision. If any provision of these terms and conditions shall be invalid, void, illegal or unenforceable the validity, existence, legality and enforceability of the remaining provisions shall not be affected, prejudiced or impaired.

20.3. These terms and conditions and any contract to which they apply shall be governed by the laws of Country, City, State, Territory in which the

20.4. Seller's premises are located and the parties submit to the non-exclusive jurisdiction of the courts of that Country, City, State or Territory. However, in the event of a dispute that deems necessary for the matter to be referred to a Magistrates or higher Court then jurisdiction will be subject to the Melbourne Courts in the state of Melbourne in which the Seller has its principal place of business.

20.5. Subject to clause 11, the Seller shall be under no liability whatsoever to the Buyer for any indirect and/or consequential loss and/or expense (including loss of profit) suffered by the Buyer arising out of a breach by the Seller of these terms and conditions (alternatively the Seller's liability shall be limited to damages which under no circumstances shall exceed the Price of the Goods).

20.6. The Seller may licence and/or assign all or any part of its rights and/or obligations under this Agreement without the Buyer's consent.

20.7. The Buyer cannot licence or assign without the written approval of the Seller.

20.8. The Buyer agrees that the Seller may amend their general terms and conditions for subsequent future Agreements with the Buyer by disclosing such to the Buyer in writing. These changes shall be deemed to take effect from the date on which the Buyer accepts such changes, or otherwise at such time as the Buyer makes a further request for the Seller to provide Goods to the Buyer.

20.9. Neither party shall be liable for any default due to any act of God, war, terrorism, strike, lock-out, industrial action/riot/civil commotion, robbery, fire, flood, storm, or other event beyond the reasonable control of either party, and the Seller:

- (a) shall not be liable for any claims for non-fulfilment or late Delivery should actual Delivery (or any parts) be delayed in consequence of unforeseen events under this clause 20.8 and unforeseen breakdown of machinery (save where caused by improper maintenance or operation by untrained personnel), suspension of electricity or other relevant power supply adverse non-foreseeable weather conditions, action of government or port authority, delay of vessel, railroad embargoes, in ability to obtain transportation facilities or due to failure of an original equipment manufacturer to supply components by the due date; and
- (b) shall be entitled (at its option) to terminate this Agreement or extend the time for performance.

20.10. Both parties warrant that they have the power to enter into this Agreement and have obtained all necessary authorisations to allow them to do so, they are not insolvent, and that this Agreement creates binding and valid legal obligations on them.

## About Allegion™

Allegion (NYSE: ALLE) is a global pioneer in seamless access, with leading brands like CISA®, Interflex®, LCN®, Schlage®, SimonsVoss® and Von Duprin®. Focusing on security around the door and adjacent areas, Allegion secures people and assets with a range of solutions for homes, businesses, schools and institutions. Allegion had \$2.9 billion in revenue in 2021, and its security products are sold around the world.

For more, visit [www.allegion.com.au](http://www.allegion.com.au)

Brio ■ <FSH> ■ *Gainsborough* ■ LEGGE ■ SCHLAGE