



Keypad Controller



The Schlage Keypad Controller (BZ300) provides convenience of keyless access as the Schlage Omnia™ or Schlage eGO™ Smart Locks.

Features

- Relay control for locking devices or systems
- Combined with Schlage Breeze or Schlage Breeze Hotel software, the Schlage Keypad Controller adds enhanced access to any site
- Access control product featuring keypad, card reader, and Bluetooth app
- Easily manage access via Schlage Breeze/Breeze Hotel

Warranties	
Electronics	1 year


Specifications

Model	Schlage Keypad Controller (BZ300)
Dimensions	79mm (W) x 129mm (H) x 15mm (D)
Material	Aluminium frame / Tempered glass panel
Communication	Bluetooth 4.1
Stand-by current	15mA
Access method	PIN, Keytags/cards, Breeze app
BLE app	Schlage Breeze, Schlage Breeze Hotel, Schlage Breeze Guest
Number of users	Unlimited users via app (BLE)
Keytags/Cards	Upto 200
PIN code	Custom: 150 Scheduled: 150 Length: 4-9 digits
Operating current	1A (maximum)
Power supply	9 - 16V
Unlocking time	1.5S (can be configured in Schlage Breeze App)
Waterproof level	IP66


Parts included



Keypad controller



Mounting plate + 4 screws




Manual




Hex key

Mounting details



Wiring

Connect the leads to the appropriate ports of the power supply according to the diagram.



Full process control sample

